

PARTS CATALOGUE



MARCH 2024 VERSION 1

WWW.TOUGHDOG.COM.AU



,	•
LIMITED WARRANTY 6	COURIER
TERMS & CONDITIONS 6	RANGER
OUR HISTORY 8	PJ & PK, 2.5L
BUILD & BUY ONLINE 9	PX - PXII
AIR ASSIST14	PXIII
AIR BAGS14	GVM UPGR
AIR BAG COMPONENTS16	PXIII RAPTOR
	P703 RANGE
RECOVERY GEAR22	GVM UPGR
GVM UPGRADES24	P703 RANGE
	GREAT WALL
ASIA MOTORS28	WINGLE, SAIL
ROCSTA28	HOVER, SAFE
CHEVROLET29	STEED
SILVERADO29	CANNON / P-S
DAEWOO30	TANK
MUSSO30	HOLDEN
DAIHATSU31	FRONTERA
F10, F20, F50, F60. INC. SCAT31	JACKAROO, I
F25, F55, F6532	UBS13, 16, 5
FEROZA33	UBS16, 17, 5
FEROZA II34	JACKAROO, N
ROCKY35	UBS25, 26, 69
F77, F87 PICK UP & TRAYBACK35	RODEO
F70, F75/F80, F85/F77,F8736	KB4, KBD4
F73, F78 (COIL SPRINGS)37	TFS17, 54, 55
, ,	RODEO & COL
FORD38	RA-RC
EVEREST38 UA38	COLORADO
UAII40	RG
UB42	- 07/2012-0 - 06/2016-2
	COLORADO 7
EXPLORER44	TRAILBLAZEI
BRONCO45	HYUNDAI
F15046 F15047	TERRACAN
F25048	I ERRACAN
- 2003-2006	

	COURIER	50
F	RANGER	52
	PJ & PK, 2.5L & 3.0L	52
	PX - PXII	54
	PXIII	56
	GVM UPGRADE	5 8
	PXIII RAPTOR	59
	P703 RANGER	60
	GVM UPGRADE	62
	P703 RANGER RAPTOR	63
REA	T WALL	65
1	WINGLE, SAILOR	65
-	HOVER, SAFE, HAVAL	66
9	STEED	67
	CANNON / P-SERIES	68
1	ΓΑΝΚ	70
IOLD	DEN	72
F	FRONTERA	72
	JACKAROO, ISUZU TROOPER	73
	UBS13, 16, 52, 52I	73
	UBS16, 17, 52, 55	74
	JACKAROO, MONTEREY	75
	UBS25, 26, 69, 73	
	RODEO	76
	KB4, KBD4	76
	TFS17, 54, 55, TFS25, 77	77
F 6	RODEO & COLORADO	78
	RA-RC	78
	COLORADO	80
	RG	80
	- 07/2012-06/2016 - 06/2016-2023	
	COLORADO 7	84
	TRAILBLAZER	84
IYUN	NDAI	86
	ΓERRACAN	



ISUZU88				
D-MAX88				
RA, RC MY09-MY1188				
RT MY1290				
- 05/2012-04/2016 & 4/2016-8/202090				
RG MY1992				
- 4X2 MODEL94				
GVM UPGRADE96				
MU-X98 - 08/2014-07/202198 - 07/2021 ON				
JEEP102				
CHEROKEE 102				
XJ LIMITED, SPORT102				
GRAND CHEROKEE103				
WG, WJ, & ZG103				
WK2104				
WRANGLER105				
TJ105				
JK106				
JL (EX RUBICON)107				
JT108				
LANDROVER109				
80, 88 SWB, 109 LWB109				
SERIES I, II, IIA & III109				
DEFENDER110				
110 COUNTY110				
90 SERIES112				
110, 130 SERIES114				
DISCOVERY 116				
SERIES I116				
SERIES II & III118				
RANGE ROVER119				
CLASSIC119				
- NON AIR SUSPENSION				
RG MY19				
NIVA 121				

LDV	122
D90	122
T60	124
T60 MAX	126
MAHINDRA	128
SCORPIO N	128
THAR	130
MAZDA	131
B2500, B2600, B4000	131
BT-50	132
B2500, B3000	132
UP, UR	134
TF	136
- 4X2 MODEL	
GVM UPGRADE	140
MERCEDES-BENZ	142
X-CLASS UTE	142
MITSUBISHI	144
CHALLENGER	144
PA	144
LEAF REAR	144
PA II (COIL REAR)	145
CHALLENGER/PAJERO SPORT .	146
L200 4WD	148
L300 4WD	149
PAJERO/MONTERO	150
LEAF REAR	150
COIL REAR	151
NM-NX	152
QE, QF	154
TRITON	156
ME-MK	156
ML-MN	158
мQ	160
MR	162
- 4X2 MODEL	164



NISSAN 166
NAVARA166
D21, D22166
D40 - 2.5L, 4.0L168
D40 - 3.0L STX-550 V6170
NP300172
- COIL REAR
- COIL REAR (S5)
- 4X2 MODEL178
PATHFINDER 180
WNYD21, WHYD21180
R50181
R51 2.5L, 4.0L182
R51 3.0L V6183
PATROL184
MQ, MK184
GQ (Y60) 2" LIFT186
GU (Y61) 2" LIFT WAGON188
GVM UPGRADE190
GQ, GU (Y60, Y61)192
- 3" LIFT
- 4", 5", 6" LIFT
- (LEAF/LEAF)196
- (COIL/COIL)198
- (COIL/LEAF)
- WITHOUT HBMC202
- WITH HBMC204
TERRANO II
RAM206
1500206
DS SERIES206
GVM UPGRADE207
DT SERIES - NON AIR SUSPENSION208
GVM UPGRADE209
2500 SERIES210
SSANGYONG212
MUSSO (INC SPORT UTE)212

UZURI	···· Z14
JIMNY	214
SN413 (JB33, 43, 48)	214
JB74 - 3 DOOR	216
GVM UPGRADE	218
JB74 - 5 DOOR	222
LJ50, LJ80, LJ81	226
SIERRA SJ40	226
MARUTI MG410 (NARROW TRACK)	226
SIERRA SJ50, SJ51, SJ70	227
MARUTI MG410 (WIDE TRACK)	
VITARA	228
INC GRAND VITARA & XL7	
OYOTA	220
FORTUNER2004-12/2015	
2015 ON	
4RUNNER	
IFS/LEAF REAR	
IFS/COIL REAR	233
HILUX	234
LEAF/LEAF	
- 04/1979-1997	234
TORSION BAR FRONT	236
- 10/1988-1997	
- 10/1997-2005	
KUN26, GGN25R	
GUN125R, GUN126R, GGN125R	242
N80 - WORKMATE 4X2 HI RIDER	244
GVM UPGRADE	246
2WD WORKMATE	247
ROGUE WIDEBODY	248
GR SPORT	250
INNOVA	252



LANDCRUISER254
40, 42 SERIES254
45, 47 SERIES256
60, 61, 62 SERIES258
70 SERIES BUNDERA260
71, 74 SERIES261
70, 73, 74 SERIES262
75 SERIES264
76 SERIES266
77 SERIES268
78 SERIES270
- (WITH COIL SPRING)270
78, 79 SERIES272
- (SINGLE CAB)272
- (DUAL CAB)274 GVM UPGRADE 276
80 & 105 SERIES280
- (2")
- (3")
100 SERIES286
- (IFS)286
200 SERIES288
- GX, GXL, VX288
- SAHARA290
GVM UPGRADE292
300 SERIES294
- VX, GXL, GX, SAHARA, SAHARA ZX294
- GR SPORT296 GVM UPGRADE 298
PRADO300
95 SERIES300
120 SERIES302
150 SERIES304
FJ CRUISER308
RAV 4310
TUNDRA311

UAZ	312
UAZ, HUNTER, PATRIOT	312
VOLKSWAGEN	314
AMAROK	314
- 2010-2022	314
- 10/2022 ON	
ROCK DOG	318
PROMOTIONAL ITEMS	320
FITTING SHEET	322
CLAIM FORM	323
DISCLAIMER FORM	324
PURCHASE ORDER FORM	325

LIMITED WARRANTY

TERMS & CONDITIONS



THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

TERMS & CONDITIONS

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits under our limited warranty are in addition to other rights and remedies under applicable law in relation to the product. At 4 Way Suspension Products Pty Ltd, we want you to have complete confidence in each and every 4 Way product you own. That's why we back our products with a manufacturer's warranty.

ACCOUNTS

Account applications that are approved must comply with the following Term & Conditions.

- 1. All export orders must be prepaid before shipment.
- 2. Credit terms are 30 days from the end of the trading month.
- Credit will be suspended if payment is not made within the trading terms.
- 4. Unpaid accounts at 30 days will be placed on stop supply
- 5. If no credit arrangement exists, all goods must be prepaid before leaving 4 Way Suspension premises.
- If the applicant is a company, the Director's Guarantee must be completed by all relevant parties.

FREIGHT & INSURANCE

All prices are quoted Ex-Warehouse and do not include freight. Ownership of the goods passes to the buyer at the time they leave the 4 Way Suspension Premises, providing that payment has been made according to the applicable account terms. Unless specified otherwise, freight will be added to the total cost of goods using the Supplier's preferred freight company.

CREDIT & WARRANTY RETURNS

Goods for credit or exchange must be returned within fourteen (14) days of invoice date accompanied by a completed **Returns Form.** Goods returned for the purpose of warranty claim must also be accompanied by the returns form along with a copy of the customer invoice. Freight for returned goods can be arranged by the returning party or by 4 Way Suspension, but in both cases, the associated costs remain the responsibility of the returning party.

15% OF THE TOTAL VALUE OF THE RETURNED GOODS WILL
BE CHARGED IN THE EVENT THAT REPACKAGING IS REQUIRED

WARRANTY EXCLUSIONS

- 1. Parts that have been incorrectly installed.
- 2. Struts that have been assembled with the use of any tool other than hand tools (no rattle guns or impact tools)
- 3. Load bearing strut bushes that have been tightened while hanging. Strut bushes must be tightened while the vehicle is on the ground supporting its own weight.
- Interference between shock absorber and other suspension components.
- 5. Parts that have been involved in a motor vehicle accident or have been bent or have been physically damaged by impact of any kind.
- 6. Parts showing evidence of improper tightening of the mounting bolts causing parts to wear or bend.
- 7. Gripping tool marks (vice grips or multi grips) or any other tool made marks on the polished chrome section of the shock absorber shaft.
- 8. All parts subjected to abuse.
- All parts used in racing or competition events of any description
- Fair wear & tear components (including bushings warranted for 12 months from date of purchase as a component of the shock absorber)
- 11. Any special-order parts (in which case the warranty is limited to manufacturing defects)*
- 12. Parts fitted to vehicles weighing more than original GVM or the revised GVM specified by a Tough Dog GVM upgrade.

*Please Note: Any components built to a special order or specification outside the catalogue listings is covered by warranty limited to manufacturing defects. The manufacturer is unable to guarantee the suitability of components for an application for which has not been tested. Failure arising as a result of the application is excluded.

PROOF OF PURCHASE

A copy of proof of purchase by the retail customer must be attached to the claim including the kilometre reading at the time of fitment (if applicable). Each 4WD Suspension fitted must have a fitting sheet completed and kept on file by either the vehicle owner or the fitment centre performing the work. Failure to produce the fitting sheet may affect the warranty of the product. Warranty is limited to coverage of the original purchaser and is not transferrable with transfer of ownership of the vehicle.

LIMITED WARRANTY



TERMS & CONDITIONS

THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

WARRANTY PERIODS

PRODUCT	RECREATIONAL WTY	COMMERCIAL WTY	
PRODUCI	RECREATIONAL WIT	COMMERCIAL WIT	
50MM RALPH & 45MM ADJUSTABLE	4 Year/Unlimited KM	3 Year/Unlimited KM	
35MM NITRO GAS SHOCKS	3 Year/Unlimited KM	Not Applicable	
FOAM CELL & 40MM ADJUSTABLE	4 Year/Unlimited KM	3 Year/Unlimited KM	
RTC/EXT/SV DAMPERS	4 Year/Unlimited KM	3 Year/Unlimited KM	
LEAF SPRINGS	4 Year/Unlimited KM	3 Year/Unlimited KM	
COIL SPRINGS (UP TO 2")	4 Year/Unlimited KM	3 Year/Unlimited KM	
COIL SPRINGS (ABOVE 2")	3 Year/Unlimited KM	3 Year/Unlimited KM	
UPPER CONTROL ARMS	4 Year/Unlimited KM	3 Year/Unlimited KM	
AIR ASSIST PRODUCTS	4 Year/Unlimited KM	3 Year/Unlimited KM	
WIRELESS AIR ASSIST	3 Year/Unlimited KM	2 Year/Unlimited KM	
GVM UPGRADES	4 Year/Unlimited KM	3 Year/Unlimited KM	
RECOVERY EQUIPMENT	3 Year material & manufacture	3 Year material & manufacture	



DIY suspension fitment does not affect the warranty application or term as long as the following conditions are adhered to:

- 1. A fitting sheet is completed prior to the suspension being fitted and filed for later reference.
- 2. The above fitment sheet accurately and clearly includes bottom of rim to wheel arch measurements for all four corners of the vehicle both before and after fitment, as well as at the 500km check service.
- U-Bolts must be replaced at the time of fitment.
 U-Bolts are a 'stretch fit' item, and should not be torqued to tightness twice. Re-using U-Bolts puts the vehicle and occupants at risk.

WARRANTY LIMITS

4 Way Suspension Products Pty Ltd provides this product warranty which is limited to the repair or replacement of defective or faulty parts and does not include any costs incurred in labour for the removal or re-fitment of parts or damage incurred as a result of the product's fitment.









MAKING TRACKS SINCE 1985

Tough Dog has been "making tracks across the world" since 1985, and have grown rapidly as a result of the excellent reputation their quality gear commands. Today, Tough Dog products are sought after the world over, and the distribution network spans 41 countries around the world. With some of the harshest conditions right here in Australia to test out products, the gear that makes it to the market is a cut above the rest.

In 2018, Tough Dog took up residence in the new Headquarters in Marsden Park. Featuring dedicated spaces for Research & Development, Design & Manufacture, and Bulk Production, the new home of Tough Dog marks the beginning of a new chapter in our international story. Our efforts in the export market were also recognised, with 3 runner-up positions and a win in the WSABE Excellence in Export category.



BUILD & BUY ONLINE



HOW TO USE KIT BUILDER

STEP 1

SELECT YOUR 4WD

Find the right Tough Dog suspension kit for any application has never been easier than with our Online kit builder. Head to **www.toughdog.com.au/Kit-Builder**

Just choose the vehicle, accessories, and shock absorber that you need, and the suitable kits will be displayed! It could not be easier. If you're in Australia, you can even order your kit online, and collect it from your local authorised Tough Dog Dealer.

WHATS YOUR 4WD?

MAKE

TOYOTA

MODE

HILUX

SERIE!

GUN125R

YEAR

2021

FRONT SETUP

BULL BAR + WINCH



STEP 2

SELECT WHAT IS YOUR REAR LOAD



LIGHT LOAD



MEDIUM LOAD



HEAVY LOAD

STEP 3

SELECT YOUR SHOCK



FOAM CELL



ADJUSTABLE



BIG BORE RALPH



BIG BORE ADJUSTABLE

STEP 4

ADD OPTIONAL ACCESSORIES



UPPER CONTROL ARMS



AIR ASSIST - AIR BAGS

STEP 5

FIND YOUR NEAREST DEALER

ENTER YOUR POSTCODE

2765

Your complete kit will be delivered to your local dealer.

SHOCK ABSORBERS



FOAM CELL SHOCK



ADJUSTABLE SHOCK





Bore Size: Rod Size:

FEATURES

- Foam cell technology
- Twin tube design
- · Hydraulic rebound stop
- · High temperature, all weather oil
- · Reinforced, welded mounting points
- · Multi-stage velocity sensitive valving

FEATURES

Outer Casing: 60mm

Rod Size:

- 9 Stage adjustable settings
- · Twin tube design
- Hydraulic rebound stop
- · High temperature, all weather oil
- Reinforced, welded mounting points

18mm

· Adjustable internal bypass with foam cell sleeve

SHOCK ABSORBERS



BIG BORE ADJUSTABLE SHOCK

BIG BORE RALPH SHOCK







SPECIFICATIONS

Bore Size: 50mm Rod Size: 20mm Outer Casing: 70mm

FEATURES

- Foam cell technology
- Twin tube design
- Hydraulic rebound stop
- · High temperature, all weather oil
- Reinforced, welded mounting points
- · Multi-stage velocity sensitive valving

FEATURES

- 9 Stage adjustable settings
- Twin tube design
- · Hydraulic rebound stop
- High temperature, all weather oil
- · Reinforced, welded mounting points
- Adjustable internal bypass with foam cell sleeve



YOU CAN COUNT ON!

COIL SPRINGS

Tough Dog Coil Springs are designed and manufactured in Australia to exacting standards to stand up to some of the harshest conditions found anywhere in the world.

Made from X5K spring steel, our coils are designed with less material while maintaining superior ride quality & load carrying characteristics. The spring retains its original memory even after heavy loading.

THE RESULT? A lighter, tougher coil that can handle just about anything you can throw at it.

- · Shot Peened, Scragged, and Load Tested for maximum durability
- Hot formed on precision mandrels to maintain spring memory
- Huge range of heights and load carrying options for most 4WD vehicles



TORSION BARS

Tough Dog's Performance 4WD Torsion Bars offer a spring rate that is aproximately 30% higher than OEM torison bars. Optimise your 4WD's ride and handling characteristics with quality Torsion Bars from Tough Dog.







LEAF SPRINGS

Designed in Australia, Tough Dog leaf springs offer a spring pack for just about any application you might require. Our springs are a proven performer in any situation.

Tough Dog leaf springs are a truly progressive rate leaf spring. Each leaf is set slightly higher than the leaf above so there is contact along the whole length of each leaf.

There are single stage and two stage springs available for different applications. Primary and secondary stage leaves ensure that the vehicle's ride remains uncompromised. As the spring is compressed under load, the heavier second stage leaves come into play to prevent excessive sag & remove high stresses from the primary stage.





LOAD? NO WORRIES!

Tough Dog airbags are designed to exacting standards to stand Up to some of the harshest conditions found anywhere in the world. If your load changes all the time, an 'Air Assist' suspension system could be for you. 'Air Assist' springs are specifically designed to level out and control the rear ride height of your vehicle.

- Reduces Sway & Body Roll
- Guards Against Excessive Compression When Loaded
- Laser Cut & Powder Coated Brackets
- Zinc Plated Roll Plates Top & Bottom
- No Drill Fitting (most applications)
- In-cab control, with Wireless Air Assist upgrade





HEAVY DUTY RUBBER



5-100 PSI (Bellows) 5-60 PSI (Coil Insert)



NO DRILL FITTING



SUITS TOWING



SUITS HEAVY LOAD

BELLOW AIRBAGS

Tough Dog 'Air Assist' rubber bellow airbags are designed for leaf sprung vehicles where the load constantly varies. Made from heavy duty rubber bellows with crimped end caps, these air bags will withstand the harshest environments found anywhere in the world.

Kit includes:



COIL INSERT AIRBAGS

Tough Dog 'Air Assist' high density polyurethane airbags are designed for coil sprung vehicles to assist with varying loads and towing applications. The heavy duty polyurethane bags can handle up to 60psi of pressure.

2x Coil Insert Airbags 5m of 1/4" Air Line Air Line Fittings Mounting brackets & hardware



KIT INCLUSIONS

WIRELESS AIR ASSIST SYSTEM TDAS-001 - SUITS BELLOWS AIRBAGS TDAS-002 - SUITS COIL INSERT AIRBAGS

Offering a built-in air compressor for your air bag system, the Tough Dog Wireless Air Assist system allows you to adjust the pressure in your rear air bags on the fly, thus providing the perfect amount of pressure in the bags to suit your requirements.

Installing a Wireless Air Assist system gives you the ability to adjust each airbag individually, levelling out vehicles with uneven loads, and improving handling & ride quality.

The Wireless Air Kit can be controlled by a user-friendly LCD wireless controller, or the intuitive wireless app that can be programmed with user-defined presets and enables frequently used pressure settings to be saved.

Tough Dog Wireless AIR ASSIST kits includes:

- · Heavy Duty Compressor
- · LCD Wireless Controller
- Dual Path Manifold
- 7.5m of 1/4" Air Line
- · Battery direct wiring harness



Combine the Complete 2 Gal. Air Tank kit with a set of our Air Bags for the ulimate in adjustable Air Assist systems! The supplied 2 Gallon tank, compressor, and airlines allow you to inflate/deflate your airbags at the push of a button, as well as giving you the ability to inflate your tyres with the on-board air!

The Complete Kit includes:

- 2 Gallon Air Tank
- · Heavy Duty Compressor
- Dual Path Manifold & mounting bracket
- · Coiled Air Line with quick-connect tyre valve
- 10m of 1/4" Air Line
- LCD Wireless Controller
- · Battery direct wiring harness
- · Mounting Hardware
- Airline Installation Kit
- · Wiring Kit





2 GAL. AIR TANK - UPGRADE KIT TDAS-004

If you're already running a Wireless Air Assist kit, you can take it to the next level of convenience and adjustability with the 2 Gal. Air Tank upgrade kit, which includes:

- 2 Gallon Air Tank
- · Heavy Duty Compressor
- Coiled Air Line with quick-connect tyre valve
- Manifold mounting bracket
- 30' of 1/4" Air Line
- · Battery direct wiring harness
- · Mounting Hardware
- Airline Installation Kit
- Wiring Kit







PART NO	QTY	DESCRIPTION	RRP
		AIR ASSIST COMPONENTS	•
TDAP-001	1	Bellow Hard Airline	\$70.00
TDAP-002	1	Poly Kit Soft Airline (5m)	\$35.00
TDAP-003	1	Split tubing for airline (5m)	\$20.00
TDAP-004	1	Poly Kit Bag of Parts	\$40.00
TDAP-005	1	Bellow Kit Bag of Parts	\$40.00
TDAP-006	1	Bellow Push to Connect Elbows	\$25.00
TDAP-007	1	Airline Mounting Bracket to Trailer Plug (Left)	\$20.00
TDAP-008	1	Airline Mounting Bracket to Trailer Plug (Right)	\$20.00
TDAP-009	1	Exhaust Heat Shield Kit	\$25.00
TDAP-010	1	Upper Spacer 25mm Spacer for Prado, MU-X, FJ, etc.	\$30.00
TDAP-011	1	GU, GQ Patrol, 80, 100, 200 Series LandCruiser / 50mm LS / Convert SH to Raised	\$30.00
TDAP-012	1	79 Series LandCruiser - convert STD to raised (TDAA-121)	\$65.00
TDAP-015	1	Replacement Bag For TDAA-001, 021, & 031 (Bag #46183)	\$180.00
TDAP-016	1	Replacement Bag For TDAA-002 (Bag #46159)	\$140.00
TDAP-017	1	Replacement Bag For TDAA-003 & 019 (Bag #48181)	\$180.00
TDAP-018	1	Replacement Bag For TDAA-004, 008, 011, 014, 017, 032, & 033 (Bag #46176)	\$180.00
TDAP-019	1	Replacement Bag For TDAA-005 (Bag #46185)	\$180.00
TDAP-020	1	Replacement Bag For TDAA-006 (Bag #46186)	\$180.00
TDAP-021	1	Replacement Bag For TDAA-007, 016, 022, 023, 029 (Bag #46178)	\$180.00
TDAP-022	1	Replacement Bag For TDAA-009 (Bag #46187)	\$180.00
TDAP-023	1	Replacement Bag For TDAA-010 (Bag #46184)	\$180.00
TDAP-024	1	Replacement Bag For TDAA-012 (Bag #46188)	\$180.00
TDAP-025	1	Replacement Bag For TDAA-013 (Bag #46182)	\$180.00
TDAP-026	1	Replacement Bag For TDAA-015 & 030 (Bag #46189)	\$180.00
TDAP-027	1	Replacement Bag For TDAA-018 (Bag #46161)	\$140.00
TDAP-028	1	Replacement Bag For TDAA-020 (Bag #46181)	\$180.00
TDAP-029	1	Replacement Bag For TDAA-101-113, 126, 131, 133, & 136 (Bag #58437)	\$380.00
TDAP-030	1	Replacement Bag For TDAA-114, 116, 130, & 135 (Bag #58439)	\$380.00
TDAP-031	1	Replacement Bag For TDAA-115 & 121 (Bag #58343)	\$440.00
TDAP-032	1	Replacement Bag For TDAA-117, 118, 119, 120, 122, 123, 124, 125, & 134 (Bag #58407)	\$380.00
TDAP-033	1	Airline Mounting Bracket to Trailer Plug (universal mount)	\$25.00
TDAP-034	1	50mm upper Spacer - OD 104mm x ID 20mm x L 50mm	\$30.00
TDAP-035	1	Replacement Bag For TDAA-024 & 025 (Bag #48179)	\$190.00
TDAP-036	1	Upper/Lower spacer to suit TDAA-025, 024, 023, 022, 014, & 004	\$40.00
TDAP-037	1	Replacement Bag For TDAA-027, & 028 (Bag #48178)	\$190.00
TDAP-038	1	Replacement Wireless Air Control Unit	\$430.00





TDAP-001Bellows Hard Airline



TDAP-002 5m Soft Airline Poly Kit



TDAP-003 5m Splittubing for Airline



TDAP-007Left Airline Mounting
Bracket to Trailer Plug



TDAP-033 Universal Airline Mounting Bracket to Trailer Plug



TDAP-008Right Airline Mounting
Bracket to Trailer Plug



TDAP-036 Spacer



TDAP-034 50mm Spacer



TDAP-011 Spacer



TDAP-009 Exhaust Shield



TDAP-012 Bracket for LC79 Convert STD to Raised (TDAA-121)



TDAP-031Bellow
Replacement Bag
for TDAA-115 &121



TDAP-015 Coil Replacement Bag for TDAA-001 & 021

STEERING DAMPERS



Quality steering components go a huge way to alleviating driver fatigue. Rough and unforgiving road surfaces can transfer through the wheels and up to the steering wheel.

If you're constantly fighting to keep the vehicle on track, eventually that effort will take its toll. Tough Dog Steering Dampers are on your side when it comes to taming steering shimmy and shake.




EXT

The Tough Dog EXT Steering Damper is our affordable, heavy duty replacement damper. Featuring a 35mm internal bore and our Foam Cell insert, this damper will give you control and feeling back in your steering set up.



RTC

The 'Return-to-Centre' damper is designed to re-centre your steering and help reduce shimmy and shake caused by rough road surfaces, reducing driver fatigue and increasing vehicle control.



XHD RTC

These dampers are designed for vehicles with greater than 100mm of lift running large diameter or aggressive tyres. These dampers come with all necessary, vehicle-specific brackets.



SV

The 'SV' 9 Stage Adjustable damper offers users the ability to adjust the damping force to suite driving style and vehicle requirements. Available for most live axle vehicles, and up to 150mm lift in some applications.





UPPER CONTROL ARMS

Tough Dog front upper control arms have been designed to restore OEM wheel alignment targets and cam-bolt settings for both camber and castor.

- Fixed length and position design guards against accidental misalignment during offroad use.
- Slimline tube design and ball joint housing to maximize clearance.
- Chromoly steel ball joint
- 1020 Grade Forged Bushing & Ball Joint Housings for high strength.
- Heavy Duty, High flex style bushing design requires no lubrication and maximizes bushing life.

- Factory brake line mounting locations included.
- Designed to accept OEM components as replacements if needed.





IMPROVED CLEARANCE



HEAVY DUTY
HIGH FLEX BUSHING



1020 GRADE FORGED HOUSING



CHROMOLY BALL JOINTS



CORRECTS
Castor & CAMBER

CASTOR CORRECTION

Castor is the angle to which the steering pivot axis is tilted forward or rearward from vertical, as viewed from the side. When a vehicle is Lifted, the castor angle is adversely affected because of the change in the angles of the front radius arms.

Tough Dog provide a range of products to adjust camber from two degrees through to seven degrees to ensure a reliable straight steering feel is maintained at any Lift height provided in the Tough Dog range.



OFFSET CAMBER PINS

Camber adjustment on live axle LandCruisers and Patrols can require an offset camber pin to be fitted. Available in 0.5, 0.75, and 1 degree of offset, these pins can help eliminate excessive and uneven tyre wear.





ACCESSORIES



PANHARD RODS

Adjustable panhard rods allow the axle to be re-centred under the vehicle after the height has been modified. Tough Dog panhard rods are bent from a single solid bar for strength, and are adjustable to cover a broad range of vehicle heights.



SWAY BARS

Tough Dog Sway Bars help control the additional body roll created by lifting a vehicle and adding touring accessories, luggage, and passengers, maintaining good road holding characteristics and restoring the handling qualities of the vehicle.



PINS & SHACKLES

Greasable pins and shackles help protect the bushes from premature wear because of the ingress of dirt and grit. Greasable components are particularly important to vehicles exposed to outback dust or high salt level environments like boat ramps and beach driving.



U-BOLT KITS

When U-bolts are tightened to secure the leaf pack in the vehicle from factory, the metal is stretched as a normal part of this process. It is important that U-bolts be replaced when a suspension system is changed, as a stretched U-bolt has lost its integral strength. Tough Dog U-bolts are manufactured using high tensile steel & are designed with the correct length of thread for larger, heavy duty leaf spring packs.



URETHANE BUSHES & SPACERS

Tough Dog urethane is stronger than rubber components and has greater longevity and resistance to deterioration from chemical exposure. Urethane bushes respond well to greasing during operation, and are created to retain flexibility for ride comfort.

Replacement urethane bushes are available for all Tough Dog leaf springs as well as for a range of other suspension bushing locations in vehicles.



ACCESSORIES





BRAKE HOSES

Extended brake lines become a requirement for larger Lift vehicles to prevent damage from stretching the existing lines. Tough Dog offer a brake line solution in both a tradition rubber style as well as a steel braided line for improved brake pedal response and feel.

STRUT TOPS

Strut Tops are available separately for most modern vehicles. These units are suitable for use with Tough Dog product and with original manufacturers struts as well.



FITTING KITS

Tough Dog pays close attention to the fit and finish of every complete solution. We have a range of fitting brackets and vehicle specific components. Check out our complete catalogue listing for components to suit your vehicle.



TDSP-008 TDSK-021 TDSP-004-2

RECOVERY GEAR





KINETIC ROPE RECOVERY GEAR

Tough Dog Kinetic Recovery Kits are designed to offer a safer and more effective recovery from whatever situation you find yourself stuck in! Made from 100% double braided nylon, kinetic ropes offer up to 50% more rope elongation than standard 'snatch strap,' resulting in a smoother recovery with less strain placed on your vehicle.

When recovering a stuck vehicle, you must use the rope rated for the lightest vehicle in the recovery. To choose the correctly rated rope, the rule is 2-3x the weight of your vehicle when being recovered.

The 8.5T Kinetic Rope is suited for most dual-cab utes, and mid-size 4WDs like the Toyota Prado & Mitsubishi Pajero. If you're driving a full-size 4WD like a 200 Series LandCruiser, Nissan Patrol, or 79 Series, you'll need to use the higher-rated 13T Kinetic Rope.

COMPLETE KITS				
PART NO	QTY	DESCRIPTION	RRP	
RECOVERY KIT - 8.5T KINETIC ROPE				
TDRK-8.5T	1	8.5T Kinetic Recovery Rope		
	2	21T Soft Shackle		
	1	Pair of Recovery Gloves		
	1	Recovery Damper Blanket		
	1	Heavy Duty Carry Bag		

RECOVERY ACCESSORIES					
PART NO 💆 DESCRIPTION RRP					
INDIVIDUAL ACCESSORIES					
TDRG-015	1	21T Soft Shackle			
TDRG-013	1	170mm Recovery Hitch			
TDRG-014	1	240mm Recovery Hitch			

RECOVERY KIT - 13T KINETIC ROPE							
	1	13T Kinetic Recovery Rope					
	2	21T Soft Shackle					
TDRK-13T	1	Pair of Recovery Gloves					
	1	Recovery Damper Blanket					
	1	Heavy Duty Carry Bag					



COMPLETE KITS

RECOVERY KIT - 8.5T KINETIC ROPE

TDRK-8.5T

- **⋘** 8.5T Kinetic Recovery Rope
- **4** 2x Soft Shackles
- **4** Recovery Damper
- **4** Pair of Recovery Gloves
- **4** Heavy Duty Carry Bag



RECOVERY KIT - 13T KINETIC ROPE

TDRK-13T

- 🗱 13T Kinetic Recovery Rope
- **4** 2x Soft Shackles
- **Recovery Damper**
- Pair of Recovery Gloves
- **4** Heavy Duty Carry Bag



4CCESSOR

21T SOFT SHACKLES

- **4** Lighter, stronger, and safer than traditional steel bow shackles
- **⋘** Genuine Spectra® fibre
- **4** 21T Minimum Breaking Strain
- 🗱 500mm Open Length
- **4** 11mm Diameter



170MM RECOVERY HITCH

TDRG-013

- **4** Machined from T6 6061 aluminium
- 4.75T working load limit (WLL)
- **\$\footnote{\pi}\$** Less than half the weight of similar sized steel hitches
- **\$** Black Anodised finish



240MM RECOVERY HITCH

TDRG-014

- Machined from T6 6061 aluminium
- 4.75T working load limit (WLL)
- **\$** Less than half the weight of similar sized steel hitches
- Black Anodised finish



GVM UPGRADES



CARRY MORE - SAFELY & LEGALLY



The allowable payload on most modern 4WDs seems great on paper, but gets quickly eaten up when accessories, gear and passengers get loaded in.

Remaining under the vehicles Gross Vehicle Mass (GVM) can seem like an impossible feat.

Tough Dog Suspension is a recognised Second Stage Manufacturer (SSM) which allows us to develop and federally certify components to increase your vehicle's GVM. Maximise your allowable payload without risking your roadworthiness!

Each complete GVM kit has been extensively tested to ensure ADR compliance is maintained.



PRE-REGISTRATION

Certification of your GVM upgrade will occur on either a Federal or State level, depending on whether the vehicle has been registered or not.



When the GVM upgrade is completed prior to the first registration, the certification is done at a Federal level, and remains constant regardless of where in Australia the vehicle is registered. When you collect and drive your new vehicle for the first time - it will be recognised as a Tough Dog upgraded vehicle.

VS

POST-REGISTRATION

Both Pre-Registration and Post-Registration kits must be supplied and installed through an authorised Tough Dog GVM installer.



If your vehicle is already registered, you're still able to take advantage of our GVM upgrade kits - Post Registration kits contain the same components as their pre-registration brothers, but require an additional signoff by a state engineer. Your local Tough Dog GVM approved dealer can help with certification.



SAFETY & PERFORMANCE BY DESIGN

Federal approval for GVM upgrades requires rigorous testing to ensure that the vehicle performs as well or better than when it left the original manufacturer. You can be sure that your Tough Dog GVM will stop and handle well, even with the increased load on board. Depending on the vehicle, testing is required for:

- 1. Finite Element Analysis (FEA) testing: A check of the maximum load carrying capacity of the vehicle's axles.
- **2. Brake Testing:** Laden and Unladen brake testing as well as testing under partial system failure to comply with ADR35/06.
- **3. ESC Testing:** If required, this test ensures that the ESC system's response is the same or better than the original vehicle.









Every GVM kit comes complete with everything required, including necessary certification paperwork.

4 YEAR WARRANTY*

- Specially Appointed Installers
- · Complete Peace of Mind

FIND YOUR NEAREST DEALER AT WWW.TOUGHDOG.COM.AU/DEALERLOCATOR

CONTACT OUR DEDICATED TEAM: ENQUIRY@4WAYSUSPENSION.COM.AU



GVM UPGRADES



GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER PORTAL

WHAT IS A GVM UPGRADE?

The GVM, or Gross Vehicle Mass of any vehicle is the weight in kg that the manufacturer has specified as being the maximum that the vehicle can weigh when fully loaded. Tough Dog GVM upgrades allow a vehicle to be certified to carry a greater amount than the original manufacturer, without breaching applicable ADRs or laws.

GVM upgrades for new vehicles are undertaken at the Second Stage of Manufacture (SSM) to the vehicle (after the First Stage of Manufacture) and are only certifiable by the Federal Government via the Department of Infrastructure, Transport, Regional Development and Communications.







CARGO



DRIVER & PASSENGERS



GROSS VEHICLE MASS

FEDERAL OR STATE APPROVAL

PRE OR POST REGISTRATION

You can upgrade the GVM of a vehicle using either Federal approval or state based approval, depending on whether the vehicle has been registered or not. If the vehicle has never been registered, Federal approval can be applied, the GVM kit comes complete with an additional compliance plate which will be fixed to the vehicle.

If the vehicle is already registered, the evidence used in Federal compliance is used in conjunction with a vehicle inspection by an authorised state engineer to certify the vehicle. Federal compliance cannot be achieved on a vehicle that has already been registered.

SAFETY FIRST - NEVER OVERLOAD YOUR VEHICLE

YOU MUST NOT EXCEED THE MAXIMUM CERTIFIED GVM

ALWAYS BE AWARE OF:

Fitment of a GVM Kit MUST be carried out by an Authorised Tough Dog fitting facility. DIY fitment, or fitment by a non-authorised fitting station, will result in the kit failing certification.

FRONT & REAR AXLE LOADS:

The maximum load applied to the individual axles must not be exceeded.

Tough Dog GVM kits specify the maximum axle loading in both the front and rear axles, the owner or operator is responsible to ensure the vehicle does not to exceed any of its maximum axle ratings.

TYRE LOAD RATINGS:

Tyres fitted to the vehicles MUST meet or exceed the original tyre load ratings to remain compliant. Compliance is the responsibily of the owner or operator.

MINIMUM PAYLOAD

Some Tough Dog GVM kits specify a minimum payload that the vehicle must achieve. This is a requirement of the kit. Compliance testing is carried out to a minimum (unladen) and maximum (laden) weights.

The weight of the vehicle must fall within that window to remain compliant.





ASIA MOTORS

07/1993-2000 NO SPRING AVAILABLE



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
2	OE Height	2	BD1102T	\$	Ea			
	50mm Lift	2	BD1104T	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSC	RBE	ĒR			
	OE Height	2	BM401102	\$	Ea			
8	50mm Lift	2	BM401104	\$	Ea			

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RR	P				
NITROGEN GAS - SHOCK ABSORBER									
۵	OE Height	2	BD1364T	\$	Ea				
	50mm Lift	2	BD1366T	\$	Ea				
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	R				
	OE Height	2	BM401364	\$	Ea				
8	50mm Lift	2	BM401366	\$	Ea				

STEERING DAMPER					
	Steering Damper	1	SD5700	\$	Ea

FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-001	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-001	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-001	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top & Bottom Eyering	2	404702	\$	Ea			





COMING SOON



07/1998-2002 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RF	RP			
NIT	ROGEN GAS - S	HOC	CK ABSORBER					
	Up to 35mm Lift	2	BD2057T	\$	Ea			
	2057T is to be fitted to gas or adjustable shoo							

REAR								
CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
NIT	ROGEN GAS - SH	100	CK ABSORBER					
•	OE Height	2	BD1104T	\$	Ea			
ľ	35mm Lift	2	BD1105T	\$	Ea			
	40MM ADJUSTA	\BI	LE - SHOCK ABSC	RBEF	र			
	OE Height	2	BM401104	\$	Ea			
	35mm Lift	2	BM401105	\$	Ea			

TORSION BARS						
	26mm/1040mm	1	4WTB-1800	\$	Pr	
	Note: Adjust Torsion Barnsure a minimum of 60m					

COIL SPRINGS							
M 1 A A A A	0-300kg load	1	TDC100	\$	Pr		
	CONSTANT 300kg load	1	TDC100H	\$	Pr		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	404702	\$	Ea		





FRONT									
CONTENT	DESCRIPTION	ΩT	PART NO	RRP					
NIT	ROGEN GAS - SH	100	CK ABSORBER						
	OE Height	2	BD1364T	\$	Ea				
٥	50mm Lift	2	BD1366T	\$	Ea				
	40MM ADJUSTA	BI	E - SHOCK ABSC	RBE	R				
0	OE Height	2	BM401364	\$	Ea				
	50mm Lift	2	BM401366	\$	Ea				

REAR										
CONTENT	DESCRIPTION	ΩT	PART NO	RRP	1					
NIT	ROGEN GAS - SH	100	CK ABSORBER							
	OE Height	2	BD1366T	\$	Ea					
	50mm Lift	2	BD1382T	\$	Ea					
	40MM ADJUSTA	40MM ADJUSTABLE - SHOCK ABSORBER								
	OE Height	2	BM401366	\$	Ea					
	50mm Lift	2	BM401382	\$	Ea					

FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit - fits F20, F50, & F60	1	TDUK-020	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit - fits F20, F50, & F60	1	TDUK-020	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Eyering	2	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Eyering	2	404702	\$	Ea		





FRONT									
CONTENT	DESCRIPTION	αTY	PART NO	RRP					
NIT	ROGEN GAS - SH	100	CK ABSORBER						
	OE Height	2	BD1366T	\$	Ea				
	50mm Lift	2	BD1382T	\$	Ea				
	40MM ADJUSTA	BL	LE - SHOCK ABSO	RBE	ER				
8	OE Height	2	BM401366	\$	Ea				
	50mm Lift	2	BM401382	\$	Ea				

REAR										
CONTENT	DESCRIPTION	ΩT	PART NO	RRF	•					
NIT	ROGEN GAS - SH	100	CK ABSORBER							
	OE Height	2	BD1400T	\$	Ea					
	50mm Lift	2	BD1441T	\$	Ea					
•	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEF	₹					
8	OE Height	2	BM401400	\$	Ea					
	50mm Lift	2	BM401441	\$	Ea					


FRONT INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush kit	1	TDUK-002	\$	Kt
\cap	U-Bolt kit	2	TDUB-027	\$	Kt


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-023	\$	Kt	
\cap	U-Bolt kit	2	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom eyering	2	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top eyering	1	404702	\$	Ea			
	Fits bottom pin	2	TW959	\$	Ea			







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
NITROGEN GAS - SHOCK ABSORBER										
0	40mm Lift	2	BD2057T	\$	Ea					
	BD2057T is to be fitted to all applications where a gas or adjustable shock is fitted to the rear									

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1102T	\$	Ea			
	40mm Lift	2	BD1104T	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBE	ER			
	OE Height	2	BM401102	\$	Ea			
J	40mm Lift	2	BM401104	\$	Ea			

TORSION BARS							
	26mm/1093mm	1	4WTB-0197	\$	Pr		
- er	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

LEAF SPRINGS							
	0-300kg load	2	T67	\$	Ea		
Check width of leaf springs when ordering. T67 Leaf Springs have a width of 60mm							


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-003	\$	Kt	
\cap	U-Bolt kit	2	TDUB-027	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	412772	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	404702	\$	Ea			









CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
NITROGEN GAS - SHOCK ABSORBER										
	Up to 40mm Lift	2	BD2057T	\$	Ea					
BD	BD2057T Is to be fitted to all applications where a gas or adjustable shock is fitted to the rear									

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1005T	\$	Ea			
	40mm Lift	2	BD1007T	\$	Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401005	\$	Ea			
	40mm Lift	2	BM401007	\$	Ea			

TORSION BARS							
	26mm/1093mm	1	4WTB-0197	\$	Pr		
- er	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

LEAF SPRINGS					
	0-300kg load	2	T76	\$	Ea
Check width of leaf springs when ordering. T76 Leaf Springs have a width of 70mm					

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush kit	1	TDUK-022	\$	Kt
\cap	U-Bolt kit	2	TDUB-027	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Pin	4	TW959	\$	Ea



DAIHATSU ROCKY F77, F87 PICK UP & TRAYBACK 11/86-93 EST. LIFT FRONT: NO SPRING AVAILABLE



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1102TB	\$	Ea	
	40mm Lift	2	BD1104TB	\$	Ea	
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	R	
	OE Height	2	BM401102	\$	Ea	
	40mm Lift	2	BM401104	\$	Ea	

	REA	R					
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1400T	\$	Ea		
ľ	40mm Lift	2	BD1441T	\$	Ea		
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBE	R		
	OE Height	2	BM401400	\$	Ea		
	40mm Lift	2	BM401441	\$	Ea		

FRONT INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush kit	1	TDUK-002	\$	Kt
Ω	U-Bolt kit D/S (1 kit req. exc F77, F87 - 2 kits req.)	1	TDUB-002	\$	Kt

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush kit exc. F77, F87	1	TDUK-003	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering	1	404702	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Pin	2	TW959	\$	Ea	
	Fits Top Eyering	1	404702	\$	Ea	



ROCKY F70, F75/F80, F85/F77,F87 06/1984-1993 - F70, F75 | 06/1984-1989 - F80, F85




U-Bolt

2 Kt

FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



•		
Shock Absorber	2	Ea
Leaf spring	2	Ea
Urethane Bush kit	1	Kt
U-Bolt (Depending on Series)	2	Kt

REAR SUSPENSION CHECK LIST You need to order the following items for the rear end of your vehicle. Shock Absorber 2 Ea Leaf spring 2 Ea Urethane Bush kit 1 Kt

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
٥	OE Height	2	BD1102TB	\$ Ea		
	40mm Lift	2	BD1104TB	\$ Ea		
	40MM ADJUSTA	۱BI	E - SHOCK ABSO	RBER		
	OE Height	2	BM401102	\$ Ea		
8	40mm Lift	2	BM401104	\$ Ea		

CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
•	OE Height	2	BD1400T	\$	Ea		
	40mm Lift	2	BD1104T	\$	Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER						
	OE Height	2	BM401400	\$	Ea		
8	40mm Lift	2	BM401104	\$	Ea		

LEAF SPRINGS (LWB)							
مر یہ	40mm Lift	1	T65-LH	\$	Ea		
	- Except F77, F8 - LWB	1	T65-RH	\$	Ea		
Note: 1 FET Hand and 1 RIGHT Hand side leaf spring pack should be ordered							

LEAF SPRINGS (LWB)							
	0-300kg Load - Except F77, F8 - LWB	2	T64	\$	Ea		

		LEAF SPRIN	GS	(SWB)			
	40mm Lift	1	T65C-LH	\$	Ea		
	- Except F77, F8 - SWB	1	T65C-RH	\$	Ea		
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered							

LEAF SPRIN	GS	(SWB)	
0-300kg load - Except F77, F8 - SWB	2	T64M	\$ Ea

FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-002	\$	Kt		
Λ	U-Bolt kit D/S (1 kit req. exc F77, F87 - 2 kits req.)	1	TDUB-002	\$	Kt		
Ω	U-Bolt kit P/S (1 kit req, exc F77,F87 - Not req.)	1	TDUB-027	\$	Kt		


REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit exc. F77, F87	1	TDUK-003	\$	Kt		
Λ	U-Bolt kit	2	TDUB-027	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Bottom Pin	2	TW959	\$	Ea		
	Fits Top Eyering	1	404702	\$	Ea		









CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	OCK	ABSORBER		
	40mm Lift	2	FC42019B	\$ E	Ξa
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
٥	40mm Lift	2	FC41184	\$ Ea
	40MM ADJUSTA	\BL	E - SHOCK ABSO	RBER
0	40mm Lift	2	BM401184	\$ Ea

TORSION BARS						
-	26mm/1093mm	1	4WTB-0198	\$	Pr	
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

COIL SF	RIN	IGS	
0-300kg load	1	TDC066	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering	2	4W-SPF420-02	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control arms (Optional) 1 Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
ii >>	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	Un To Ctool Bor	1	MAZ-007-LH	s Ea			
	Up To Steel Bar	1	MAZ-007-RH	\$ Ea			
_	With Bar & Winch	1	MAZ-008-LH	Ф Го			
		1	MAZ-008-RH	\$ Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	Un To Ctool Bor	1	MAZ-005-LH	\$ Ea			
	Up To Steel Bar	1	MAZ-005-RH	\$ Ea			
	With Bar & Winch	1	MAZ-006-LH	ф Г-			
	WILLI DAL & WINCH	1	MAZ-006-RH	\$ Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ů	Up to 40mm Lift	2	FC43013	\$ Ea
	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM403013	\$ Ea

STRUT - FOAM CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404500	\$	Ea
	STRUT -	40I	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404500	\$	Ea

	COIL SPI	AII S	IGS	
MILLAAAA	Up to Steel bar	1	TDC452	\$ Pr
	With Bar & Winch	1	TDC452HL	\$ Pr

	COIL SPF	RIN	IGS	
	0-300kg load	1	TDC453	\$ Pr
	CONSTANT 300kg load	1	TDC453L	\$ Pr





RONT: 40MM | REAR: 40MM

FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
UPPER CONTOL ARMS						
UU	Upper Control Arms	1	TDCA-003	\$ P		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
All	AIR ASSIST - COIL INSERT AIR BAGS					
	Coil Insert Bag Kit - OEM Height	1	TDAA-014	\$	Kt	
	Coil Insert Bag Kit - 40mm Lift Height	1	TDAA-004	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

1

TDAS-002

Κt

Wireless Air System

Suits Coil Insert Airbags

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
·E·O	Strut Top	2	MAZ-4051	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ00305	\$ E	а	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ00312	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control arms (Optional) 1 Pr

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the front end of your vehicle.								
	Shock Absorber	2	Ea					
ii >>	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	No Accessories	1	FOR-007-LH	Ф Го			
	No Accessories	1	FOR-007-RH	\$ Ea			
_	With Bar / Bar & Winch	1	FOR-008-LH	\$ Ea			
*		1	FOR-008-RH	ъ са			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	No Accessories	1	FOR-005-LH	\$ Ea			
Ü	No Accessories	1	FOR-005-RH	р са			
	With Par / Par 9 Winsh	1	FOR-006-LH	¢			
	With Bar / Bar & Winch	1	FOR-006-RH	\$ Ea			

CONTENT	DESCRIPTION	ΩT	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC43013	\$ Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER		
8	Up to 40mm Lift	2	BM403013	\$ Ea		

	STRUT - FO	ΑN	I CELL	
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$ Ea
	STRUT -	40I	MM ADJUSTABLE	
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$ Ea

COIL SPRINGS					
	40mm Lift - No Accessories	1	TDC1006	\$	Pr
WVVV	40mm Lift with Steel Bar or Bar & Winch	1	TDC1007	\$	Pr

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC453	\$	Pr
	CONSTANT 300kg load	1	TDC453L	\$	Pr





TDAS-002

\$

Kt

FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
UPPER CONTOL ARMS									
UU	Upper Control Arms	1	TDCA-003	\$ Pr					

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
AIR ASSIST - COIL INSERT AIR BAGS									
	Coil Insert Bag Kit - Standard Height	1	TDAA-014	\$	Kt				
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-004	\$	Kt				
Note: Separate Air Assist components can be viewed on page 14.									

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea		

F	RONT INDIVIDUA	L C	OMPONENTS	
Æ.O	Strut Top	2	FOR-4520	\$ Ea
	Bump Stop & Boot	2	DB170/B	\$ Ea

Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B)

Contact 4Way Suspension to discuss.


	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$ Ea	=	Suits Coil Insert Airbags	1	TDA5-002	\$	Kt
_										
F	RONT INDIVIDUAL	. C	OMPONENTS							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)									
Ì	Fits bottom eyering	1	ADJ00306	\$	Ea				

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits bottom eyering	1	ADJ00312	\$	Ea				







REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	for the front end of your ve	hicle.						
	Shock Absorber	2	Ea					
li 22	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP						
ASSEMBLED STRUTS - FOAM CELL										
Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top										
	No Accessories	1	FOR-021	\$	Ea					
	Steel Bar	1	FOR-013	\$	Ea					
	Bar & Winch	1	FOR-014	\$	Ea					
**	40MM ADJUSTABLE									
₹	Assembled Struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top					
	No Accessories	1	FOR-022	\$	Ea					
J	Steel Bar	1	FOR-009	\$	Ea					
	Bar & Winch	1	FOR-010	\$	Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP						
F	FOAM CELL - SHOCK ABSORBER									
ů	Up to 40mm Lift	2	FC43048	\$ Ea						
.	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER						
	Up to 40mm Lift	2	BM403048	\$ Ea						

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404934	\$	Ea		
	STRUT - 40MM ADJUSTABLE						
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404934	\$	Ea		

COIL SPRINGS								
	40mm Lift - No Accessories	1	TDC1067	\$	Pr			
	40mm Lift with Steel Bar	1	TDC1063	\$	Pr			
	40mm Lift with Steel Bar & Winch	1	TDC1064	\$	Pr			

COIL SPRINGS								
MILLAAAA	0-300kg load	1	TDC1080	\$	Pr			
	CONSTANT 300kg load	1	TDC1081	\$	Pr			





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
UPPER CONTROL ARMS							
UU	Upper Control Arms - suits vehicles with Aluminium Uprights	1	TDCA-013	\$	Pr		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	F	RP		
AIR ASSIST - COIL INSERT AIR BAGS							
& &	Coil Insert Bag Kit - Standard Height	1	TDAA-032	\$	Kt		
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-033	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM							
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush kit to fit one UCA - for TDCA-013	1	TDSK-028	\$	Ea		
	Ball Joint kit to fit one UCA - for TDCA-013	1	TDSK-029	\$	Ea		

FRONT INDIVIDUAL COMPONENTS							
·L·O	Strut Top	2	FOR-4934	\$	Ea		
	Bump Stop & Boot	2	DB190/B	\$	Ea		

Note: Purchasing the Strut Top (FOR-4934) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB190/B) - Contact 4Way Suspension to discuss.

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Bottom Eyering	1	ADJ00312	\$	Ea			





	FRO	TNC				REAR					
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RF	RP	CONTENT	DESCRIPTION	QTY	PART NO	F	RRP
١	FOAM CELL - SHO	эск	ABSORBER			ı	FOAM CELL - SHO	OCK	(ABSORBER		
	Up to 40mm Lift	2	FC41450B	\$	Ea		Up to 40mm Lift	2	FC41446	\$	Ea

INSTALLATION NOTE

The "Limited" comes standard with (self levelling) air shocks. These can be retained or removed as desired.

If the (self levelling) air shocks are removed, the self levelling indicator light in the dash will turn on and off intermittently. The air hoses should be sealed off and fastened to the chassis for later use if needed. The Air Compressor MUST be turned off. The switch is located in the left rear inspection console.

If futher electrical work is required, please consult an automotive electrican.



FORD
BRONCO
THIRD GENERATION
03/1981-1989
NO SPRING AVAILABLE



FRONT								
CONTENT	DESCRIPTION	ΩT	PART NO	F	RRP			
FOAM CEL	L - SHOCK ABSO	RBI	ER (EX QUAD SHO	OCK	(S)			
	Up to 30mm Lift	2	FC41130B	\$	Ea			

REAR									
CONTENT	DESCRIPTION	QTY	PART NO		RRP				
FOAM CELL - SHOCK ABSORBER									
	Up to 30mm Lift	2	FC41379	\$	Ea				

FOAM CELL - SHOCK ABSORBER (QUAD SHOCKS ONLY)								
	OE Height - Front of Axle	2	FC41102B	\$ E	ā			
	OE Height - Rear of Axle	2	FC41130B	\$ E	а			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin (#1102B Only)	2	TW959	\$	Ea		
	Fits Bottom Eyering (#1102B Only)	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Eyering	1	404702	\$	Ea
	Fits Bottom Eyering	1	4W-SPF420-04	\$	Ea





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
	STRUT - FO	ΑN	CELL			
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404928	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404928	\$	Ea	

REAR						
CONTENT	DESCRIPTION	ΩT	PART NO	RRP		
ı	FOAM CELL - SHO	Ck	ABSORBER			
	Up to 50mm Lift	2	FC43034	\$ Ea		
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER		
8	Up to 50mm Lift	2	BM403034	\$ Ea		

	COIL SPI	RIN	igs .	
MIAAAA	No Accessories	1	TDC1035	\$ Pr
	With Bar or Bar & Winch	1	TDC1036	\$ Pr

LEAF SPRINGS					
مر یہ	0-400kg load	2	T83	\$	Ea
	CONSTANT 400kg load	2	T84	\$	Ea
Note: Bush kit fitted in springs & included in spring price					

R	EAR INDIVIDUAL	C	OMPONENTS	
\bigcap	U-Bolt Kit	2	TDUB-033	\$ Kt





COMING SOON



FORD


F250
LIVE AXLE, QUAD REAR
2003-2006
EST. LIFT FRONT: 100MM | REAR: 100MM




FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



for the front end of your venicle.						
Shock Absorber	2	Ea				
Leaf Spring	2	Ea				
Leaf spring bush Kit	1	Kt				
U-bolt	2	Kt				
Panhard rod	1	Ea				
Steering Damper (Optional)	1	Ea				



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
RALPH - SHOCK ABSORBER							
	OE Height	2	TDR3500	\$ Ea			
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
8	100mm Lift	2	BMX3500/4	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
45MM ADJUSTABLE - SHOCK ABSORBER						
ě	OE Height - Front of rear axle	2	BMX3501	\$	Ea	
	OE Height - Rear of rear axle	2	BMX3502	\$	Ea	
	100mm Lift - Front of rear axle	2	BMX3501/4	\$	Ea	
8	100mm Lift - Rear of rear axle	2	BMX3502/4	\$	Ea	

	LEAF SPI	RIN	IGS	
مر یه	100mm Lift - Up to Steel bar	2	FS026	\$ Ea
	100mm Lift - with Bar & Winch	2	FS026H	\$ Ea

LEAF SPRINGS						
	0-500kg load	2	FS027	\$	Ea	
	CONSTANT 500kg load	2	FS027H	\$	Ea	

STEERING DAMPER					
o ±	XHD Return-to-Center	1	SS5250-XHD	\$	Ea
• <u> </u>	SV 9 Stage Adjustable	1	SV5250	\$	Ea
Note: When fitted to OE Height vehicles, low ground clearance occurs					5

PANHARD RODS						
•	Adjustable	1	TDPR-250	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-033	\$	Kt	


REAR INDIVIDUAL COMPONENTS						
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-034	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	TW038-16	\$	Ea	
	Fits Bottom Eyering	1	TW038-12	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	TW038-16	\$	Ea	
	Fits Bottom Eyering	1	TW038-12	\$	Ea	



2016-2020





FRONT								
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
45MM ADJUSTABLE - SHOCK ABSORBER								
	OE Height	2	ВМХ3507	\$ Ea				


REAR								
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
45MM ADJUSTABLE - SHOCK ABSORBER								
	OE Height	2	BMX3508	\$ Ea				


AIR ASSIST - BELLOWS AIR BAGS							
	Bellows Bag Kit OE Height	1	TDAA-129	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	









CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC42051B	\$	Ea			
Note: FC42051B is to be used for all front applications								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
Î	Up to 40mm Lift	2	FC41232	\$ Ea				
1	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM401232	\$ Ea				

TORSION BARS						
-	26mm / 926mm	1	4WTB-1546	\$	Pr	
Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS						
o. o	0-300kg load	2	FS365	\$	Ea	
	CONSTANT 300kg load	2	FS367	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
8	Shock Mount Strengthening kit	1	TDSK-020	\$	Ea	
Failure to fit TDSK-020 will cause top mount failure.						

REAR INDIVIDUAL COMPONENTS						
	Shackle Bush kit	1	TDUK-034	\$	Kt	
\cap	U-Bolt kit	2	TDUB-005	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	1	TW959	\$	Ea	
	Fits Top Pin	1	TW961	\$	Ea	
	Fits Bottom Eyering	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering - Foam Cell shock	1	ADJ00191	\$	Ea	
	Fit Bottom Eyering - Foam Cell shock	1	4W-SPF420-02	\$	Ea	
	Fit Top Eyering - Adjustable shock	1	230100	\$	Ea	
Î	Fit Bottom Eyering - Adjustable shock	1	230002	\$	Ea	




THIS PAGE IS INTENTIONALLY BLANK



FORD RANGER PJ & PK, 2.5L & 3.0L 12/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM







CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC42051B	\$ Ea					
Note: FC42051B is to be used for all front applications									

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC41232	\$ Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
8	Up to 45mm Lift	2	BM401232	\$ Ea				

TORSION BARS						
-	27mm / 1028mm	1	4WTB-1440	\$	Pr	
	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

LEAF SPRINGS						
	0-300kg load	1	FS368C-LH	\$	Ea	
		1	FS368C-RH	\$	Ea	
	CONSTANT 300kg load	1	FS368L-LH	\$	Ea	
		1	FS368L-RH	\$	Ea	
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered.						

LEAF SPRING FITMENT KIT - FOR FS368L							
	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-001	TDUB-039	\$ Kt		
	Greaseable Shackles	1		TDGS-386/1	Ψ Κι		
	Greaseable Pins	1		TDGP-668			
	LEAF SPRING F	ITI	MENT KIT	- FOR F	S368C		
	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-002	TDUB-040	\$ Kt		
**************************************	Greaseable Shackles	1	1 DFK-002	TDGS-386/1	ψ Kt		
•	Greaseable Pins	1		TDGP-668			



RANGER
PJ & PK, 2.5L & 3.0L
12/2006-10/2011
EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RR	P			
Į.	AIR ASSIST - BELLOWS AIR BAGS							
22	Bellows Bag Kit - OEM Height	1	TDAA-117	\$	Kt			
	Bellows Bag Kit - 45mm Lift	1	TDAA-101	\$	Kt			
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.							

AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
	Shock Mount 1 TDSK-020 \$				
Note: Failure to fit TDSK-020 will cause top mount failure.					

REAR INDIVIDUAL COMPONENTS							
	Shackle Bush kit	1	TDUK-069	\$	Kt		
\cap	U-Bolt kit - suits FS368C LH & RH only	2	TDUB-040	\$	Kt		
\cap	U-Bolt kit - suits FS368L LH & RH only	2	TDUB-039	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	1	TW959	\$	Ea	
	Fits Top Pin	1	TW961	\$	Ea	
	Fits Bottom Eyering	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering - Foam Cell shock	1	ADJ00191	\$	Ea	
	Fits Bottom Eyering - Foam Cell shock	1	4W-SPF420-02	\$	Ea	
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea	
	Fits Bottom Eyering - Adjustable shock	1	230002	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control arms (Optional) Pr 1



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Asseml	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	Un to Stool Bar	1	MAZ-003-LH	-\$ E			
	Up to Steel Bar	1	MAZ-003-RH	-\$ E:	a		
_	MCH D O MC I		MAZ-004-LH	-\$ E			
*	With Bar & Winch	1	MAZ-004-RH	р Е	a		
*	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE			
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	Un to Stool Par	1	MAZ-001-LH	-\$ E			
	Up to Steel Bar	1	MAZ-001-RH	ф Е	a		
	MACHE Des 9 Mace		MAZ-002-LH	-\$ E			
	With Bar & Winch	1	MAZ-002-RH	Ф =	a		

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
o o	Up to 40mm Lift	2	FC41232	\$ Ea
•	40MM ADJUSTA	\ΒL	LE - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM401232	\$ Ea

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea	
I	STRUT -	STRUT - 40MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$	Ea	

	COIL SPI	RIN	IGS	
MIAAAA	Up to Steel bar	1	TDC451	\$ Pr
	With Steel Bar & Winch	1	TDC451HL	\$ Pr

LEAF SPRINGS						
	0-300kg load	2	FS369C	\$	Ea	
	CONSTANT 300kg load	2	FS369L	\$	Ea	
	CONSTANT 500kg load	2	FS369LL	\$	Ea	





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

	REA	R			
CONTENT	DESCRIPTION	QTY	PAR [*]	Г NO	RRP
LEAF S	PRING FITMENT I	KIT	- FITS FS	369L & I	LL
	Urethane Shackle bushes U-Bolts	1 2		TDUK-070 TDUB-039	
\bigcap	Greaseable Shackles Greaseable Pins	1	TDFK-003	TDGS-390 TDGP-668	\$ Kt
	Transmission Spacer LEAF SPRING F	1 IT	MENT KIT	TDSP-007	S369C
****	Urethane Shackle bushes U-Bolts	1 2		TDUK-070 TDUB-040	
	Greaseable Shackles Greaseable Pins	1	TDFK-004	TDGP-668	\$ Kt
	Transmission Spacer	1		TDSP-007	

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-003	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS									
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea				
	Ball Joint Kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea				

FRONT INDIVIDUAL COMPONENTS							
1 0	Strut Top	2	MAZ-4051	\$	Ea		

AIR ASSIST - BELLOWS AIR BAGS									
	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt				
	Bellows Bag kit - 40mm Lift	1	TDAA-102	\$	Kt				
Note: Separate Air Assist components can be viewed on page 14.									

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM									
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt				


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt	
\cap	U-Bolt kit - Suits FS369C only	2	TDUB-040	\$	Kt	
\cap	U-Bolt kit - Suits FS369L & LL only	2	TDUB-039	\$	Kt	
	Greaseable Shackle kit	1	TDGS-390	\$	Kt	
<u>-</u>	Greaseable Pin kit	1	TDGP-668	\$	Kt	
	Transmission Spacer kit	1	TDSP-007	\$	Kt	
Note: Must be fitted to all Lift kits.						


FRONT RE	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Bottom Eyering	1	ADJ00305	\$	Ea				

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
8	Fits Top Eyering - Foam Cell shock	1	ADJ00191	\$	Ea			
	Fits Bottom Eyering - Foam Cell shock	1	4W-SPF420-02	\$	Ea			
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea			
	Fits Bottom Eyering - Adjustable shock	1	230002	\$	Ea			









CONTENT	DESCRIPTION	QTY	PART NO	RRP					
ASSEMBLED STRUTS - FOAM CELL									
Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top									
	Un to Stool Par	1	FOR-003-LH	-\$ Ea					
	Up to Steel Bar	1	FOR-003-RH	ф Са					
_	With Steel Bar & Winch	1	FOR-004-LH	-\$ Ea					
		1	FOR-004-RH	ф са					
*	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE					
3	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top					
	Up to Steel Bar	1	FOR-001-LH	-\$ Ea					
	Op to Steel Bai	1	FOR-001-RH	ф Са					
	With Steel Bar	1	FOR-002-LH	-\$ Ea					
	& Winch	1	FOR-002-RH	φ ⊏а					

CONTENT	DESCRIPTION	ΩT	PART NO	RRP	
F	FOAM CELL - SHO	Ck	(ABSORBER		
٥	Up to 40mm Lift	2	FC41232	\$ Ea	
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER	
8	Up to 40mm Lift	2	BM401232	\$ Ea	

STRUT - FOAM CELL								
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$	Ea			
I	STRUT -	40I	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$	Ea			

	COIL SPI	RIN	IGS	
MIAAAA	Up to Steel Bar	1	TDC455	\$ Pr
	With Steel Bar & Winch	1	TDC455HL	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS369C	\$ Ea
CONSTANT 300kg load	2	FS369L	\$ Ea
CONSTANT 500kg load	2	FS369LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS FS369L & LL										
	Urethane Shackle bushes			TDUK-070						
\cap	U-Bolts			TDUB-039						
	Greaseable Shackles	Idokies	TDFK-003	TDGS-390	\$ Kt					
	Greaseable Pins			TDGP-668						
TTeeses	Transmission Spacer			TDSP-007						





FRONT									
CONTENT	DESCRIPTION	αTY	PART NO	RRP					

REAR									
CONTENT	DESCRIPTION	ΩTY	PAR [*]	PART NO					
LEAF SPRING FITMENT KIT - FITS FS369C									
	Urethane Shackle bushes			TDUK-070					
\cap	U-Bolts		TDUB-040						
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt				
	Greaseable Pins			TDGP-668					
TT 88888	Transmission Spacer			TDSP-007					

UPPER CONTROL ARMS									
UU	Upper Control Arms	1	TDCA-003	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS								
<u> د</u>	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt			
	Bellows Bag kit - 40mm Lift	1	TDAA-102	\$	Kt			
Note: Sen	Note: Senarate Air Assist components can be viewed on page 14							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea		

FRONT INDIVIDUAL COMPONENTS									
·L·O	Strut Top excluding Bump Stop & Boot	2	FOR-4520	\$	Ea				
	Bumpstop & Boot	2	DB170/B	\$	Ea				

Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B)

Contact 4Way Suspension to discuss.

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt		
\cap	U-Bolt kit - Suits FS369C only	2	TDUB-040	\$	Kt		
\cap	U-Bolt kit - Suits FS369L &LL only	2	TDUB-039	\$	Kt		
	Greaseable Shackle kit	1	TDGS-390	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		
TTeeeee	Transmission Spacer kit	1	TDSP-007	\$	Kt		
Note: Must be fitted to all Lift kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Î	Fits Bottom Eyering	1	ADJ00306	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
8	Fits Top Eyering - Foam Cell shock	1	ADJ00191	\$	Ea				
	Fits Bottom eyering - Foam Cell shock	1	4W-SPF420-02	\$	Ea				
Ī	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea				
	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea				

FOR GVM UPGRADES, SEE PAGE 58

GVM UPGRADE



FORD PXIII RANGER

4x2/4x4 'SINGLE CAB' PX-III (XL) - 2018-2022 4x2/4x4 'SUPER CAB' PX-III (XL, XLT) - 2018-2022 4x2/4x4 'DOUBLE CAB' PX-III (XL, XLS, XLT, WILDTRACK) - 2018-2022 3200_{KG*}

3510_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 310KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS							
DESCRIPTION ORIGINAL EQUIPMENT TOUGH DO							
FRONT AXLE RATING	1480KG	1480KG					
REAR AXLE RATING	1850KG	2030KG					
GROSS VEHICLE MASS (GVM)	3200KG	3510KG					
TOWING CAPACITY (BRAKED)	3500KG	3500KG					
GROSS COMBINED MASS (GCM)	6000KG	6000KG					





FRONT						
CONTENT DESCRIPTION 💍 PART NO RRP						
COIL SPRINGS						
	With Bar & Winch Only - OE Height	1	TDC1022	\$	Pr	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
COIL SPRINGS						
	150-300kg load - OE Height	1	TDC1023	\$	Pr	

Note: The Ford Ranger Raptor features Shock Absorber from FOX Suspension, which are an internal-bypass-style shock absorber and are therefore height sensitive in their ride control. When additional accessories like front steel bars, or rear tub accessories are fitted, the ride height of the vehicle is altered, which in turn alters the performance of the shock absorber.

Tough Dog Coil Springs are designed to return the vehicle to the original ride height to maintain the ride quality and should therefore only be fitted in the event that the appropriate level of accessory or other permanent load is present to ensure that the vehicle's ride is not adversely affected.

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag kit - OEM Height	1	TDAA-140	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		
	2 Gal. Air Tank - Upgrade for existing Wireless Air Assist	1	TDAS-004	\$	Kt		
	2 Gal. Air Tank - Complete kit with Control Module	1	TDAS-003	\$	Kt		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control arms (Optional) 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RR	P		
ASSEMBLED STRUTS TO FIT 2.0L 4CYL B-TD MODELS							
FOAM CELL							
	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р		
	No Accessories	1	FOR-013	\$	Ea		
	Bar or Bar & Winch	1	FOR-014	\$	Ea		
•	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-015	\$	Ea		
3	40MM ADJUSTABLE						
	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р		
	No Accessories	1	FOR-009	\$	Ea		
	Bar or Bar & Winch	1	FOR-010	\$	Ea		
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-011	\$	Ea		

CONTENT	DESCRIPTION	ďΤ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC43044	\$ Ea				
	40MM ADJUSTA	٩BI	LE - SHOCK ABSC	RBER				
8	Up to 45mm Lift	2	BM403044	\$ Ea				

ASSEMBLED STRUTS TO FIT 3.0L V6 TD MODELS							
	FOAM CELL						
	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top		
	No Accessories	1	FOR-014	\$	Ea		
	Bar or Bar & Winch	1	FOR-015	\$	Ea		
•	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-016	\$	Ea		
3	40MM ADJUSTABLE						
	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top						
	No Accessories	1	FOR-010	\$	Ea		
	Bar or Bar & Winch	1	FOR-011	\$	Ea		
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-012	\$	Ea		

STRUT - FOAM CELL						
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404934	\$	Ea	
4	STRUT -	40I	MM ADJUSTABLE			
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404934	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 62



RANGER P703 RANGER 2.0L 4CYL BTD, 3.0L V6 TD 07/2022 ON EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
COIL SPRINGS - 2.0L 4CYL BTD							
	No Accessories	1	TDC1063	\$	Pr		
	Bar or Bar & Winch	1	TDC1064	\$	Pr		
	Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1065	\$	Pr		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
LEAF SPRINGS							
	0-300kg load	2	T88C	\$	Ea		
	CONSTANT 300kg load	2	T88L	\$	Ea		
	CONSTANT 500kg load	2	T88LL	\$	Ea		

COIL SPRINGS	- 3	.0L V6 TD	
No Accessories	1	TDC1064	\$ Pr
Bar or Bar & Winch	1	TDC1065	\$ Pr
Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1066	\$ Pr

LEA	AF SPRING FITME	NT	KIT - FIT	S T88C	
	Urethane Shackle Bushes				
	U-Bolts				
	Greaseable Shackles	1	TDFK-035		\$ Kt
······≣: ······	Greaseable Pins				
	Centre Bearing Spacer				

	UPPER CONT	RC	OL ARMS	
UU	Upper Control Arms - suits vehicles with Aluminium Uprights	1	TDCA-013	\$ Pr
UU	Upper Control Arms - suits vehicles with Steel Uprights	1	TDCA-014	\$ Pr

LEAF SI	PRING FITMENT K	ΙΤ	- FITS T8	8L & T88	LL	
	Urethane Shackle Bushes					
\cap	U-Bolts					
	Greaseable Shackles	1	TDFK-036		\$	Kt
§	Greaseable Pins					
	Centre Bearing Spacer					

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

A	IR ASSIST - BELL	OV.	VS AIR BAGS	
22	Bellows Bag kit - Standard Height	1	TDAA-135	\$ Kt
	Bellows Bag kit - 45mm Lift	1	TDAA-136	\$ Kt

PRODUCT COMPATIBILITY

TDCA-013 suit XLT, Sport, WildTrak, WildTrak X, & Platinum models. **TDCA-014** suit XL or XLS models.

Please check the material of the OEM Uprights - either STEEL or ALUMINIUM - before ordering and fitting.

Note: Separate Air Assist	components can	ha viawad	on nage 14
Note: Separate All Assist	components can	be viewed	on base 14.

UPPER CON	TROL ARMS - REP	LA	CEMENT COMPO	NE	NTS
	Bush Kit to fit one UCA - for TDCA-013 & TDCA-014	1	TDSK-028	\$	Ea
	Ball Joint Kit to fit one UCA - for TDCA-013	1	TDSK-029	\$	Ea
	Ball Jointkit to fit one UCA - for TDCA-014	1	TDSK-032	\$	Ea

AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

FI	RONT INDIVIDUAL	_C	OMPONENTS	
-1 -0	Strut Top - excluding Bump Stop & Boot	2	FOR-4934	\$ Ea
	Bumpstop & Boot	2	DB190/B	\$ Ea

Note: Fitting the Strut Top (FOR-4934) will require use of the original bumpstop and boot, or purchase of a replacement bumpstop and boot (DB-190B).
Contact 4Way Suspension to discuss.

F	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle Bush kit	1	TDUK-070	\$ Kt
\bigcap	U-Bolt kit - Suits T88C only	2	TDUB-016	\$ Kt
\cap	U-Bolt kit - Suits T88L & LL only	2	TDUB-016HD	\$ Kt
	Greaseable Shackle kit	1	TDGS-390	\$ Kt
	Greaseable Pin kit	1	TDGP-668	\$ Kt
	Centre Bearing Spacer Kit	1	TDSP-030	\$ Kt
	Note: Must be fitted	d to	all Lift kits.	
	Relocation Bracket - Matrix LED Headlight Module	1	TDSP-031	\$ Kt

IQ. Light LED-Matrix Headlamp Module

Relocation Bracket must be fitted to Premium Pack optioned models with auto-levelling headlights.

GVM UPGRADE



FORD P703 RANGER

4x2/4x4 'SINGLE CAB' P703 (CAB CHASSIS) - 07/2022 ON
4x2/4x4 'SUPER CAB' P703 (CAB CHASSIS, UTILITY, XL, XLT) - 07/2022 ON
4x2 'DOUBLE CAB' P703 (CAB CHASSIS, UTILITY, XL, XLS, XLT) - 07/2022 ON
4x4 ALT 'DOUBLE CAB' P703 (XL) - 07/2022 ON
4x4 'DOUBLE CAB' P703 (CAB CHASSIS, UTILITY, XL, XLS, XLT, SPORT, WILDTRAK) - 07/2022 ON
4WD 'DOUBLE CAB' P703 (XLT, SPORT, WILDTRAK, PLATINUM 18") - 07/2022 ON

FROM



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **520KG**
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE SPECIFICATIONS					
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG			
FRONT AXLE RATING	1450KG / 1490KG	1650KG			
REAR AXLE RATING	1959KG	2100KG			
GROSS VEHICLE MASS (GVM)	3230KG то 3280KG [†]	3750KG			
TOWING CAPACITY (BRAKED)	3500KG	3500KG			
GROSS COMBINED MASS (GCM)	6200KG то 6400KG [†]	REFER OEM SPECS			
* Payload increase is based on model variant.					

[†] Refer OEM Specifications for your vehicle's factory GVM & GCM





	FRO	TNC		
CONTENT	DESCRIPTION	ΩТΥ	PART NO	RRP


REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
AIR ASSIST - BELLOWS AIR BAGS								
	Bellows Bag kit - OEM Height	1	TDAA-144	\$	Kt			
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.							


AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			
	2 Gal. Air Tank - Upgrade for existing Wireless Air Assist	1	TDAS-004	\$	Kt			
	2 Gal. Air Tank - Complete kit with Control Module	1	TDAS-003	\$	Kt			



THIS PAGE IS INTENTIONALLY BLANK







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
FOAM CELL - SHOCK ABSORBER										
	Up to 45mm Lift	2	FC42019B	\$ Ea						
FC	C42019B is to be used for	or all	front applications							

CONTENT	DESCRIPTION	ΩTY	PART NO	RR	P				
NIT	NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1382T	\$	Ea				
<u> </u>	45mm Lift	2	BD1388T	\$	Ea				
	FOAM CELL	:	SHOCK ABSORB	ER					
•	OE Height	2	FC41382	\$	Ea				
	45mm Lift	2	FC41388	\$	Ea				
8	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R				
	OE Height	2	BM401382	\$	Ea				
	45mm Lift	2	BM401388	\$	Ea				

TORSION BARS							
-	30mm / 1145mm	1	4WTB-1559	\$	Pr		
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained							

	LEAF SPI	RIN	IGS	
مر ب	0-300kg load	2	FS213	\$ Ea
	CONSTANT 300kg load	2	FS213H	\$ Ea


	LEAF SPRING F	ΙT	MENT KI	Ī	
	Urethane Shackle Bushes			TDUK-065	
\cap	U-Bolts		TDFK-005	TDUB-039	Φ 1/4
***************************************	Greaseable Shackles		1DFK-005	TDGS-386	\$ Kt
	Greaseable Pins			TDGP-668	

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-039	\$	Kt			
	Greasable Shackle Kit	1	TDGS-386	\$	Kt			
	Greasable Pin Kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Eyering	2	404702	\$	Ea		







CONTENT	DESCRIPTION	QTY	PART NO	RRP						
FOAM CELL - SHOCK ABSORBER										
	Up to 30mm Lift	2	FC42019B	\$ E	Ēa					
FC	FC42019B is to be used for all front applications									

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
Î	Up to 30mm Lift	2	FC41460	\$ Ea				
1	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
8	Up to 30mm Lift	2	BM401460	\$ Ea				

TORSION BARS					
-	30mm/1145mm	1	4WTB-1559	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

COIL SPRINGS					
	0-300kg load	1	TDC045	\$	Pr
	CONSTANT 300kg load	1	TDC047	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	TW038-16	\$	Ea	



GREAT WALL

2016-2020 EST. LIFT FRONT: 40MM | REAR: 40MM





REAR									
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea						
	Leaf Springs	2	Ea						
	Leaf Spring Fitment Kit	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ı	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC42019B	\$ Ea				
FC42019B is to be used for all front applications								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
•	Up to 40mm Lift	2	BD1382T	\$ E			
	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC41382	\$ E			
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER			
8	Up to 40mm Lift	2	BM401382	\$ E			
8	Up to 40mm Lift	2	BM401382	\$ E			

TORSION BARS						
	30mm/1145mm	1	4WTB-1559	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

	LEAF SPI	RIN	IGS	
	0-300kg load	2	FS213	\$ Ea
	CONSTANT 300kg load	2	FS213H	\$ Ea

LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-065				
\cap	U-Bolt Kit			TDUB-017				
	Greasable Shackle Kit	1	TDFK-006	TDGS-386	\$ K	t		
	Greasable Pin Kit			TDGP-668				
•	Handbrake Relocation Kit			TDSP-025				


ŀ	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-017	\$	Kt			
	Greasable Shackle Kit	1	TDGS-386	\$	Kt			
§	Greasable Pin Kit	1	TDGP-668	\$	Kt			
•	Handbrake Relocation Kit	1	TDSP-025	\$	Kt			
Note: Must be fitted to all Lift kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top & Bottom Eyering	2	404702	\$	Ea			



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RR	Р				
ASSEMBLED STRUTS - FOAM CELL									
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top						
	No Accessories	2	GWM-003	\$	Ea				
*	With Bar / Bar & Winch	2	GWM-004	\$	Ea				
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р				
8	No Accessories	2	GWM-001	\$	Ea				
	With Bar / Bar & Winch	2	GWM-002	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
å	Up to 40mm Lift	2	FC43040	\$ Ea				
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBER				
	Up to 40mm Lift	2	BM403040	\$ Ea				

STRUT - FOAM CELL							
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404931	\$	Ea		
I	STRUT - 40MM ADJUSTABLE						
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404931	\$	Ea		

COIL SPRINGS							
	No Accessories	1	TDC1047	\$	Pr		
www.	With Bar or Bar & Winch	1	TDC1048	\$	Pr		

LEAF SPRINGS							
	0-300 kg load	2	T87C	\$	Ea		
	CONSTANT 300 kg load	2	T87L	\$	Ea		
	CONSTANT 500 kg load	2	T87LL	\$	Ea		

LEAF SPRING FITMENT KIT - FITS T87LL									
	Urethane Shackle bushes			TDUK-088					
\cap	U-Bolts			TDUB-039					
	Greaseable Shackles	1	TDFK-007	TDGS-390	\$ Kt				
	Greaseable Pins			TDGP-668					
•	Centre bearing kit			TDSP-027					



4WD Suspension

... Making Tracks

Across the World

2019 ON EST. LIFT FRONT: 50MM | REAR: 40MM

	FRO	TNC		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

REAR									
CONTENT	DESCRIPTION	QTY	PAR [*]	Г NO	RRP				
LEAF	LEAF SPRING FITMENT KIT - FITS T87C / L								
	Urethane Shackle bushes			TDUK-088					
\bigcap	U-Bolts			TDUB-040					
	Greaseable Shackles	1	TDFK-008	TDGS-390	\$ Kt				
**************************************	Greaseable Pins			TDGP-668					
•	Centre bearing kit			TDSP-027					

Upper Control Arms 1 TDCA-012 \$ Pr	UPPER CONTROL ARMS								
	UU	Upper Control Arms	1	TDCA-012	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS							
22	Bellows Bag Kit - OEM Height	1	TDAA-132	\$	Kt		
	Bellows Bag Kit - 40mm Lift	1	TDAA-133	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-012	1	TDSK-024	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-012	1	TDSK-025	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
Æ.O	Strut Top	2	GWM-4931	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

F	REAR IINDIVIDUAL	. C	OMPONENTS				
	Urethane Shackle Bush kit	1	TDUK-088	\$	Kt		
\cap	U-Bolt kit - T87C & T87L Only	2	TDUB-040	\$	Kt		
\cap	U-Bolt kit - T87LL Only	2	TDUB-039	\$	Kt		
	Greasable Shackle kit	1	TDGS-390	\$	Kt		
······································	Greasable Pin kit	1	TDGP-668	\$	Kt		
•	Centre Bearing kit	1	TDSP-027	\$	Ea		
	Note: Must be fitted with all kits.						



GREAT WALL TANK 300 2020 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) Pr

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following item	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
II ≷ ≷	Sway Bar Link Kit	1	Kt				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
A:	ASSEMBLED STRUTS - FOAM CELL							
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Up to 50mm Lift - No Accessories	2	GWM-007	\$	Ea			
*	Up to 50mm Lift - With Bar / Bar & Winch	2	GWM-008	\$	Ea			
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	ор			
8	Up to 50mm Lift - No Accessories	2	GWM-005	\$	Ea			
	Up to 50mm Lift - With Bar / Bar & Winch	2	GWM-006	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
٥	Up to 50mm Lift	2	FC43051	\$ Ea				
	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER				
8	Up to 50mm Lift	2	BM403051	\$ Ea				

STRUT - FOAM CELL					
Ī	Up to 50mm Lift - Strut Only / No Coil / No Strut Top	2	FC404931	\$	Ea
	STRUT -	40I	MM ADJUSTABLE		
	Up to 50mm Lift - Strut Only / No Coil / No Strut Top	2	BM404931	\$	Ea

	COIL SPI	RIN	IGS	
MILLAAAA	Up to 50mm Lift - No Accessories	1	TDC974	\$ Pr
	Up to 50mm Lift - With Bar / Bar & Winch	1	TDC983	\$ Pr

COIL SPRINGS					
MIAAAA	0-150kg load	1	TDC1098	\$	Pr
	150-300kg load	1	TDC1099	\$	Pr



GREAT WALL TANK 300 2020 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
UPPER CONTROL ARMS							
とり	Upper Control Arms	1	TDCA-012	\$ F	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP	
Al	R ASSIST - COIL II	NS	ERT AIR BAGS			
	Coil Insert Bag Kit - OE Height	1	TDAA-035	\$	Kt	
	Coil Insert Bag Kit - 50mm Lift	1	TDAA-036	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-012	1	TDSK-024	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-012	1	TDSK-025	\$	Ea

AIR ASSIS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		


	PANHARD ROD					
-		Adjustable	1	TDPR-200	\$	Ea
		Rear Panhard Rod replacement bush kit	1	TDUK-032	\$	Kt


FRONT INDIVIDUAL COMPONENTS						
	Strut Top	2	GWM-4931	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
• •••	Sway Bar Link Kit	1	TDSP-036	\$	Kt	









CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
F	FOAM CELL - SHO	OCK	ABSORBER	
	Up to 40mm Lift	2	FC42019B	\$ Ea
FC	C42019B is to be used for	or all	front applications	

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
FOAN	N CELL - SHOCK A	ABS	SORBER (EYE/EYE)		
	Up to 40mm Lift	2	FC41200	\$	Ea
2	FOAM CELL - S	НО	CK ABSORBER (F	IN/EYE)
	Up to 40mm Lift	2	FC41201B	\$	Ea
	40MM ADJUSTABLE - SHOCK ABSORBER (EYE/EYE)				
	Up to 40mm Lift	2	BM401200	\$	Ea
0	40MM ADJUSTA	4B (F	LE - SHOCK ABSO PIN/EYE)	RBER	3
	Up to 40mm Lift	2	BM401201	\$	Ea
Note: Cl	neck mounts before ord	erin	g for eye/eye or Pin/eye		

TORSION BARS					
	30mm/1145mm	1	4WTB-1559	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained					


COIL SPRINGS						
	0-300kg load OE Height (10/95-99 Only)	1	TDC290	\$	Pr	
	0-300kg load	1	TDC267	\$	Pr	
	CONSTANT 300kg load	1	TDC267H	\$	Pr	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	



HOLDEN JACKAROO, ISUZU TROOPER UBS13, 16, 52, 52I 11/1981-1986







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
ů	Up to 45mm Lift	2	BD2057T	\$ Ea				
	FOAM CEL	L - :	SHOCK ABSORB	ER				
8	Up to 45mm Lift	2	FC42057B	\$ Ea				
FC ² For	FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.							

DESCRIPTION	ŭŢ	PART NO	RR	Р			
NITROGEN GAS - SHOCK ABSORBER							
OE Height	2	BD1382T	\$	Ea			
45mm Lift	2	BD1388T	\$	Ea			
FOAM CELL - SHOCK ABSORBER							
OE Height	2	FC41382	\$	Ea			
45mm Lift	2	FC41388	\$	Ea			
40MM ADJUSTA	BL	.E - SHOCK ABSO	RBE	R			
OE Height	2	BM401382	\$	Ea			
45mm Lift	2	BM401388	\$	Ea			
	OE Height 45mm Lift FOAM CELL OE Height 45mm Lift 40MM ADJUSTA OE Height	ROGEN GAS - SHOO OE Height 2 45mm Lift 2 FOAM CELL - Street 2 OE Height 2 45mm Lift 2 40MM ADJUSTABLE OE Height 2	ROGEN GAS - SHOCK ABSORBER OE Height 2 BD1382T 45mm Lift 2 BD1388T FOAM CELL - SHOCK ABSORB OE Height 2 FC41382 45mm Lift 2 FC41388 40MM ADJUSTABLE - SHOCK ABSORB OE Height 2 BM401382	ROGEN GAS - SHOCK ABSORBER OE Height 2 BD1382T \$ 45mm Lift 2 BD1388T \$ FOAM CELL - SHOCK ABSORBER OE Height 2 FC41382 \$ 45mm Lift 2 FC41388 \$ 40MM ADJUSTABLE - SHOCK ABSORBE OE Height 2 BM401382 \$			

TORSION BARS					
	26mm/926mm	1	4WTB-1546	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

LEAF SPRINGS						
مر به	0-300kg load	2	FS113	\$	Ea	
	CONSTANT 300kg load	2	FS113H	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt	
····· 8 ····	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	



HOLDEN JACKAROO, ISUZU TROOPER UBS16, 17, 52, 55 11/1986-1992 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Torsion Bar 1 Pr



CONTENT	DESCRIPTION	ΩTY	PART NO	RRF	•			
NI	NITROGEN GAS - SHOCK ABSORBER							
°	Up to 45mm Lift	2	BD2057T	\$	Ea			
I	FOAM CELI	L -	SHOCK ABSORBI	ER				
8	Up to 45mm Lift	2	FC42057B	\$	Ea			
FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.								

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1105T	\$ Ea				
•	45mm Lift	2	BD1106TB	\$ Ea				
Ě	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41105	\$ Ea				
I	45mm Lift	2	FC41106	\$ Ea				
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBER				
Ŭ	OE Height	2	BM401105	\$ Ea				
	45mm Lift	2	BM401106	\$ Ea				

TORSION BARS						
-	26mm / 997mm	1	4WTB-1548	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						


	LEAF SPI	RIN	IGS	
مر یہ	0-300kg load	2	FS113	\$ Ea
	CONSTANT 300kg load	2	FS113H	\$ Ea


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-006	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	404702	\$	Ea	
	Fits Top Pin	2	TW959	\$	Ea	







CONTENT	DESCRIPTION	ΩT	PART NO	RRI	P		
F	FOAM CELL - SHO	Ck	ABSORBER				
	Up to 40mm Lift	2	FC42019B	\$	Ea		
FC	FC42019B is to be used for all front applications						

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
°	Up to 40mm Lift	2	FC41200	\$ Ea
	40MM ADJUSTA	\ΒL	E - SHOCK ABSO	RBER
0	Up to 40mm Lift	2	BM401200	\$ Ea

TORSION BARS						
	29.3mm/1220mm	1	4WTB-1549	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

	COIL SPRINGS	- L	JBS 25, 69		
	0-300kg load	1	TDC267	\$	Pr
	CONSTANT 300kg load	1	TDC267H	\$	Pr
	CONSTANT 500kg load	1	TDC267HH	\$	Pr
WVVV	COIL SPRINGS	- 1	UBS 26, 73 WIDE I	BODY	
	0-300kg load	1	TDC267H	\$	Pr
	CONSTANT 300kg load	1	TDC267HH	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	415024	\$	Ea	





FRONT					
CONTENT	DESCRIPTION	ΣTΥ	PART NO	RRP	

REAR						
CONTENT	DESCRIPTION	ΩŢ	PART NO	F	RRP	
NIT	ROGEN GAS - SI	HO	CK ABSORBER			
	OE Height	2	BD1382T	\$	Ea	
	40mm Lift	2	BD1388T	\$	Ea	
Å	FOAM CEL	L-	SHOCK ABSORB	ER		
	OE Height	2	FC41382	\$	Ea	
Ī	40mm Lift	2	FC41388	\$	Ea	
	40MM ADJUST	ABI	E - SHOCK ABSO	RB	ER	
9	OE Height	2	BM401382	\$	Ea	
	40mm Lift	2	BM401388	\$	Ea	

TORSION BARS						
_	26mm / 927mm - 01/81-83 only	1	4WTB-1536	\$	Pr	
_	26mm / 926mm - 83-88 only	1	4WTB-1546	\$	Pr	
- er	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					



REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		


REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering	2	404702	\$	Ea




HOLDEN RODEO TF\$17, 54, 55, TF\$25, 77 08/1988-2003



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr





CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	40mm Lift	2	BD1388T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$	Ea			
	40mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
	OE Height	2	BM401382	\$	Ea			
	40mm Lift	2	BM401388	\$	Ea			

TORSION BARS						
	26mm / 997mm - 36mm Spline	1	4WTB-1548	\$	Pr	
-	27mm / 998mm - 33mm Spline	1	4WTB-1566	\$	Pr	
Check Spline and Diameter prior to ordering. Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS							
Check number of leaves - Rare Special Editions have heavier factory leaf packs							
	0-300kg load	2	FS113	\$	Ea		
	CONSTANT 300kg load	2	FS113H	\$	Ea		
	CONSTANT 500kg load	2	FS113HM	\$	Ea		

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-005	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	



HOLDEN RODEO & COLORADO RA-RC 02/2003-2012 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Torsion Bar 1 Pr

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHO	OCK	ABSORBER					
ů 8	Up to 45mm Lift	2	FC42019B	\$ Ea				
where	FC42019B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	45mm Lift	2	BD1388T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$	Ea			
	45mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
	OE HEight	2	BM401382	\$	Ea			
	45mm Lift	2	BM401388	\$	Ea			

TORSION BARS						
	30mm/1145mm	1	4WTB-1559	\$	Pr	
- en	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

LEAF SPRINGS						
مر یہ	0-300kg load	2	FS213	\$	Ea	
	CONSTANT 300kg load	2	FS213H	\$	Ea	

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag kit - 45mm Lift	1	TDAA-103	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-065				
\cap	U-Bolt Kit	1	TDFK-005	TDUB-039	¢ 1/4			
	Greasable Shackle Kit		1DFK-005	TDGS-386	\$ Kt			
••••8• •••	Greasable Pin Kit			TDGP-668				





FRONT						
CONTENT	DESCRIPTION	ΣTΥ	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-039	\$	Kt			
	Greasable Shackle Kit	1	TDGS-386	\$	Kt			
	Greasable Pin Kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
▎▋▋██░░▀▀	Bellows Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Up to Steel Bar	2	HOL-003	\$	Ea			
	With Steel Bar & Winch	2	HOL-004	\$	Ea			
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р			
8	Up to Steel Bar	2	HOL-001	\$	Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			

CONTENT	DESCRIPTION	αTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	Up to 40mm Lift	2	BD1382T	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC41382	\$ Ea				
	40MM ADJUSTA	BI	E - SHOCK ABSC	RBER				
	Up to 40mm Lift	2	BM401382	\$ Ea				

STRUT - FOAM CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea
I	STRUT -	401	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea

COIL SPRINGS					
MIAAAA	Up to Steel Bar - 40mm Lift	1	TDC270	\$	Pr
	With Steel Bar & Winch - 40mm Lift	1	TDC974	\$	Pr

LEAF SPI	RIN	IGS	
0-300 kg load	2	FS214C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea





	FRONT						
ı	CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR									
CONTENT	DESCRIPTION	QTY	PAR'	RRP					
LEAF SPRING FITMENT KIT									
	Urethane Shackle bushes		TDFK-009	TDUK-071					
\cap	U-Bolts	1		TDUB-016	\$ Kt				
	Greaseable Shackles	1	1DFK-009	TDGS-391	\$ Kt				
<u>=</u>	Greaseable Pins			TDGP-668					

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-001	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS						
<u> د</u>	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt	
Note: Senarate Air Assist components can be viewed on page 14						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-001	1	TDSK-030	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea	

FRONT INDIVIDUAL COMPONENTS					
T O	Strut Top	2	ISU-4929	\$	Ea

AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt		
\bigcap	U-Blt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-391	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	



HOLDEN COLORADO RG MMU142, GH1700 06/2016-2023 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts OR Struts Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
Shock Absorber	2	Ea						
Leaf Springs	2	Ea						
Leaf Spring Fitment kit	1	Kt						
Bellows Airbags (Optional)	1	Kt						
	for the rear end of your ve Shock Absorber Leaf Springs Leaf Spring Fitment kit	for the rear end of your vehicle. Shock Absorber 2 Leaf Springs 2 Leaf Spring Fitment kit 1						

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Up to Steel Bar	2	HOL-003	\$	Ea			
*	With Steel Bar & Winch	2	HOL-004	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	JUSTABLE				
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р			
	Up to Steel Bar	2	HOL-001	\$	Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 40mm Lift	2	BD1382T	\$ Ea
	FOAM CELI	L -	SHOCK ABSORBE	ER
	Up to 40mm Lift	2	FC41382	\$ Ea
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM401382	\$ Ea

STRUT - FOAM CELL							
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea		
I	STRUT -	STRUT - 40MM ADJUSTABLE					
T	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea		

	COIL SPE	RIN	IGS	
MIAAAA	Up to Steel Bar - 40mm Lift	1	TDC270	\$ Pr
	With Steel Bar & Winch - 40mm Lift	1	TDC974	\$ Pr

LEAF SPI	RIN	IGS	
0-300 kg load	2	FS214C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle bushes			TDUK-071			
\cap	U-Bolts			TDUB-016			
	Greaseable Shackles	1	TDFK-010	TDGS-391	\$ Kt		
	Greaseable Pins			TDGP-668			
	Hand Brake Bracket			TDSK-021			



HOLDEN COLORADO RG MMU142, GH1700 06/2016-2023 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-001	\$ Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RF	RP		
A	AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt		
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt		

Note: Separate Air Assist components can be viewed on page 14.

2017 Colorado - UCA Ball Joints

Upper Control Arms in the 2017-on Holden Colorados are fitted with a smaller ball joint assembly from factory.

To fit **TDCA-001**, re-use the OEM Ball Joint assembly or equivalent

AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYST	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-001	1	TDSK-030	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
Æ: 0	Strut Top	2	ISU-4929	\$	Ea	

F	REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-391	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
	Handbrake relocation bracket - required for MY17 (06/16) On	1	TDSK-021	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering	2	404702	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
 	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	Up to Steel Bar	2	HOL-003	\$	Ea		
*	With Steel Bar & Winch	2	HOL-004	\$	Ea		
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top		
	Up to Steel Bar	2	HOL-001	\$	Ea		
	With Steel Bar & Winch	2	HOL-002	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	ROGEN GAS - SH	100	CK ABSORBER		
	Up to 40mm Lift	2	BD1125T	\$ Ea	
	FOAM CELL - SHOCK ABSORBER				
	Up to 40mm Lift	2	FC41125	\$ Ea	
8	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
	Up to 40mm Lift	2	BM401125	\$ Ea	

STRUT - FOAM CELL						
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea	
I	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea	

COIL SPRINGS					
	Up to Steel Bar	1	TDC270	\$	Pr
	With Steel Bar & Winch	1	TDC974	\$	Pr

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC271	\$	Pr
	CONSTANT 300kg load	1	TDC271H	\$	Pr





FRONT						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-001	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
Al	AIR ASSIST - COIL INSERT AIR BAGS					
	Coil Insert Bag Kit - OEM Height	1	TDAA-013	\$	Kt	
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-005	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-001	1	TDSK-030	\$	Ea	
Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea	

F	RONT INDIVIDUA	L C	OMPONENTS	
· I •0	Strut Top	2	ISU-4929	\$ Ea

L								
	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
		Fits top pin	2	TW959	\$	Ea		

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM

1

1

TDAS-002

TW040-14

\$

\$

Kt

Ea


Wireless Air System


Suits Coil Insert Airbags

Fits bottom eyering

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom eyering	1	ADJ300/40A	\$	Ea		







TORSION BARS						
	27.5mm/1275mm	1	4WTB-1725	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

COIL SPRINGS						
MILLAAA	0-300kg load	1	TDC680	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC632SL	\$	Pr	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	402267	\$	Ea		
	Fits Bottom Eyering	1	412773	\$	Ea		


REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	402267	\$	Ea			
	Fits Bottom Eyering	1	ADJ00191	\$	Ea			




THIS PAGE IS INTENTIONALLY BLANK









CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC42019B	\$ Ea					
FC ²	12019B is to be fitted to am Cell or Adjustable sl	all a nock	pplications where a is fitted to the rear.						

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1382T	\$ Ea			
	45mm Lift	2	BD1388T	\$ Ea			
	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41382	\$ Ea			
	45mm Lift	2	FC41388	\$ Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER			
	OE Height	2	BM401382	\$ Ea			
	45mm Lift	2	BM401388	\$ Ea			

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS						
مر ب	0-300kg load	2	FS213	\$	Ea	
	CONSTANT 300kg load	2	FS213H	\$	Ea	

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit			TDUK-065					
\cap	U-Bolt Kit		TDEK 00E	TDUB-039	ф I/4				
\Box	Greasable Shackle Kit	1	TDFK-005	TDGS-386	\$ Kt				
	Greasable Pin Kit			TDGP-668					





FRONT						
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
A	AIR ASSIST - BELLOWS AIR BAGS					
	Bellows Bag Kit - 45mm Lift	1	TDAA-103	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-039	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	



ISUZU D-MAX RT MY12 05/2012-04/2016 & 4/2016-8/2020 EST LIFT FRONT: 40MM | PEAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts OR Struts Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring fitment kit (Based on leaf spring choice)	1	Kt					
	Bellows Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Petrol / Diesel Alloy Bar	2	HOL-003	\$	Ea			
	Petrol / Diesel Steel Bar	2	HOL-004	\$	Ea			
*	Petrol / Diesel Steel Bar & Winch	2	HOL-006	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE			
\$	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
8	Petrol / Diesel Up to Alloy Bar	2	HOL-001	\$	Ea			
	Petrol / Diesel Steel Bar	2	HOL-002	\$	Ea			
	Petrol / Diesel Steel Bar & Winch	2	HOL-005	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	Up to 40mm Lift	2	BD1382T	\$ Ea				
	FOAM CELI	L - .	SHOCK ABSORBE	ER				
	Up to 40mm Lift	2	FC41382	\$ Ea				
	Super Soft Ride	2	FC43032	\$ Ea				
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER				
	Up to 40mm Lift	2	BM401382	\$ Ea				

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea	

	COIL SPF	RIN	IGS	
	No Accessories - 40mm Lift	1	TDC270	\$ Pr
	Steel Bar - 40mm Lift	1	TDC974	\$ Pr
	Steel Bar / Bar & Winch - 40mm Lift	1	TDC974H	\$ Pr

	LEAF SPI	RIN	IGS	
00	0-300kg load	2	FS214C	\$ Ea
	CONSTANT 300kg load	2	FS214L	\$ Ea
	CONSTANT 500kg load	2	FS214LL	\$ Ea



D-MAX RT MY12 05/2012-04/2016 & 4/2016-8/2020 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

CONTENT DESCRIPTION FOR PART NO RRP LEAF SPRING FITMENT KIT - FITS 04/2016 TO 8/2020 Urethane Shackle bushes U-Bolts Greaseable Shackles Greaseable Pins TDUK-071 TDUB-016 TDGP-668 LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes U-Bolts TDUK-071 TDUK-071 TDUK-071 TDUK-071 TDUB-016
Urethane Shackle bushes U-Bolts Greaseable Shackles Greaseable Pins TDUK-071 TDUB-016 \$ TDGS-391 TDGP-668 LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes TDUK-071
Shackle bushes U-Bolts Greaseable Shackles Greaseable Pins TDGS-391 TDGP-668 LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes TDUK-071
Greaseable Shackles Greaseable Pins TDGS-391 TDGP-668 LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes TDUK-071
Greaseable Shackles Greaseable Pins TDGS-391 TDGP-668 LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes TDUK-071
LEAF SPRING FITMENT KIT- FITS 05/2012 TO 4/2016 Urethane Shackle bushes TDUK-071
Urethane Shackle bushes TDUK-071
Shackle bushes
U-Bolts TDUB-016
Greaseable Shackles 1 TDFK-010 TDGS-391 \$
Greaseable Pins TDGP-668
Handbrake Relocation Kit TDSK-021

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-001	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-001	1	TDSK-030	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea	

FRONT INDIVIDUAL COMPONENTS					
-1 -0	Strut Top	2	ISU-4929	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greasable Shackle Kit	1	TDGS-391	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	
	Handbrake Relocation bracket	1	TDSK-021	\$	Ea	
Note: TDSK-021 Must be fitted to all Kits from 05/2012 to 04/2016. For 4/2016 to 08/2020 Not required.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	
	Fits Top & Bottom Eyering #3032 Super Soft Only	2	TW038-16	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Shock Absorber	2	Ea					
Leaf Springs	2	Ea					
Leaf Spring fitment kit	1	Kt					
Bellows Airbags (Optional)	1	Kt					
	Shock Absorber Leaf Springs Leaf Spring fitment kit	Shock Absorber 2 Leaf Springs 2 Leaf Spring fitment kit 1					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Asseml	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
	No Accessories - 40mm Lift	2	ISU-003	\$	Ea			
	Steel Bar / Bar & winch - 40mm Lift	2	ISU-004	\$	Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Coil, 1 x Strut top				
8	No Accessories - 40mm Lift	2	ISU-001	\$	Ea			
	Steel Bar / Bar & winch - 40mm Lift	2	ISU-002	\$	Ea			

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC43035	\$ Ea				
	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM403035	\$ Ea				

STRUT - FOAM CELL							
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404929	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404929	\$	Ea		

COIL SPRINGS						
M 1 A A A A	No Accessories - 40mm Lift	1	TDC974	\$	Pr	
	Bar/ Winch - 40mm Lift	1	TDC974H	\$	Pr	

LEAF SPI	RIN	IGS	
0-300kg load	2	FS215C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS FS215C										
	Urethane Shackle bushes			TDUK-085						
\cap	U-Bolts	1	TDFK-011	TDUB-016	¢ 1/4					
\Box	Greaseable Shackles	I	IDFK-011	TDGS-902	\$ Kt					
	Greaseable Pins			TDGP-668						



FRONT						
CONTENT	DESCRIPTION	αTΥ	PART NO	RRP		

REAR										
CONTENT	DESCRIPTION	QTY	PAR'	RRP						
LEAF S	LEAF SPRING FITMENT KIT - FITS FS214L & LL									
	Urethane Shackle bushes			TDUK-085						
\cap	U-Bolts			TDUB-016						
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt					
	Greaseable Pins			TDGP-668						
	Handbrake Relocation Kit			TDSK-021						

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-009	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag kit - 40mm Lift	1	TDAA-131	\$	Kt	
	Bellows Bag kit - OEM height	1	TDAA-130	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS								
	Bush Kit to fit one UCA - for TDCA-009	1	TDSK-026	\$	Ea			
	Ball joint kit to fit one UCA - for TDCA-009	1	TDSK-027	\$	Ea			

FRONT INDIVIDUAL COMPONENTS						
1	Strut Top	2	ISU-4929	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt			
	Greasable Shackle Kit	1	TDGS-902	\$	Kt			
<u>-</u>	Greasable Pin Kit	1	TDGP-668	\$	Kt			
	Handbrake Relocation bracket	1	TDSK-021	\$	Ea			
Fits only with L/LL Springs.								


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/40A	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	TW038-16	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 96









CONTENT	DESCRIPTION	QTY	PART NO	RRP				
STRUT - FOAM CELL								
I	OEM Height - Strut Only/ No Coil/ No Strut top	2	FC404929	\$	Ea			
I	STRUT -	STRUT - 40MM ADJUSTABLE						
	OEM Height - Strut Only/ No Coil/ No Strut top	2	BM404929	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Standard Height	2	FC43035	\$	Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R			
8	Standard Height	2	BM403035	\$	Ea			

Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions.

LEAF SPRINGS								
	CONSTANT 200kg load	2	FS215C	\$	Ea			
	CONSTANT 400kg load	2	FS214L	\$	Ea			
	CONSTANT 600kg load	2	FS214LL	\$	Ea			





	FRO	TNC		
CONTENT	DESCRIPTION	αTY	PART NO	RRP

REAR								
CONTENT	DESCRIPTION	QTY	PART	RRP				
LEAF SPRING FITMENT KIT - FITS FS215C								
	Urethane Shackle Bushes			TDUK-085				
\bigcap	U-Bolts	1	4 TDEK 044	TDUB-016	\$ Kt			
***************************************	Greaseable Shackles		1 TDFK-011	TDGS-902	\$ KI			
<u>=</u>	Greaseable Pins			TDGP-668				

LEAF SPRING FITMENT KIT - FITS FS214L & LL								
	Urethane Shackle Bushes			TDUK-085				
\cap	U-Bolt		TDFK-012	TDUB-016				
	Greasable Shackles	1		TDGS-902	\$ Kt			
	Greaseable Pins			TDGP-668				
	Handbrake Relocation Kit			TDSP-021				

F	FRONT INDIVIDUAL COMPONENTS						
-1 -0	Strut Top	2	ISU-4929	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt			
\Box	Greasable Shackle Kit	1	TDGS-902	\$	Kt			
<u>S</u>	Greasable Pin Kit	1	TDGP-668	\$	Kt			
	Handbrake Relocation bracket	1	TDSK-021	\$	Ea			
Fits only with L/LL Springs.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering	2	TW038-16	\$	Ea

FOR GVM UPGRADES, SEE PAGE 96

GVM UPGRADE



ISUZU D-MAX

4X2 / 4X4 'SINGLE CAB' (SX) - 08/2020-10/2021 4X2 / 4X4 'SPACE CAB' (SX, LS-U) - 08/2020-10/2021 4X2 / 4X4 'CREW CAB' (SX, LS-M, LS-U, X-TERRAIN - 08/2020-10/2021 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS									
DESCRIPTION ORIGINAL EQUIPMENT TOUGH DOG									
FRONT AXLE RATING	1450KG	1595KG							
REAR AXLE RATING	1910KG	2100KG							
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG							
TOWING CAPACITY (BRAKED)	3500KG	3500KG							
GROSS COMBINED MASS (GCM)	5850KG - 6000KG	5850KG - 6000KG							
• Payload increa	ase is based on model variant.								

GVM UPGRADE



ISUZU D-MAX

4X2 / 4X4 'SINGLE CAB' (SX) - 10/2021 ON 4X2 / 4X4 'SPACE CAB' (SX, LS-U) - 10/2021 ON 4X2 / 4X4 'CREW CAB' (SX, LS-M, LS-U, X-TERRAIN - 10/2021 ON 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS								
DESCRIPTION ORIGINAL EQUIPMENT TOUGH DOG								
FRONT AXLE RATING	1450KG	1595KG						
REAR AXLE RATING	1910KG	2100KG						
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG						
TOWING CAPACITY (BRAKED)	3500KG	3500KG						
GROSS COMBINED MASS (GCM)	6000KG - 4x4 3.0L 5500KG - 4x4 1.9L 5850KG - 4x2 3.0L 5500KG - 4x2 1.9L 5300KG - 4x2 1.9L SX (MT)	6000KG - 4X4 3.0L 5500KG - 4X4 1.9L 5850KG - 4X2 3.0L 5500KG - 4X2 1.9L 5300KG - 4X2 1.9L SX (MT						
• Payload increase								



ISUZU MU-X

08/2014-07/2021 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR									
REAR SUSPENSION CHECK LIST									
You need to order the following items for the rear end of your vehicle.									
	Shock Absorber 2								
	Coil Springs	1	Pr						
	Coil Insert Airbags (Optional)	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	RR					
ASSEMBLED STRUTS - FOAM CELL									
Assem	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top								
	No Bar or Alloy Bar	2	HOL-003	\$	Ea				
	Steel Bar	2	HOL-004	\$	Ea				
*	Steel Bar or Bar & Winch	HOL-006	\$	Ea					
**	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
#	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top								
8	No Bar or Alloy Bar	2	HOL-001	\$	Ea				
	Steel Bar	2	HOL-002	\$	Ea				
	Steel Bar or Bar & Winch	2	HOL-005	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 40mm Lift	2	BD1125T	\$ Ea
	FOAM CELI	L - :	SHOCK ABSORBE	ER
	Up to 40mm Lift	2	FC41125	\$ Ea
8	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM401125	\$ Ea

STRUT - FOAM CELL								
I	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	FC404200		Ea			
	STRUT -	40I	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	BM404200	\$	Ea			

	OIL SPRIN	165	
No Bar or A	Alloy Bar 1	TDC270	\$ Pr
Steel I	Bar 1	TDC974	\$ Pr
Steel B. Bar & W		TDC974H	\$ Pr

COIL SPRINGS						
MILAAA	0-300kg load	0-300kg load 1		\$	Pr	
	CONSTANT 300kg load	1	TDC272H	\$	Pr	



08/2014-07/2021 LIFT FRONT: 40MM | REAR: 40MM



FRONT								
CONTENT	PART NO	RRI	•					
UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-001	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT DESCRIPTION							
All	R ASSIST - COIL II	NSI	ERT AIR BAGS				
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-005	\$	Kt		
	Coil Insert Bag Kit - OEM height	1	TDAA-013	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-001	1	TDSK-030	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea		

	for TDCA-001		1D3K-030	Ф	La		Wireless Air System	1	TDAS-002
	Ball joint kit to fit one UCA - for TDCA-001	1	TDSK-031	\$	Ea	3	Suits Coil Insert Airbags	1	1 DA3-002

FRONT INDIVIDUAL COMPONENTS						
1	Strut Top	2	ISU-4929	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	TW040-14	\$	Ea		

Κt







REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					
1199								

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	With No Accessories	2	ISU-006	\$	Ea			
*	With Steel Bar or Bar & Winch	2	ISU-004	\$	Ea			
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
\$	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р			
8	With No Accessories	2	ISU-005	\$	Ea			
	With Steel Bar or Bar & Winch	2	ISU-002	\$	Ea			

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1125T	\$ Ea					
<u> </u>	FOAM CEL	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC41125	\$ Ea					
8	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER					
0	Up to 40mm Lift	2	BM401125	\$ Ea					

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	FC404929	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	BM404929	\$	Ea	

COIL SPRINGS						
MILLAAAA	With No Accessories	1	TDC983	\$	Pr	
	With Steel Bar or Bar & Winch	1	TDC974H	\$	Pr	

COIL SPRINGS						
	0-300kg load	1	TDC272	\$	Pr	
	CONSTANT 300kg load	1	TDC272H	\$	Pr	





FRONT						
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
All	AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-005	\$	Kt		
	Coil Insert Bag Kit - OEM height	1	TDAA-013	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

F	RONT INDIVIDUAL	_ C	OMPONENTS	
1	Strut Top	2	ISU-4929	\$ Ea


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					()
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	TW040-14	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	ΩT	PART NO	R	RP			
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41063	\$	Ea			
	35mm Lift	2	FC41068	\$	Ea			
P	40MM ADJUSTA	Bl	E - SHOCK ABSO	RB	ER			
	OE Height	2	BM401063	\$	Ea			
	35mm Lift	2	BM401068	\$	Ea			

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41241	\$ Ea				
	35mm Lift	2	FC41249	\$ Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER				
	OE Height	2	BM401241	\$ Ea				
	35mm Lift	2	BM401249	\$ Ea				

COIL SPRINGS					
MIAAAA	Up to Steel Bar	1	TDC333	\$	Pr
	Steel Bar & Winch	1	TDC352	\$	Pr

LEAF SPRINGS					
مر به	0-300kg load	1	FS025H-LH	\$	Ea
	0-300kg load	1	FS025H-RH	\$	Ea

Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered

STEERING DAMPERS					
○──₩₩₩₩ ‡	Return-to-Center	1	SS5922-P/S	\$	Ea
06 <u> </u>	SV 9 Stage Adjustable	1	SV5922	\$	Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-027	\$	Kt		
\cap	U-Bolt kit	2	TDUB-027	\$	Kt		
• •	Transmission spacers	1	TDSP-002	\$	Kt		
Note: Must be fitted with all kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
Note: Bar-pin style bushes not user serviceable.						

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Bottom Eyering	1	404702	\$	Ea
Note: Bar-pin style bushes not user serviceable.					



JEEP GRAND CHEROKEE WG, WJ, & ZG 06/1999-2005 & 04/1996-1999 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
1133							

CONTENT	DESCRIPTION	QΤ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
å	Up to 30mm Lift	2	FC41068	\$ Ea			
	40MM ADJUSTA	\BI	LE - SHOCK ABSO	RBER			
8	Up to 30mm Lift	2	BM401068	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 30mm Lift - ZG Only	2	FC41444	\$ Ea				
	Up to 30mm Lift - WG, WJ Only	2	FC41190	\$ Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER				
	Up to 30mm Lift - ZG Only	2	BM401444	\$ Ea				
J	Up to 30mm Lift - WG, WJ Only	2	BM401190	\$ Ea				

	COIL SPE	RIN	IGS	
MIAAAA	ZG 04/1996-1999 Only	1	TDC358	\$ Pr
	WG, WJ 06/1999-2005 Only	1	TDC360	\$ Pr

COIL SPRINGS					
MIAAAA	0-300kg load ZG 04/1996-1999 Only	1	TDC359	\$	Pr
	0-300kg load WG, WJ 06/1999-2005 Only	1	TDC361	\$	Pr

STEERING DAMPERS						
○ 	Return To Centre - ZG Only	1	SS5922-P/S	\$	Ea	
○€ 	SV 9 Stage Adjustable - ZG Only	1	SV5922	\$	Ea	
<u>~</u>	Return To Centre - WG, WJ Only	1	SS5924-P/S	\$	Ea	
○@ 	SV 9 Stage Adjustable - WG, WJ Only	1	SV5924	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	2	TW959	\$	Ea	
Note: Bar-pin style bushes not user serviceable.						

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear Bottom Eyering	1	404702	\$	Ea	
Note: Bar-pin style bushes not user serviceable.						



JEEP GRAND CHEROKEE WK2 - EXCLUDES NIVOMAT MODELS 2011-2015 EST. LIFT FRONT: 40MM | REAR: 40MM



FROI	NT			
FRONT SUSPENSION CHECK LIST				
You need to order the following items	for the front end of your ve	hicle	.	
	Shock Absorber	2	Ea	
II	Coil Springs	1	Pr	
II33				
iiss				

REA	R		
REAR SUSPENSIO	N CHECK LIST		
You need to order the following items	s for the rear end of your ve	hicle.	
	Shock Absorber	2	Ea
	Coil Springs	1	Pr
1100			

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP	
	FOAM CELL - SHO	OCK	ABSORBER		
	Not suitable for Nivomat equipped vehicles	2	FC404930	\$ Ea	

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Not suitable for Nivomat equipped vehicles	2	FC43038	\$ Ea				

COIL SPRINGS					
	3.6 V6 Petrol	1	TDC1038	\$	Pr
	3.0 Diesel	1	TDC1040	\$	Pr
	5.7 V8 Petrol	1	TDC1042	\$	Pr

COIL SPRINGS					
	0-300kg load - V6/V8 Petrol	1	TDC1039	\$	Pr
	0-300kg load - Diesel	1	TDC1041	\$	Pr

PRODUCT COMPATIBILITY

Tough Dog Suspension components (springs or shocks) will not fit vehicles equipped with Nivomat self-levelling suspension.

Standard rear shocks have an OD of 51mm, while Nivomat shocks have an OD of 63mm.


Note: Nivomats are self-levelling monotube shock absorbers. They are mounted in the rear of the vehicle and are self-contained meaning they have no air lines or electrical connections.







FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Transmission Spacer 1 Ea Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	OE Height	2	BD1063T	\$	Ea		
	45mm Lift	2	BD1068T	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R		
	OE Height	2	BM401063	\$	Ea		
8	45mm Lift	2	BM401068	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
0	OE Height	2	BD1443T	\$	Ea		
	45mm Lift	2	BD1461T	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
	OE Height	2	BM401443	\$	Ea		
8	45mm Lift	2	BM401461	\$	Ea		

COIL SPRINGS							
	Up to Steel Bar	1	TDC354	\$	Pr		

COIL SPRINGS						
	0-300kg load	1	TDC355	\$	Pr	

STEERING DAMPERS						
<u></u>	Return To Centre	1	SS5922-P/S	\$	Ea	
• • • • • • • • • • • • • • • • • • • 	SV 9 Stage Adjustable	1	SV5922	\$	Ea	

TRANSMISSION SPACERS						
	Transmission Spacer - Manual / Auto 10/1996-2003 Only	1	TDSP-001	\$	Ea	
	Transmission Spacer - Auto 2003-2007 Only	1	TDSP-005	\$	Ea	
	Transmission Spacer - Manual 2003-2007 Only	1	TDSP-006	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
Note: Bar pin style buses are not user servicable.							







FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
	Shock Absorber	2	Ea				
 	Coil Springs	1	Pr				
ll ≾ ≩	Steering Damper (Optional)	1	Ea				
	Panhard Rod (Optional)	1	Ea				



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
40MN	40MM ADJUSTABLE - SHOCK ABSORBER							
	All models	2	BM401069	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
40MM ADJUSTABLE - SHOCK ABSORBER							
	All models	2	BM401463	\$ Ea			

COIL SPRINGS - SWB						
	Up to Steel Bar - Petrol	1	TDC331	\$	Pr	
	Steel Bar & Winch - Petrol	1	TDC332	\$	Pr	
	Up to Steel Bar - Diesel	1	TDC332	\$	Pr	
	Steel Bar & Winch - Diesel	1	TDC338	\$	Pr	

COIL SPRINGS - SWB						
	0-300kg load	1	TDC340	\$	Pr	
	CONSTANT 300kg load	1	TDC339	\$	Pr	

	COIL SPRIN	GS	- LWB	
	Up to Steel Bar - Petrol	1	TDC337	\$ Pr
	Steel Bar & Winch - Petrol	1	TDC338	\$ Pr
	Up to Steel Bar - Diesel	1	TDC338	\$ Pr
	Steel Bar & Winch - Diesel	1	TDC342	\$ Pr

COIL SPRINGS - LWB							
MIAAAA	0-300kg load	1	TDC339	\$	Pr		
	CONSTANT 300kg load	1	TDC341	\$	Pr		

STEERING DAMPERS					
○ ○	SV 9 Stage Adjustable	1	SV5926	\$	Ea

PANHARD RODS						
~	Adjustable	1	TDPR-017	\$	Ea	
	Replacement Panhard Rod Bush	1	TDUK-035	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eye	1	4W-SPF420-02	\$	Ea	





FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
	Shock Absorber		Ea				
	Coil Springs	1	Pr				
∣ II ≼≼	Steering Damper (Optional)	1	Ea				
	Panhard Rod (Optional)	1	Ea				
	Lower Control Arm (Optional)	1	Pr				

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
 	Coil Springs	1	Pr					
1199								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	All exc. Rubicon	2	FC43028	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
	All exc. Rubicon	2	BM403028	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	All exc. Rubicon	2	FC43029	\$ Ea					
	40MM ADJUSTABLE - SHOCK ABSORBER								
0	All exc. Rubicon	2	BM403029	\$ Ea					

COIL SPRINGS						
MIAAAA	Up to Steel Bar	1	TDC1018	\$	Pr	
	Steel Bar & Winch	1	TDC1019	\$	Pr	

COIL SPRINGS						
	0-150kg load	1	TDC1020	\$	Pr	
	150-300kg load	1	TDC1021	\$	Pr	

STEERING DAMPERS					
• ±	SV 9 Stage Adjustable	1	SV5929	\$	Ea

LOWER CONTROL ARM					
0	Lower Control Arm	1	TDCA-010	\$	Ea
Fitment of Tough Dog front lower control arms are recommended to restore wheel alignment castor settings					

PANHARD RODS					
a———	Adjustable	1	TDPR-022	\$	Ea
	Replacement Panhard Rod Bush	1	TDUK-035	\$	Ea







FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Lower Control Arms 1 Ea Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

REA	R						
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Sway Bar Links	1	Ea				
∥≾≾	Panhard Rod (Optional)	1	Ea				
	Coil Insert Airbag (Optional)	1	Kt				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
Î	Up to 50mm Lift	2	FC43028	\$ Ea			
1	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
8	Up to 50mm Lift	2	BM403028	\$ Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC43039	\$ Ea				
!	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER				
8	Up to 40mm Lift	2	BM403039	\$ Ea				

	COIL SP	RIN	igs	
MIAAAA	Up to Steel Bar	1	TDC1043	\$ Pr
	With Steel Bar & Winch	1	TDC1044	\$ Pr

	COIL SPI	RIN	IGS	
MIAAAA	0-150kg load	1	TDC1045	\$ Pr
	150-300kg load	1	TDC1046	\$ Pr

LOWER CONTROL ARMS					
0	Lower Control Arms	1	TDCA-010	\$	Ea
Fitment of Tough Dog front lower control arms is recommended to restore wheel alignment castor settings					

AIR ASSIST - COIL INSERT AIR BAGS					
	Coil Insert bag - 40mm Lift	1	TDA A-029	\$	Kt
	Coil insert Bag - OE Height	1	TDAA-026	\$	Kt
Note: Separate Air Assist components can be viewed on page 14					

	 L-	
STEERING DAMPERS		

SV5929

AIR ASSIST - COIL INSERT WIRELESS AIR SYS					ГЕМ	
		Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

PANHARD RODS							
·	Adjustable	1	TDPR-022	\$	Ea		
	Replacement Panhard Rod Bush	1	TDUK-035	\$	Ea		

SV 9 Stage Adjustable

PANHARD RODS							
• 	Adjustable	1	TDPR-026	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
o—	Sway Bar Links	1	TDSP-022	\$	Ea			
Note: Required for all Lifts								

Ea



LANDROVE 80, 88 SWB, 109 LWB SERIES I, II, IIA & III 1953-1983



FRONT						
CONTENT	DESCRIPTION	αTY	PART NO	R	RRP	
NITROGEN GAS - SHOCK ABSORBER						
	Up to 50mm Lift All Models	2	BD2000T	\$	Ea	
	FOAM CEL	L-	SHOCK ABSORBI	ER		
	Up to 50mm Lift All Models	2	FC42000	\$	Ea	

REAR						
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
<u> </u>	SWB Series II, III, IIA, III	2	BD3005T	\$	Ea	
	LWB Series II, III	2	BD1399T	\$	Ea	
	FOAM CELI	_ = :	SHOCK ABSORBI	ΞR		
	SWB Series II, III, IIA, III	2	FC43005	\$	Ea	
8	LWB Series II, III	2	FC41399	\$	Ea	

STEERING DAMPERS					
	Heavy Duty	1	EXT5000	\$	Ea
·—————————————————————————————————————	Return-to-Center - Series 1 Only	1	SS5000-M/S	\$	Ea
○€ ───	SV 9 Stage Adjustable - Series II, IIA & III Only	1	SV5000	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	4W-SPF390	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering - #3005 P/n	2	4W-SPF390	\$	Ea	
	Fits Top Eyering - #1399 P/n	1	4W-SPF390	\$	Ea	
	Fits Bottom Pin - #1399 P/n	2	TW959	\$	Ea	





FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
II≾≾	Steering Damper (Optional)	1	Ea				
	Panhard Rod (Optional)	1	Ea				

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
1133								
iipp								

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP	
	FOAM CELL - SHO	OCK	ABSORBER			
	Up to 30mm Lift All Models	2	FC41049	\$	Ea	
	40MM ADJUST	ABL	LE - SHOCK ABSO	DRBE	R	
	Up to 30mm Lift All Models	2	BM401049	\$	Ea	
	45MM ADJUSTABLE- SHOCK ABSORBER					
ŏ	Up to 30mm Lift All Models	2	BMX1049/2	\$	Ea	
	RALPH -	SH	OCK ABSORBER			
	Up to 30mm Lift All Models	2	TDR1049B	\$	Ea	

CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
F	FOAM CELL - SHO	CK	ABSORBER				
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea		
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	2		
	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea		
Ĭ	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea		
	45MM ADJUSTABLE- SHOCK ABSORBER						
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea		
O	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea		
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea		
Note: Conical Lower Bushes - Fit selected part number if the							

Note: <u>Conical Lower Bushes</u> - Fit selected part number if the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPI	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC511	\$ Pr
	Steel Bar & Winch - Petrol	1	TDC508H	\$ Pr
	Up to Steel Bar - Diesel	1	TDC513	\$ Pr
	Steel Bar & Winch - Diesel	1	TDC508H	\$ Pr

STEERING DAMPER						
	Heavy Duty	1	EXT5009	\$	Ea	
○──₩₩₩₩ ‡	Return-to-Center	1	SS5009-P/S	\$	Ea	
••••••••••••••••••••••••••••••••••••••	SV 9 Stage Adjustable	1	SV5009	\$	Ea	

COIL SPRINGS						
M	0-300kg load	1	TDC512	\$	Pr	
	CONSTANT 300kg load	1	TDC512HH	\$	Pr	





FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	PANHARD RODS							
o———	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea			
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt			
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea			
T	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
				'		

FRONT INDIVIDUAL COMPONENTS					
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK))
	Fit Top Eyering	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	



LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
│						
iibb						

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RR	•
	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift	2	FC41049	\$	Ea
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	₹
	Up to 30mm Lift	2	BM401049	\$	Ea
	45MM ADJUSTA	ABL	E - SHOCK ABSO	ORBE	R
ŏ	Up to 30mm Lift	2	BMX1049/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift	2	TDR1049B	\$	Ea

CONTENT	DESCRIPTION	ΩŢ	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	LE - SHOCK ABSO	RBEF	?
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
Ĭ	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	₹
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
O	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea
Note: Conical Low	er Bushes - Fit selected	par	t number if the		

Note: <u>Conical Lower Bushes</u> - Fit selected part number if the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPF	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC505	\$ Pr
	With Steel Bar & Winch - Petrol	1	TDC535	\$ Pr
	Up to Steel Bar - Diesel	1	TDC535	\$ Pr
	With Steel Bar & Winch - Diesel	1	TDC504	\$ Pr

COIL SPRINGS					
amm	0-300kg load	1	TDC518	\$	Pr
	CONSTANT 300kg load	1	TDC518H	\$	Pr
	CONSTANT 500kg load	1	TDC504	\$	Pr

STEERING DAMPER					
	Heavy Duty	1	EXT5009	\$	Ea
<u>~</u> ±.	Return-to-Center	1	SS5009-P/S	\$	Ea
••••••• <u>•</u>	SV 9 Stage Adjustable	1	SV5009	\$	Ea



LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	PANHARD	R	ODS			
o———o	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

FRONT INDIVIDUAL COMPONENTS						
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt	
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fit Top Eyering	4	TW957	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fit Top Eyering #1398	2	ADJ00191	\$	Ea		
	Fit Bottom Pin #1398	1	TW957	\$	Ea		
8	Fit Top Eyering #1397	1	415024	\$	Ea		
	Fit Bottom Pin #1397	2	TW967	\$	Ea		



LANDROVER
DEFENDER
110, 130 SERIES
1992-2016
EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
1100							

CONTENT	DESCRIPTION	QTY	PART NO	R	RP
	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift	2	FC41049	\$	Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER
å	Up to 30mm Lift	2	BM401049	\$	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER
ŏ	Up to 30mm Lift	2	BMX1049/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift	2	TDR1049B	\$	Ea

CONTENT	DESCRIPTION	Ğ.	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$ E	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$ E	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$ E	Ea
Î	Flat 45mm Diameter Lower Bush	2	BM401398	\$ E	Ea
•	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$ E	Ea
Ü	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$ E	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$ E	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$ E	Ea

Note: Conical Lower Bushes - Fit selected part number if the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPE	RIN	IGS	
amm	Up to Steel Bar - Petrol	1	TDC520	\$ Pr
WVVVV	With Steel Bar & Winch - Petrol	1	TDC514	\$ Pr

COIL SPF	RIN	IGS	
0-300kg load - 110 Series	1	TDC536	\$ Pr
0-500kg load - 130 Series	1	TDC523	\$ Pr
CONSTANT 500kg load - 130 Series	1	TDC522H	\$ Pr

STEERING DAMPER						
	Heavy Duty	1	EXT5009	\$	Ea	
<u>~</u>	Return-to-Center	1	SS5009-P/S	\$	Ea	
••••• •	SV 9 Stage Adjustable	1	SV5009	\$	Ea	



LANDROVER DEFENDER 110, 130 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT						
CONTENT	DESCRIPTION	۵T	PART NO	RRP		
	PANHARD	R	ODS			
o———	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
~	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

REAR						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		

FRONT INDIVIDUAL COMPONENTS						
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt	
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Steering Damper (Optional) Ea

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
Shock Absorber	2	Ea				
Coil Springs	1	Pr				
	Shock Absorber	on CHECK LIST s for the rear end of your vehicle. Shock Absorber 2				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 30mm Lift	2	FC41049	\$ Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	ORBER				
	Up to 30mm Lift	2	BM401049	\$ Ea				
	45MM ADJUST	ABI	E - SHOCK ABSO	DRBER				
0	Up to 30mm Lift	2	BMX1049/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift	2	TDR1049B	\$ Ea				

CONTENT	DESCRIPTION	ΩT	PART NO	RI	RP			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	ER			
°	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea			
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea			
Note: Canical Lower Bushes - Fit selected part number if the								

Note: Conical Lower Bushes - Fit selected part number if the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

COIL SPRINGS						
MILAAA	Up to Steel bar	1	TDC505	\$	Pr	
	Steel Bar & Winch	1	TDC504	\$	Pr	

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC518	\$	Pr
WVVV Y	0-300kg load CONSTANT 300kg load	1	TDC518H	\$	Pr

STEERING DAMPER					
-	Heavy Duty	1	EXT5000	\$	Ea
<u>~</u>	Return-to-Center	1	SS5000-P/S	\$	Ea
OE THE STATE OF TH	SV 9 Stage Adjustable	1	SV5000	\$	Ea





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP		RRP	
	PANHARD RODS						
·	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea		
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
CONTENT	DECORAL FIGH	G	17001100	Tuti		

FRONT INDIVIDUAL COMPONENTS					
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top & Bottom Pin	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	
8	Fit Top Eyering #1398	1	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	2	TW957	\$	Ea	



LANDROVER DISCOVERY SERIES II & III SII - 03/1999-04/2005, SIII - 04/2005-2009 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber (Series II) 2 Ea Coil Springs (Series II & III) 1 Pr Steering Damper (Optional) 1 Ea

REAR									
REAR SUSPENSION	REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.									
	Shock Absorber (Series II)	2	Ea						
	Coil Springs (Series II & III)	1	Pr						
1133									

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift Series II Only	2	FC41043	\$ Ea			
	40MM ADJUSTA	40MM ADJUSTABLE - SHOCK ABSORBER					
8	Up to 35mm Lift Series II Only	2	BM401043	\$ Ea			

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
0	Up to 35mm Lift Series II Only	2	FC41396	\$ Ea				
	40MM ADJUSTA	40MM ADJUSTABLE - SHOCK ABSORBER						
8	Up to 35mm Lift Series II Only	2	BM401396	\$ Ea				

COIL SPRINGS - SERIES II ONLY						
MIAAAA	Up to Steel Bar	1	TDC530	\$	Pr	
	Steel Bar & Winch	1	TDC530H	\$	Pr	

COIL SPRINGS - SERIES II ONLY						
MILLAAAA	0-300kg load	1	TDC508	\$	Pr	
WVVV	0-300kg load CONSTANT 300kg load	1	TDC508H	\$	Pr	

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
MILLAAAA	Up to Steel Bar	1	TDC545	\$	Pr	
	Steel Bar & Winch	1	TDC545H	\$	Pr	

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
MILLAAA	0-300kg load	1	TDC546	\$	Pr	
WVVV Y	0-300kg load CONSTANT 300kg load	1	TDC546H	\$	Pr	

STEERING DAMPER					
	Heavy Duty Replacement	1	EXT5003	\$	Ea
~──₩₩₩₩ ±	Return-to-Center (Only power steering)	1	SS5003-P/S	\$	Ea
○€ ■■	SV 9 Stage Adjustable	1	SV5003	\$	Ea

AIR ASSIST - COIL INSERT AIR BAGS							
	SERIES II ONLY COIL INSERT BAG - 35mm Lift	1	TDAA-039	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	SION CHECK LIST ems for the rear end of your vehicle.			You need to order the following items for the rear end of your vehicle.				
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
iibb								

CONTENT	DESCRIPTION	QΤΥ	PART NO	F	RRP		
ŀ	FOAM CELL - SHOCK ABSORBER						
	Up to 35mm Lift Non Air suspension	2	FC41049	\$	Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER						
	Up to 35mm Lift Non Air suspension	2	BM401049	\$	Ea		
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER		
	Up to 35mm Lift Non Air suspension	2	BMX1049/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 35mm Lift Non Air suspension	2	TDR1049B	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift Non Air suspension	2	FC41398	\$	Ea			
	40MM ADJUSTA	\Bl	LE - SHOCK ABSO	RBE	R			
	Up to 35mm Lift Non Air suspension	2	BM401398	\$	Ea			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
	Up to 35mm Lift Non Air suspension	2	BMX1398/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 35mm Lift Non Air suspension	2	TDR1398	\$	Ea			

COIL SPRINGS					
MIAAAA	Diesel - Up to Steel Bar	1	TDC505	\$	Pr
	With Steel Bar & Winch	1	TDC504	\$	Pr

COIL SPF	RIN	IGS	
 0-300kg load	1	TDC504	\$ Pr
CONSTANT 300kg load	1	TDC508	\$ Pr
CONSTANT 500kg load	1	TDC508H	\$ Pr

STEERING DAMPERS						
	Heavy Duty Replacement	1	EXT5000	\$	Ea	
<u>~</u>	Return-to-Center (Power Steering Only)	1	SS5000-P/S	\$	Ea	
○@ 	SV 9 Stage Adjustable	1	SV5000	\$	Ea	

	PANHARD RODS							
o———	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea			
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt			
~ ~	Adjustable (16mm ID sleeve)	1	TDPR-018	\$	Ea			
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit Top & Bottom Pin	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Bottom Pin	2	TW957	\$	Ea	
8	Fit Top Eyering	1	ADJ00191	\$	Ea	



LANDROVER RANGE ROVER - WITH AIR SUSPENSION 05/1995-2000 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RR	P		
ŀ	FOAM CELL - SHO	Ck	ABSORBER				
	Up to 35mm Lift With Air suspension	2	FC41008	\$	Ea		
	40MM ADJUSTA	\Βl	E - SHOCK ABSC	RBE	R		
	Up to 35mm Lift With Air suspension	2	BM401008	\$	Ea		
	45MM ADJUSTA	Bl	E - SHOCK ABSC	RBE	R		
8	Up to 35mm Lift With Air suspension	2	BMX1008/2	\$	Ea		
	RALPH -	SH	IOCK ABSORBER				
	Up to 35mm Lift With Air suspension	2	TDR1008B	\$	Ea		

REAR							
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
F	FOAM CELL - SHO	CK	ABSORBER				
	Up to 35mm Lift With Air suspension	2	FC41397	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
	Up to 35mm Lift With Air suspension	2	BM401397	\$	Ea		
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	Up to 35mm Lift With Air suspension	2	BMX1397/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 35mm Lift With Air suspension	2	TDR1397	\$	Ea		

STEERING DAMPERS							
	Heavy Duty Replacement	1	EXT5000	\$	Ea		
·—————————————————————————————————————	Return-to-Center (Power Steering Only)	1	SS5000-P/S	\$	Ea		
OE	SV 9 Stage Adjustable	1	SV5000		Ea		


PANHARD RODS					
o 	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Pins	2	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	1	415024	\$	Ea	
	Fits Bottom Pin	2	TW967	\$	Ea	







REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
II33							

CONTENT	DESCRIPTION	ΩT	PART NO	RRP						
NIT	NITROGEN GAS - SHOCK ABSORBER									
	Up to 25mm Lift	2	BD2006T	\$ Ea						

CONTENT	DESCRIPTION	QTY	PART NO	RRF	•				
NITROGEN GAS - SHOCK ABSORBER									
	Up to 25mm Lift	2	BD3020T	\$	Ea				

COIL SPRINGS						
	25mm Lift - All applications	1	TDC402	\$	Pr	

COIL SPRINGS					
	25mm Lift - All applications	1	TDC403	\$	Pr


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	412773	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	404702	\$	Ea	
	Fits Bottom Eyering	1	4W-SPF420-02	\$	Ea	



2018 **ON** EST. LIFT FRONT: 40MM | REAR: 40MM





REA	REAR					
REAR SUSPENSION	N CHECK LIST					
You need to order the following items	You need to order the following items for the rear end of your vehicle.					
	Shock Absorber	2	Ea			
	Coil Springs	2	Ea			
⊢ II≾≾	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	αTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	No Accessories	2	LDV-004	\$	Ea			
	With Steel Bar	2	LDV-005	\$	Ea			
*	With Steel Bar & Winch	2	LDV-006	\$	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
T	No Accessories	2	LDV-001	\$	Ea			
σ	With Steel Bar	2	LDV-002	\$	Ea			
	With Steel Bar & Winch	2	LDV-003	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
ě	40mm Lift	2	FC43049	\$ Ea
	40MM ADJUSTA	\Βl	LE - SHOCK ABSO	RBER
8	40mm Lift	2	BM403049	\$ Ea

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	FC404926	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	BM404926	\$	Ea		

AIR ASSIST - COIL INSERT AIR BAGS							
Coil Insert Bag Kit - 40mm Lift Height 1 TDAA-005 \$							
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.			
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ			
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

	COIL SPI	RIN	IGS	
	Up to Steel Bar	1	TDC270	\$ Pr
	With Steel Bar	1	TDC974	\$ Pr
	With Steel Bar & Winch	1	TDC974H	\$ Pr

	COIL SPF	NIS	IGS	
	0-300kg load	2	TDC1086	\$ Ea
Ľ	0-300kg load CONSTANT 300kg load	2	TDC1087	\$ Ea

FRONT INDIVIDUAL COMPONENTS								
1 0	Strut Top	2	ISU-4929	\$	Ea			
.T. 0	Strut Top	2	ISU-4929	\$				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)									
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea				

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
	Fits Top & Bottom Eyering	2	TW040-14	\$	Ea				





2014 ON OE HEIGHT - HEAVY DUTY REAR SPRINGS





REAR											
CONTENT	DESCRIPTION	QTY	PART NO		RRP						
ı	FOAM CELL - SHOCK ABSORBER										
	OE Height	2	FC43050	\$	Ea						

COIL SPRINGS								
	Heavy Duty - OE Height	1	TDC1097	\$	Pr			

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OE Height	1	TDAA-034	\$	Kt	

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM									
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt				






2017-08/2021 EST. LIFT FRONT: 40MM | REAR: 4<u>0MM</u>



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts OR Struts Coil Springs 1 Pr Strut Top (Optional) 2 Ea



CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	strut, 1 x Coil, 1 x Strut top				
	No Bar or Alloy Bar	2	LDV-004	\$	Ea		
	With Steel Bar	2	LDV-005	\$	Ea		
*	With Steel Bar & Winch	2	LDV-006	\$	Ea		
**	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
₹	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	ор		
	No Bar or Alloy Bar	2	LDV-001	\$	Ea		
	With Steel Bar	2	LDV-002	\$	Ea		
	With Steel Bar & Winch	2	LDV-003	\$	Ea		

CONTENT	DESCRIPTION	QΤ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
ů	Up to 40mm Lift	2	FC43032	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM403032	\$ Ea				

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404926	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404926	\$	Ea		

COIL SPRINGS							
	No Bar or Alloy Bar	1	TDC270	\$	Pr		
	With Steel Bar	1	TDC974	\$	Pr		
	With Steel Bar & Winch	1	TDC974H	\$	Pr		

LEAF SPRINGS							
	0-300kg load	2	FS214C	\$	Ea		
	CONSTANT 300kg load	2	FS214L	\$	Ea		
	CONSTANT 500kg load	2	FS214LL	\$	Ea		



LDV T60

2017-08/2021 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR									
CONTENT	DESCRIPTION	QΤΥ	PAR'	RRP					
	LEAF SPRING FITMENT KIT								
	Urethane Shackle Bushes			TDUK-071					
\cap	U-Bolts			TDUB-016					
***************************************	Greaseable Shackles	1	TDEK-013	TDGS-391	\$ Kt				
	Greaseable Pins	'	1.5 0.0	TDGP-668	Ψ				
•	Transmission Spacer			TDSP-020					
7	Headlight Levelling Relocator			TDSP-019					

AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag Kit - 40mm Lift	1	TDAA-126	\$	Kt	
	Bellows Bag Kit - OEM height	1	TDAA-125	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						


AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt


FRONT INDIVIDUAL COMPONENTS						
-E-0	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bushes	1	TDUK-071	\$	Kt		
\bigcap	U-Bolts	2	TDUB-016	\$	Kt		
19 de la companya de	Greaseable Shackle Kit	1	TDGS-391	\$	Kt		
	Greaseable Pin Kit	1	TDGP-668	\$	Kt		
•	Centre Bearing Spacer Kit	1	TDSP-020	\$	Ea		
	Note: Must be fitt	ted	to all kits.				
7	Headlight Levelling Relocator	1	TDSP-019	\$	Ea		
	Note: Must be fitt	ted	to all kits.				









CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	No Bar or Alloy Bar	2	LDV-004	\$	Ea			
	With Steel Bar	2	LDV-005	\$	Ea			
	With Steel Bar & Winch	2	LDV-006	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
\$	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top			
8	No Bar or Alloy Bar	2	LDV-001	\$	Ea			
	With Steel Bar	2	LDV-002	\$	Ea			
	With Steel Bar & Winch	2	LDV-003	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ě	Up to 40mm Lift	2	FC43032	\$ Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM403032	\$ Ea

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404926	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404926	\$	Ea	

COIL SPRINGS						
	No Bar or Alloy Bar	1	TDC270	\$	Pr	
	With Steel Bar	1	TDC974	\$	Pr	
	With Steel Bar & Winch	1	TDC974H	\$	Pr	

LEAF SPRINGS						
	0-300kg load	2	FS214C	\$	Ea	
	CONSTANT 300kg load	2	FS214L	\$	Ea	
	CONSTANT 500kg load	2	FS214LL	\$	Ea	





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PAR	RRP			
LEAF SPRING FITMENT KIT							
	Urethane Shackle Bushes			TDUK-071			
\cap	U-Bolts	1 T	TDFK-009	TDUB-016	\$ Kt		
***************************************	Greaseable Shackles		1DFK-009	TDGS-391	φ Kt		
	Greaseable Pins			TDGP-668			

AIR ASSIST - BELLOWS AIR BAGS					
	Bellows Bag Kit - OEM height	1	TDAA-118	\$	Kt
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
-E-0	Strut Top	2	ISU-4929	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bushes	1	TDUK-071	\$	Kt	
\bigcap	U-Bolts	2	TDUB-016	\$	Kt	
	Greaseable Shackle Kit	1	TDGS-391	\$	Kt	
	Greaseable Pin Kit	1	TDGP-668	\$	Kt	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Coil Springs 1 Pr

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber Coil Springs	1	Ea Pr				
1198							

CONTENT	DESCRIPTION	αTY	PART NO	RRP
	STRUT - FO	ΑN	I CELL	
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	FC404938	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
SHOCK ABSORBER - FOAM CELL							
	Up to 40mm Lift	2	FC43053	\$ Ea			

COIL SPRINGS						
	40mm Lift No Accessories	1	TDC1102	\$	Pr	
WVVVV	40mm Lift Up to Steel Bar & Winch	1	TDC1103	\$	Pr	

	COIL SPE	RIN	IGS	
M 1 A A A A	0-150kg load	1	TDC1104	\$ Pr
	150-300kg load	1	TDC1105	\$ Pr

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-038	\$	Kt	
	Coil Insert Bag Kit - OE Height	1	TDAA-037	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	
	2 Gal. Air Tank - UPGRADE for existing Wireless Air Assist	1	TDAS-004	\$	Kt	
	2 Gal. Air Tank - COMPLETE KIT with Control Module	1	TDAS-003	\$	Kt	
Note: Full Wireless Air Kit details can be viewed on page 15.						






COMING SOON





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Coil Springs 1 Pr



CONTENT	DESCRIPTION	αTY	PART NO	RRP				
STRUT - NITROGEN GAS								
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	BDS4939	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
5	SHOCK ABSORBER - FOAM CELL								
	Up to 40mm Lift	2	FC31009	\$ Ea					

COIL SPRINGS						
	40mm Lift Up to Steel Bar	1	TDC1082	\$	Pr	


COIL SPRINGS							
	0-300kg load	1	TDC1083	\$	Pr		



MAZDA B2500, B2600, B4000 PC, PD, PE, PG, PH 1986-2006 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Torsion Bar Shock strengthening bracket 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC42051B	\$ Ea					
Note: FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.									

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC41232	\$ E				
	40MM ADJUSTA	ABI	LE - SHOCK ABSC	RBER				
8	Up to 40mm Lift	2	BM401232	\$ E				

TORSION BAR						
	26mm / 926mm	1	4WTB-1546	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

LEAF SPRING					
مر ب	0-300kg load	2	FS365	\$	Ea
	CONSTANT 300kg load	2	FS367	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
8	Shock Mount Strengthening Kit	1	TDSK-020	\$	Ea
Note: F	Note: Failure to fit TDSK-020 will cause top mount failure.				


REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-034	\$	Kt
\cap	U-Bolt Kit	2	TDUB-005	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	1	TW959	\$	Ea	
	Fits Top Pin	1	TW961	\$	Ea	
	Fits Bottom Eyering - #42057 Only	1	4W-SPF420-05	\$	Ea	
	Fits Bottom Eyering - #42051 Only	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering - Foam Cell	1	ADJ00191	\$	Ea	
	Fits Bottom Eyering - Foam Cell	1	4W-SPF420-02	\$	Ea	
	Fits Top Eyering - Adjustable	1	230100	\$	Ea	
Ī	Fits Bottom Eyering - Adjustable	1	230002	\$	Ea	









CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC42051B	\$ Ea			
Note:	Note: FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.						

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
Î	Up to 45mm Lift	2	FC41232	\$ Ea		
	40MM ADJUSTA	ABI	LE - SHOCK ABSC	RBER		
8	Up to 45mm Lift	2	BM401232	\$ Ea		

TORSION BAR					
-	27mm / 1028mm	1	4WTB-1440	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

	LEAF SP	RI	NG		
•	0-300kg load	1	FS368C-LH	\$	Ea
		1	FS368C-RH	\$	Ea
	CONSTANT 300kg load	1	FS368L-LH	\$	Ea
		1	FS368L-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered.					

LEAF SPRING FITMENT KIT - FITS FS368L							
	Urethane Shackle bushes			TDUK-069			
	U-Bolts	1	TDFK-001	TDUB-039	\$ Kt		
\cap	Greaseable Shackles			TDGS-386/1			
<u> </u>	Greaseable Pins			TDGP-668			
*****	LEAF SPRING FITMENT KIT - FITS FS368C						
4	Urethane Shackle bushes			TDUK-069			
	U-Bolts	4	TDE1/ 000	TDUB-040	\$ Kt		
	O Bollo		TDFK-002		\$ Kt		
••••••••••••••••••••••••••••••••••••••	Greaseable Shackles		1DFK-002	TDGS-386/1	\$ KI		



MAZDA BT-50 B2500, B3000 11/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
A	AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag Kit - OEM height	1	TDAA-117	\$	Kt		
	Bellows Bag Kit - 45mm Lift	1	TDAA-101	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - BELLOWS						
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS							
8	Shock Mount Strengthening Kit	1	TDSK-020	\$	Ea		
Note: F	Note: Failure to fit TDSK-020 will cause top mount failure.						


F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-069	\$	Kt			
\cap	U-Bolt Kit - FS368C Only	2	TDUB-040	\$	Kt			
\cap	U-Bolt Kit - FS368L Only	2	TDUB-039	\$	Kt			
	Greaseable Shackle Kit	1	TDGS-386/1	\$	Kt			
**************************************	Greaseable Pin Kit	1	TDGP-668	\$	Kt			


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	1	TW959	\$	Ea	
	Fits Top Pin	1	TW961	\$	Ea	
Ē	Fits Bottom Eyering - #42057 Only	1	4W-SPF420-05	\$	Ea	
	Fits Bottom Eyering - #42051 Only	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Eyering - Foam Cell	1	ADJ00191	\$	Ea		
	Fits Bottom Eyering - Foam Cell	1	4W-SPF420-02	\$	Ea		
	Fits Top Eyering - Adjustable	1	230100	\$	Ea		
Î	Fits Bottom Eyering - Adjustable	1	230002	\$	Ea		









CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Up to Stool Bar	1	MAZ-003-LH	\$ Ea				
	Up to Steel Bar	1	MAZ-003-RH	р са				
_	With Steel Bar & Winch	1	MAZ-004-LH	\$ Ea				
		1	MAZ-004-RH	р са				
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top				
	Up to Steel Bar	1	MAZ-001-LH	\$ Ea				
	Op to Steer bar	1	MAZ-001-RH	р са				
	With Steel Bar	1	MAZ-002-LH	\$ Ea				
	& Winch	1	MAZ-002-RH	ф Са				

CONTENT	DESCRIPTION	QΤ	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41232	\$ Ea					
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER					
8	Up to 40mm Lift	2	BM401232	\$ Ea					

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$	Ea	

COIL SPRINGS						
MIAAAA	Up to Steel Bar	1	TDC451	\$	Pr	
	With Steel Bar or Bar & Winch	1	TDC451HL	\$	Pr	

LEAF SPI	RIN	IGS	
0-300kg load	2	FS369C	\$ Ea
CONSTANT 300kg load	2	FS369L	\$ Ea
CONSTANT 500kg load	2	FS369LL	\$ Ea





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
UPPER CONTROL ARMS							
しい	Upper Control Arms	1	TDCA-003	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea

REAR							
CONTENT	DESCRIPTION	QTY	PART NO RRI				
LEAF S	PRING FITMENT I	KIT	- FITS FS	8369L & L	L.		
	Urethane Shackle Bushes			TDUK-070			
	U-Bolts			TDUB-039			
\cap	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt		
1 1	Greaseable Pins			TDGP-668			
48 C	Transmission Spacer Kit			TDSP-007			
# 	LEAF SPRING F	ITI	MENT KIT	- FITS F	S369C		
<u>S</u>	Urethane Shackle Bushes			TDUK-070			
_ 1	U-Bolts			TDUB-040			
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt		
TT88888	Greaseable Pins			TDGP-668			
	Transmission Spacer Kit			TDSP-007			

AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag Kit - OEM Height	1	TDAA-116	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-102	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS							
·F·O	Strut Top	2	MAZ-4051	\$	Ea		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-070	\$	Kt	
\cap	U-Bolt kit - FS369C Only	2	TDUB-040	\$	Kt	
\cap	U-Bolt kit - FS369L & FS369LL Only	2	TDUB-039	\$	Kt	
	Greaseable Shackle Kit	1	TDGS-390	\$	Kt	
	Greaseable Pin Kit	1	TDGP-668	\$	Kt	
	Transmission Spacer Kit	1	TDSP-007	\$	Ea	
Note: Must be fitted to all Kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ť	Fits Bottom Eyering	1	ADJ00305	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering - Foam Cell shocks	1	ADJ00191	\$	Ea	
	Fits Bottom Eyering - Foam Cell shocks	1	4W-SPF420-02	\$	Ea	
	Fits Top Eyering - Adjustable shocks	1	230100	\$	Ea	
	Fits Bottom Eyering - Adjustable shocks	1	230002	\$	Ea	



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts OR Struts Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
8 8 0	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
*	No Accessories	1	ISU-003	\$	Ea			
	With Steel Bar or Bar and Winch	1	ISU-004	\$	Ea			
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
\$	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р			
8	No Accessories	1	ISU-001	\$	Ea			
	With Steel Bar or Bar and Winch	1	ISU-002	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC43035	\$ Ea				
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM403035	\$ Ea				

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404929	\$	Ea		
I	STRUT -	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404929	\$	Ea		

	COIL SPI	RIN	IGS	
	No Accessories	1	TDC974	\$ Pr
	With Steel Bar or Bar & Winch	1	TDC974H	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS215C	\$ Ea
CONSTANT 300KG load	2	FS214L	\$ Ea
CONSTANT 500KG load	2	FS214LL	\$ Ea



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



	FRO	TNC		
CONTENT	DESCRIPTION	ΣI	PART NO	RRP

REAR										
CONTENT	DESCRIPTION	QTY	PAR	T NO	RRP					
LEAF	LEAF SPRING FITMENT KIT - FITS FS215C									
	Urethane Shackle bushes			TDUK-085						
	U-Bolts	1	TDFK-011	TDUB-016	\$ Kt					
\cap	Greaseable Shackles			TDGS-902						
<u> </u>	Greaseable Pins			TDGP-668						
+	LEAF SPRING FI	ΤM	ENT KIT	FITS FS2	14L & LL					
-11	Urethane Shackle bushes			TDUK-085						
	U-Bolts			TDUB-016						
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt					
	Greaseable Pins			TDGP-668						
	Handbrake Relocation Kit			TDSK-021						

UPPER CONTROL ARMS									
UU	Upper Control Arms	1	TDCA-009	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS								
	Bellows Bag kit - OEM height	1	TDAA-130	\$	Kt			
	Bellows Bag kit - 40mm Lift	1	TDAA-131	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-009	1	TDSK-026	\$	Ea		
	Ball Joint Kit to fit one UCA - for TDCA-009	1	TDSK-027	\$	Ea		

F	FRONT INDIVIDUAL COMPONENTS							
T O	Strut Top	2	ISU-4929	\$	Ea			

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle Kit	1	TDGS-902	\$	Kt	
	Greaseable Pin Kit	1	TDGP-668	\$	Kt	
	Handbrake Relocation Bracket - Only with FS214L & FS214LL	1	TDSK-021	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top & Bottom Eyering	2	TW038-16	\$	Ea

FOR GVM UPGRADES, SEE PAGE 140



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Struts 2 Ea Strut Top (Optional) 2 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	STRUT - FOAM CELL							
I	OEM Height - Strut Only/ No Coil/ No Strut top	2	FC404929	\$	Ea			
I	STRUT -	40I	MM ADJUSTABLE					
	OEM Height - Strut Only/ No Coil/ No Strut top	2	BM404929	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Standard Height	2	FC43035	\$ Ea			
1	40MM ADJUSTABLE - SHOCK ABSORBER						
8	Standard Height	2	BM403035	\$ Ea			

Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions.

LEAF SPRINGS					
	CONSTANT 200kg load	2	FS215C	\$	Ea
	CONSTANT 400kg load	2	FS214L	\$	Ea
	CONSTANT 600kg load	2	FS214LL	\$	Ea





REAR							
CONTENT	DESCRIPTION	QTY	PART	RRP			
LEAF SPRING FITMENT KIT - FITS FS215C							
	Urethane Shackle Bushes	1	1 TDFK-011	TDUK-085			
\bigcap	U-Bolts			TDUB-016	\$ Kt		
***************************************	Greaseable Shackles			TDGS-902	φ Kt		
<u>=</u>	Greaseable Pins			TDGP-668			

LEAF SPRING FITMENT KIT - FITS FS214L & LL							
	Urethane Shackle Bushes	1		TDUK-085			
\bigcap	U-Bolt			TDUB-016			
	Greasable Shackles		TDFK-012	TDGS-902	\$ Kt		
<u>-</u>	Greaseable Pins			-		TDGP-668	
	Handbrake Relocation Kit			TDSP-021			

FRONT INDIVIDUAL COMPONENTS						
·F·O	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greasable Shackle Kit	1	TDGS-902	\$	Kt	
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt	
	Handbrake Relocation Bracket - Only with FS214L & FS214LL	1	TDSK-021	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	TW038-16	\$	Ea	

GVM UPGRADE



MAZDA BT-50

4X2 / 4X4 'SINGLE CAB' (XT) - 07/2020-11/2021 4X2 / 4X4 'FREESTYLE CAB' (XT) - 07/2020-11/2021 4X2 / 4X4 'DUAL CAB' (XT, XTR, GT) - 07/2020-11/2021 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS				
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG		
FRONT AXLE RATING	1450KG	1595KG		
REAR AXLE RATING	1910KG	2100KG		
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG		
TOWING CAPACITY (BRAKED)	3500KG	3500KG		
GROSS COMBINED MASS (GCM)	5850KG - 6000KG	5850KG - 6000KG		



MAZDA BT-50

4X2 / 4X4 'SINGLE CAB' (XT) - 11/2021 ON 4X2 / 4X4 'FREESTYLE CAB' (XT) - 11/2021 ON 4X2 / 4X4 'DUAL CAB' (XT, XTR, GT) - 11/2021 ON 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS				
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG		
FRONT AXLE RATING	1450KG	1595KG		
REAR AXLE RATING	1910KG	2100KG		
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG		
TOWING CAPACITY (BRAKED)	3500KG	3500KG		
GROSS COMBINED MASS (GCM)	5950KG - 4x4 3.0L 5500KG - 4x4 1.9L 5850KG - 4x2 3.0L 5500KG - 4x2 1.9L	5950KG - 4X4 3.0L 5500KG - 4X4 1.9L 5850KG - 4X2 3.0L 5500KG - 4X2 1.9L		



MERCEDES-BENZ

12/2017-06/2020 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REA	.R					
REAR SUSPENSION	REAR SUSPENSION CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
0.0	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Panhard Rod (Optional)	1	Ea			
⊢∷II≾≾	Coil Insert Airbags (Optional)	1	Kt			
SS						

CONTENT	DESCRIPTION	QTY	PART NO	RF	RP			
ASSEMBLED STRUTS - FOAM CELL								
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	No Accessories	2	MEC-003	\$	Ea			
	With Steel Bar or Bar and Winch	2	MEC-004	\$	Ea			
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	ор			
8	No Accessories	2	MEC-001	\$	Ea			
	With Steel Bar or Bar and Winch	2	MEC-002	\$	Ea			

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 35mm Lift	2	FC41369	\$ Ea
	40MM ADJUSTA	۱BI	LE - SHOCK ABSC	RBER
8	Up to 35mm Lift	2	BM401369	\$ Ea

STRUT - FOAM CELL						
I	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404925	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404925	\$	Ea	

	COIL SPI	RIN	IGS	
MIAAAA	No Accessories	1	TDC1008	\$ Pr
	With Steel Bar or Bar & Winch	1	TDC1009	\$ Pr

COIL SPRINGS						
	0-300kg load	1	TDC774	\$	Pr	
	CONSTANT 300kg load	1	TDC774H	\$	Pr	
	CONSTANT 500kg load	1	TDC774VHL	\$	Pr	

	PANHARD	R	ODS	
•	Adjustable	1	TDPR-300	\$ Ea



MERCEDES-BENZ

12/2017-06/2020 EST. LIFT FRONT: 35MM | REAR: 35MM





REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag kit - OE Height only	1	TDAA-016	\$	Kt		
	Coil Insert Bag kit - 35mm Lift	1	TDAA-007	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM							
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

FRONT INDIVIDUAL COMPONENTS					
-1 -0	Strut Top	2	NIS-3030	\$	Ea


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ì	Front Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear Top Eyering	1	404702	\$	Ea	
	Rear Bottom Eyering	1	TW042-14	\$	Ea	






FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	OCK	ABSORBER				
	Up to 35mm Lift	2	FC42057B	\$ Ea			
Note:	Note: FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.						

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
•	Up to 35mm Lift	2	BD1382T	\$	Ea		
	FOAM CELL - SHOCK ABSORBER						
	Up to 35mm Lift	2	FC41382	\$	Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER						
8	Up to 35mm Lift	2	BM401382	\$	Ea		
			ı	1			





REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-066/31	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt	
	Anti Inversion Bracket Kit	1	TDSK-023	\$	Ea	
Note: Must be fitted to all kits.						


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Top Pin	2	TW959	\$	Ea
	Front Bottom Eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear Top Eyering	2	404702	\$	Ea	



CHALLENGER PA II (COIL REAR) 06/2000-2007 LIFT FRONT: 35MM | REAR: 35MM





REAR								
REAR SUSPENSIO	N CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
1133								
iibb								

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	FC42057B	2	FC42057B	\$ Ea				
Note: FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.								

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
o	Up to 35mm Lift	2	FC41439	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	Up to 35mm Lift	2	BM401439	\$ Ea

TORSION BAR					
-	27.5mm / 1307mm	1	4WTB-0203	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					


COIL SPRINGS					
MIAAAA	0-300kg load	2	TDC640	\$	Pr
	0-300kg load CONSTANT 300kg load	2	TDC632SL	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Top Pin	2	TW959	\$	Ea	
	Front Bottom Eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear Top Eyering	1	404702	\$	Ea	
	Rear Bottom Eyering	1	TW038-16	\$	Ea	








REA	REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
II33								
iibb								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	Up to Steel Bar	2	MIT-060/03	\$ E	ā		
	With Steel Bar & Winch	2	MIT-060/04	\$ E	Ēa		
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE			
•	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
8	Up to Steel Bar	2	MIT-060/01	\$ E	ā		
	With Steel Bar & Winch	2	MIT-060/02	\$ E	Ēa		

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ě	Up to 25mm Lift	2	FC41440B	\$ Ea
	40MM ADJUSTA	۱BI	E - SHOCK ABSO	RBER
8	Up to 25mm Lift	2	BM401440	\$ Ea



	COIL SPF	RIN	IGS	
	Up to Bar	1	TDC670	\$ Pr
	With Bar & Winch	1	TDC670H	\$ Pr

COIL SPRINGS					
	0-300kg load	1	TDC636L	\$	Pr
	CONSTANT 300kg load	1	TDC636HL	\$	Pr
Use of CONSTANT load springs without load will result in tailshaft vibration					

FRONT INDIVIDUAL COMPONENTS						
·F·O	Strut Top	2	MIT-4040	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Î	Front Bottom Eyering	1	ADJ300/50 \$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top Eyering	1	404702	\$	Ea
	Rear Bottom Eyering	1	TW038-16	\$	Ea



THIS PAGE IS INTENTIONALLY BLANK





FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	TROGEN GAS - SI	100	CK ABSORBER		
	OE Height	2	BD1382T	\$	Ea
	40mm Lift	2	BD1388T	\$	Ea
	FOAM CELL - SHOCK ABSORBER				
	OE Height	2	FC41382	\$	Ea
I	40mm Lift	2	FC41388	\$	Ea
	40MM ADJUSTA	4ВΙ	E - SHOCK ABSO	RB	ER
	OE Height	2	BM401382	\$	Ea
	40mm Lift	2	BM401388	\$	Ea

TORSION BARS						
-	26mm /1277.5mm	1	4WTB-1726	\$	Pr	
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-021/35	\$	Kt
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit Top & Bottom Eyering	2	404702	\$	Ea



MITSUBISH L300 4WD SC, SD, SE, SF, SG, SH 05/1983-1994 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		
NI	ROGEN GAS - S	HOO	CK ABSORBER			
٥	Up to 40mm Lift	2	BD2058T	\$ Ea		
1	FOAM CEL	L - :	SHOCK ABSORB	ER		
	Up to 40mm Lift	2	FC42058B	\$ Ea		
N	ote: BD2058T can be fit	ted t	to all applications.			

	RE#	\R		
CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SI	100	CK ABSORBER	
	OE Height - SC, SD, SE Only	2	BD1366T	
	40mm Lift - SC, SD, SE Only	2	BD1382T	-\$ Ea
	OE height - SF, SG, SH Only	2	BD1386T	ф La
	40mm Lift - SF, SG, SH Only	2	BD1400T	
	FOAM CEL	L - :	SHOCK ABSORB	ER
ê	OE Height - SC, SD, SE Only	2	FC41366	
	40mm Lift - SC, SD, SE Only	2	FC41382	-\$ Ea
I	OE height - SF, SG, SH Only	2	FC41386	ф Са
8	40mm Lift - SF, SG, SH Only	2	FC41400	
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	OE Height - SC, SD, SE Only	2	BM401366	
	40mm Lift - SC, SD, SE Only	2	BM401382	-\$ Ea
	OE height - SF, SG, SH Only	2	BM401386	ф са
	40mm Lift - SF, SG, SH Only	2	BM401400	

TORSION BARS					
	26mm / 1277.5mm - SC, SD, SE	1	4WTB-1726	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-005	\$	Kt
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Top Pin	2	TW959	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering - #1366 & #1382	2	404702	\$	Ea	
	Fits Top Eyering - #1386 & #1400	1	404702	\$	Ea	
	Fits Bottom Pin - #1386 & #1400	2	TW959	\$	Ea	



MITSUBISHI PAJERO/MONTERO LEAF REAR NA-NG & NH 05/1983-1994 & 05/1991-06/1993



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	Ck	ABSORBER			
	40mm Lift NA-NG Only	2	FC42058B	\$ Ea		
8	40mm Lift NH Only	2	FC42057B	\$ Ea		
Note: FC	Note: FC42057B & FC42058B can be fitted to all applications.					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
ů	Up to 40mm Lift	2	FC41382	\$ Ea
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM401382	\$ Ea

TORSION BAR					
	26mm / 1277.5mm	1	4WTB-1726	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

LEAF SPRINGS					
٠	0-300kg load	2	FS021	\$	Ea
	CONSTANT 300kg load	2	FS021H	\$	Ea

STEERING DAMPERS					
○ 	Return-to-Center - Mounts present in vehicle	1	SS5013-P/S	\$	Ea
○ ────────────────────────────────────	Return-to-Center - Mounts not present in vehicle	1	SS5016-P/S	\$	Ea

F	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle Bush Kit	1	TDUK-005	\$ Kt
\cap	U-Bolt Kit	2	TDUB-006	\$ Kt
**************************************	Greaseable Pin Kit	1	TDGP-004	\$ Kt
	Greaseable Shackle Kit	1	TDGS-900	\$ Kt


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering (Only for FC42057B)	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering	2	404702	\$	Ea



MITSUBISHI PAJERO/MONTERO COIL REAR NF-NG & NH-NL 08/1988-1991 & 05/1991-2002 EST. LIFT FRONT: 40MM | REAR: 40MM





REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
 	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	ΩT	PART NO	RRP
F	FOAM CELL - SHO	OCK	ABSORBER	
Ů	40mm Lift NF-NG Only	2	FC42058B	\$ Ea
Ö	40mm Lift NH-NL Only	2	FC42057B	\$ Ea
Note: FC where	42057B & FC42058B are a Foam Cell or Adjustal	to b	e fitted to all application ock is fitted to the rear.	ns

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift (NF-NG Only)	2	FC41439					
	OE Height (NH-NL Only)	2	FC41170B	\$ Ea				
	Up to 40mm Lift (NH-NL Only)	2	FC41178B					
1	40MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 40mm Lift (NF-NG Only)	2	BM401439					
	OE Height (NH-NL Only)	2	BM401170	\$ Ea				
	Up to 40mm Lift (NH-NL Only)	2	BM401178					

TORSION BARS						
	26mm / 1277.5mm (91-05/96)	1	4WTB-1726	\$	Pr	
	27.5mm / 1307mm (06/96-00)	1	4WTB-0203	\$	Pr	
- en	Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

COIL SPRINGS					
	0-300kg load	1	TDC632SL	\$	Pr
	CONSTANT 300kg load	1	TDC632L	\$	Pr

	STEERING D	A	MPERS	
	Return-to-Center - Mounts present in vehicle	1	SS5013-P/S	\$ Ea
○ 	Return-to-Center - Mounts not present in vehicle	1	SS5016-P/S	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering (Only for FC42057B)	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	402267	\$	Ea	
	Fits Bottom Eyering	1	TW038-16	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
!! ≥ ≶	Coil Insert Airbags (Optional)	1	Kt				
II∄≾							

CONTENT	DESCRIPTION	QTY	PART NO	R	RP
А	SSEMBLED STRU	TS	- FOAM CELL		
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top		
	With Steel Bar - Petrol	2	MIT-050/04	\$	Ea
	With Steel Bar - Diesel	2	MIT-050/05	\$	Ea
_	With Steel Bar & Winch	2	MIT-050/06	\$	Ea
	OE Height	2	MIT-050/07	\$	Ea
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAI	BLE
	Assembled Struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top
	With Steel Bar - Petrol	2	MIT-050/01	\$	Ea
	With Steel Bar - Diesel	2	MIT-050/02	\$	Ea
	With Steel Bar & Winch	2	MIT-050/03	\$	Ea

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC41148	\$ Ea				

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404300	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404300	\$	Ea	





FRONT								
CONTENT	DESCRIPTION	αT	PART NO	RRP				
	COIL SPRINGS - LWB							
	OE Height	1	TDC631	\$	Pr			
MIAAAA	With Steel Bar - Petrol	1	TDC633	\$	Pr			
	With Steel Bar - Diesel	1	TDC633L	\$	Pr			
	With Steel Bar & Winch	1	TDC633H	\$	Pr			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
COIL SPRINGS - LWB							
	0-300kg load - OE Height	1	TDC635S	\$	Pr		
	CONSTANT 300kg load - OE Height	1	TDC635	\$	Pr		
	0-300kg load	1	TDC635	\$	Pr		
	CONSTANT 300kg load	1	TDC635H	\$	Pr		
	CONSTANT 500kg load	1	TDC635HH	\$	Pr		

COIL SPRINGS - SWB						
MIAAAA	0-300kg load	1	TDC635S	\$	Pr	
WVVV	0-300kg load CONSTANT 300kg load	1	TDC635	\$	Pr	

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OEM Height	1	TDAA-012	\$	Kt	
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-006	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

F	RONT INDIVIDUAL	L C	OMPONENTS	
Æ •	Strut Top	2	MIT-4038	\$ Ea


AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM							
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Î	Front Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	4W-BS101CH	\$	Ea	







REAR									
REAR SUSPENSION	REAR SUSPENSION CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea						
	Coil Springs	1	Pr						
	Coil Insert Airbags (Optional)	1	Kt						
BB									
0 0									

CONTENT	DESCRIPTION	QΤΥ	PART NO	RF	RP
A	SSEMBLED STRU	TS	- FOAM CELL		
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top		
	With No Bar / Alloy Bar	2	MIT-061/05	\$	Ea
	With Steel Bar	2	MIT-061/06	\$	Ea
*	With Steel Bar & Winch	2	MIT-061/07	\$	Ea
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAB	LE
3	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	ор
8	With No Bar / Alloy Bar	2	MIT-061/01	\$	Ea
	With Steel Bar	2	MIT-061/02	\$	Ea
	With Steel Bar & Winch	2	MIT-061/03	\$	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
٥	Up to 20mm Lift	2	FC41440B	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 20mm Lift	2	BM401440	\$ Ea

STRUT - FOAM CELL						
I	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea	

	COIL SPE	RIN	IGS	
	With No Bar / Alloy Bar	1	TDC681	\$ Pr
	With Steel Bar	1	TDC681L	\$ Pr
WVVVV	With Steel Bar & Winch	1	TDC681HL	\$ Pr

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC638L	\$	Pr	
	CONSTANT 300kg load	1	TDC638HL	\$	Pr	
Use of Constar	Use of Constant Load spring without load will result in tailshaft vibration					



MITSUBISH
PAJERO SPORT
QE, QF
2015 ON
EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
UPPER CONTROL ARMS									
UU	Upper Control Arms	1	TDCA-006	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 30mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR									
CONTENT DESCRIPTION & PART NO									
AIR ASSIST - COIL INSERT AIR BAGS									
	Coil Insert Bag Kit - OEM height	1	TDAA-015	\$	Kt				
	Coil Insert Bag Kit - 20mm Lift	1	TDAA-001	\$	Kt				
Note: Separate Air Assist components can be viewed on page 14.									

AIR ASSIS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt				

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea		

F	FRONT INDIVIDUAL COMPONENTS					
Tro	Strut Top	2	MIT-4040	\$	Ea	


FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)	
Î	Front Bottom Eyering	1	ADJ300/50	\$	Ea

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	404702	\$	Ea		
	Fits Bottom Eyering	1	TW038-16	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO		RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER							
	All models Up to MK	2	BD2058T	\$	Ea			
	40mm Lift MK Only	2	BD2057T		Ea			
	FOAM CELI	L -	SHOCK ABSORBI	≣R				
8	Up to 40mm Lift - MK Only	2	FC42057B	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	40mm Lift	2	BD1388T	\$ Ea					
ľ	FOAM CELI		SHOCK ABSORBI	ER					
	40mm Lift	2	FC41388	\$ Ea					
	40MM ADJUSTA	BI	E - SHOCK ABSC	RBER					
	40mm Lift	2	BM401388	\$ Ea					

TORSION BARS							
-	26mm / 1277.5mm	1 4WTB-1726		\$	Pr		
	26mm / 1370mm	26mm / 1370mm 1 4WTB-1736 \$					
- en	Note: Adjust Torsion Bar sure a minimum of 60m	s af m c	ter fitting shocks roop is maintained.				

	LEAF SPRINGS								
Q.	عد	0-300kg load	2	FS021	\$	Ea			
		CONSTANT 300kg load	2	FS021H	\$	Ea			
	Some Special Edition models are equipped with Heavy Duty leaf packs from factory - Check prior to ordering.								

LEAF	LEAF SPRING FITMENT KIT - FITS ALL KITS										
	Urethane Shackle Bush Kit					TDUK-021/31					
	U-Bolt Kit			TDUB-006							
ebe	Greasable Shackle Kit	1	TDFK-016	TDGS-900	\$ Kt						
	Anti Inversion Kit			TDSK-023							

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-021/31	\$	Kt
\bigcap	U-Bolt Kit	2	TDUB-006	\$	Kt
	Greasable Shackle Kit	1	TDGS-900	\$	Kt
	Anti Inversion Kit	1	TDSK-023	\$	Ea
Note: Must be fitted to all kits.					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering - #2057	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK



MITSUBISHI TRITON ML-MN 07/2006-2015 EST. LIFT FRONT: 25MM | REAR: 25MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) Pr 1

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO		RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top								
	Petrol / Diesel / Bar	2	MIT-060/03	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	MIT-060/04	\$	Ea			
▋	OE Height	2	MIT-060/06	\$	Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
T	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Stru	ıt top			
δ	Petrol / Diesel / Bar	2	MIT-060/01	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	MIT-060/02	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	Up to 25mm Lift	2	BD1383T	\$ Ea				
2	FOAM CELL - SHOCK ABSORBER							
	Up to 25mm Lift	2	FC41383	\$ Ea				
8	40MM ADJUSTA	\Βl	LE - SHOCK ABSO	RBER				
	Up to 25mm Lift	2	BM401383	\$ Ea				

STRUT - FOAM CELL						
I	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea	

COIL SPRINGS						
	Petrol / Diesel / Bar	1	TDC670	\$	Pr	
	Petrol / Diesel / Bar / Winch	1	TDC670H	\$	Pr	
	OE Height	1	TDC670S	\$	Pr	

	LEAF SPI	RIN	IGS	
	0-300kg load	2	FS122C	\$ Ea
	CONSTANT 300kg load	2	FS122L	\$ Ea
	CONSTANT 500kg load	2	FS122LL	\$ Ea

WARNING - REAR OVERHANG

Due to excessive overhang created by the design of the vehicle, vehicles carrying **greater than 600kg load constantly in the rear** should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in the rear leaf spring riding lower than the desired height and cause potential front shock damage.



MITSUBISHI TRITON ML-MN 07/2006-2015 EST. LIFT FRONT: 25MM | REAR: 25MM



FRONT						
CONTENT	DESCRIPTION	αTΥ	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	αTY	PAR	RRP			
LEAF SPRING FITMENT KIT - FITS ALL KITS							
	Urethane Shackle Bush Kit			TDUK-021/31			
	U-Bolt Kit	1	TDFK-017	TDUB-036	\$ Kt		
	Greasable Shackle Kit			TDGS-900			

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-006	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 30mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag Kit - OE Height	1	TDAA-134	\$	Kt	
	Bellows Bag Kit - 25mm Lift	1	TDAA-105	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
-E :0	Strut Top	2	MIT-4040	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit - OE Springs Only	1	TDUK-021/41	\$	Kt	
	Urethane Shackle Bush Kit - TD Springs Only	1	TDUK-021/31	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-036	\$	Kt	
	Greasable Shackle Kit	1	TDGS-900	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering - Foam Cell	2	404702	\$	Ea
	Fits Top Eyering - Adjustable shocks	1	TW038-16	\$	Ea
	Fits Bottom Eyering - Adjustable shocks	1	404702	\$	Ea



MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) Pr 1

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Asseml	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
	Diesel - No Accessories	2	MIT-061/05	\$	Ea			
	Diesel - With bar	2	MIT-061/06	\$	Ea			
*	Diesel - With Bar & Winch	2	MIT-061/07	\$	Ea			
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	юр			
8	Diesel - No Accessories	2	MIT-061/01	\$	Ea			
	Diesel - With bar	2	MIT-061/02	\$	Ea			
	Diesel - With Bar & Winch	2	MIT-061/03	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
NIT	ROGEN GAS - SH	100	CK ABSORBER			
	Up to 20mm Lift	2	BD3012T	\$ Ea		
<u> </u>	FOAM CELL - SHOCK ABSORBER					
	Up to 20mm Lift	2	FC43012	\$ Ea		
8	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER		
	Up to 20mm Lift	2	BM403012	\$ Ea		

STRUT - FOAM CELL							
I	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea		
	STRUT -	STRUT - 40MM ADJUSTABLE					
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea		

	COIL SPF	RIN	IGS	
	20mm Lift No Accessories	1	TDC681	\$ Pr
	20mm Lift Diesel with Bar	1	TDC681L	\$ Pr
	20mm Lift - Diesel with Steel Bar & Winch	1	TDC681HL	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS123C	\$ Ea
CONSTANT 300kg load	2	FS123L	\$ Ea
CONSTANT 500kg load	2	FS123LL	\$ Ea

WARNING - REAR OVERHANG

Due to excessive overhang created by the design of the vehicle, vehicles carrying **greater than 600kg load constantly in the rear** should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in the rear leaf spring riding lower than the desired height and cause potential front shock damage.



MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	αTY	PAR [*]	RRP				
LEAF	LEAF SPRING FITMENT KIT - FITS ALL KITS							
	Urethane Shackle Bush Kit			TDUK-077				
\cap	U-Bolt Kit			TDUB-016				
•	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ Kt			
	Greaseable Pin Kit			TDGP-668				
-	Centre Bearing Strengthening Kit			TDSP-008				

UPPER CONTROL ARMS					
UU	Upper Control Arms	1	TDCA-006	\$	Pr

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 30mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS					
22	Bellows Bag Kit - OE Height	1	TDAA-119	\$	Kt
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$	Kt
Note: Senarate Air Assist components can be viewed on page 14					

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea
	Ball Joint Kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
Æ :0	Strut Top	2	MIT-4040	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

F	REAR INDIVIDUAL	.C(OMPONENTS			
	Urethane Shackle Bush Kit	1	TDUK-077	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle Kit	1	TDGS-901	\$	Kt	
<u>-</u>	Greaseable Pin Kit	1	TDGP-668	\$	Kt	
1	Centre Bearing Strengthening Kit	1	TDSP-008	\$	Ea	
	Note: Must be fitted to all Kits					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					()
	Fits Bottom Eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Eyering	1	404702	\$	Ea
	Fits Bottom Eyering	1	TW038-16	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) Pr 1

REAR						
REAR SUSPENSION	REAR SUSPENSION CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			
	Bellows Airbags (Optional)	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO		RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Diesel No Accessories	2	MIT-004	\$	Ea			
	Diesel - With Steel bar	2	MIT-005	\$	Ea			
*	Diesel -With Bar & Winch	2	MIT-006	\$	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Stru	ıt top			
	Diesel No Accessories	2	MIT-001	\$	Ea			
	Diesel - With Steel bar	2	MIT-002	\$	Ea			
	Diesel - With Bar & Winch	2	MIT-003	\$	Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
NIT	NITROGEN GAS - SHOCK ABSORBER					
	Up to 20mm Lift	2	BD3012T	\$ Ea		
<u> </u>	FOAM CELI	:	SHOCK ABSORBE	ER .		
	Up to 20mm Lift	2	FC43012	\$ Ea		
8	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER		
	Up to 20mm Lift	2	BM403012	\$ Ea		

STRUT - FOAM CELL						
I	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea	

COIL SPRINGS						
	20mm Lift No Accessories	1	TDC1029	\$	Pr	
	20mm Lift - Diesel with Steel bar	1	TDC1030	\$	Pr	
	20mm Lift - Diesel with Steel Bar & Winch	1	TDC1031	\$	Pr	

LEAF SPI	RIN	IGS	
0-300kg load	2	FS123C	\$ Ea
CONSTANT 300kg load	2	FS123L	\$ Ea
CONSTANT 500kg load	2	FS123LL	\$ Ea

WARNING - REAR OVERHANG

Due to excessive overhang created by the design of the vehicle, vehicles carrying **greater than 600kg load constantly in the rear** should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in the rear leaf spring riding lower than the desired height and cause potential front shock damage.





FRONT						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		

	REAR							
CONTENT	DESCRIPTION	αTY	PAR [*]	RRP				
LEAF	SPRING FITMENT	KI	T - FITS	ALL KITS	;			
	Urethane Shackle Bush Kit			TDUK-077				
	U-Bolt Kit			TDUB-016				
43 de 1	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ Kt			
	Greaseable Pin kit			TDGP-668				
	Centre Bearing Strengthening kit			TDSP-008				

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-006	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 30mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS							
22	Bellows Bag Kit - OE Height	1	TDAA-119	\$	Kt		
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea		
Ball joint kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea		

FRONT INDIVIDUAL COMPONENTS						
-E +0	Strut Top	2	MIT-4040	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		


REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-077	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt		
\Box	Greasable Shackle Kit	1	TDGS-901	\$	Kt		
<u>-</u>	Greasable Pin Kit	1	TDGP-668	\$	Kt		
—	Centre Bearing Strengthening Kit	1	TDSP-008	\$	Ea		
	Note: Must be fitted to all Kits.						


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Eyering	1	404702	\$	Ea
	Fits Bottom Eyering	1	TW038-16	\$	Ea









CONTENT	DESCRIPTION	QTY	PART NO	RRP	
	STRUT - FO	ΑN	I CELL		
	OEM Height - Strut Only/ No Coil/ No Strut top	2	FC404800	\$ E	≣а
I	STRUT -	40I	MM ADJUSTABLE		
	OEM Height - Strut Only/ No Coil/ No Strut top	2	BM404800	\$ E	≣а

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
2	Standard Height	2	BD3012T	\$ Ea			
	FOAM CELI	_ =	SHOCK ABSORBE	ER			
	Standard Height	2	FC43012	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	Standard Height	2	BM403012	\$ Ea			

Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions.

LEAF SPI	RIN	IGS	
0-300kg load	2	FS123C	\$ Ea
CONSTANT 300kg load	2	FS123L	\$ Ea
CONSTANT 500kg load	2	FS123LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS ALL KITS							
	Urethane Shackle Bush Kit			TDUK-077			
\cap	U-Bolt Kit			TDUB-016			
	Greasable Shackle Kit	1	1 TDFK-018	TDGS-901	\$ K		
****	Greaseable Pin Kit			TDGP-668			
	Centre Bearing Strengthening Kit			TDSP-008			

FRONT INDIVIDUAL COMPONENTS					
-1 -0	Strut Top	2	MIT-4040	\$	Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-077	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-901	\$	Kt		
<u>S</u>	Greaseable Pin Kit	1	TDGP-668	\$	Kt		
1	Centre Bearing Strengthening Kit	1	TDSP-008	\$	Ea		
Note: Must be fitted to all Kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/50	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	404702	\$	Ea	
	Fits Bottom Eyering	1	TW038-16	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK









CONTENT	DESCRIPTION	QTY	PART NO	RRP
ŀ	FOAM CELL - SHO	OCK	ABSORBER	
	40mm Lift	2	FC42052B	\$ Ea

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1366T	\$ Fa			
	40mm Lift	2	BD1382T	\$ Ea			
	FOAM CEL	L -	SHOCK ABSORBE	ER			
	OE Height	2	FC41366B	\$ Ea			
I	40mm Lift	2	FC41382B	р са			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	OE Height	2	BM401366	\$ Fa			
	40mm Lift	2	BM401382	\$ Ea			

TORSION BAR						
	26mm / 1203mm - 86-97 Only	1	4WTB-1456	\$	Pr	
	26mm / 890mm - 97 On	1	4WTB-1446	\$	Pr	
- er	Note: Adjust Torsion Bar sure a minimum of 60m	s af m d	ter fitting shocks roop is maintained.			

LEAF SPRINGS						
	0-300kg load	2	T63-LH	\$	Ea	
	0-300kg load	2	T63-RH	\$	Ea	
	CONSTANT 300kg load	2	Т63Н	\$	Ea	

LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-007				
\cap	U-Bolt Kit		TDFK-019	TDUB-012				
***************************************	Greasable Shackle Kit		IDFK-019	TDGS-668	\$ Kt			
	Greasable Pin Kit			TDGP-669				

STEERING DAMPERS						
	HD Replacement - D21 Only	1	SD14035	\$	Ea	
	HD Replacement - D22	1	EXT5925	\$	Ea	
<u> </u>	Return-to-Center - D22	1	SS5925-P/S	\$	Ea	
O@	SV9 Stage Adjustable - D22	1	SV5925	\$	Ea	



		FRO	TNC		
ı	CONTENT	DESCRIPTION	ΣIΥ	PART NO	RRP

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
AIR ASSIST - BELLOWS AIR BAGS								
22	Bellows Bag kit - OEM Height (D22 Only)	1	TDAA-124	\$	Kt			
	Bellows Bag kit - 40mm Lift (D22 Only)	1	TDAA-107	\$	Kt			
Note: Sep	parate Air Assist compon	ents	can be viewed on page	14.				


AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		


REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-007	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-012	\$	Kt		
	Greaseable Shackle Kit	1	TDGS-668	\$	Kt		
	Greaseable Pin Kit	1	TDGP-669	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	412773	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Eyering	2	404702	\$	Ea







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Petrol /Diesel / Bar	2	NIS-040/04	\$ E	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$ E	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top				
8	Petrol /Diesel / Bar	2	NIS-040/01	\$ E	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$ E	Еа			

CONTENT	DESCRIPTION	QΤ	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1368T	\$	Ea			
	FOAM CELI	L -	SHOCK ABSORBI	ER				
	Up to 40mm Lift	2	FC41368	\$	Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBE	R			
	Up to 40mm Lift	2	BM401368	\$	Ea			

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		

COIL SPRINGS						
MILLAAAA	40mm Lift - Petrol / Diesel / Bar	1	TDC770	\$	Pr	
	40mm Lift - Petrol / Diesel / Bar / Winch	1	TDC770H	\$	Pr	

LEAF SPRINGS							
	0-300kg load	2	T85C	\$	Ea		
	CONSTANT 300kg load	2	T85L	\$	Ea		
	CONSTANT 500kg load	2	T85LL	\$	Ea		

LEAF SPRING FITMENT KIT										
	Urethane Shackle Bush Kit			TDUK-068						
\cap	U-Bolt Kit	1	TDFK-020	TDUB-016	\$ Kt					
***************************************	Greasable Shackle Kit	'	1DFK-020	TDGS-667	φ Ki					
	Greasable Pin Kit			TDGP-668						



FRONT									
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP					
	UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-007	\$ Pr					

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
A	AIR ASSIST - BELLOWS AIR BAGS							
22	Bellows Bag kit - OEM Height	1	TDAA-120	\$	Kt			
	Bellows Bag kit - 40mm Lift	1	TDAA-108	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM									
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt				

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea		

FRONT INDIVIDUAL COMPONENTS							
·T·O	Strut Top	2	NIS-3030	\$	Ea		


REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-068	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt			
	Greaseable Shackle Kit	1	TDGS-667	\$	Kt			
**************************************	Greaseable Pin Kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	404702	\$	Ea	
	Fits Bottom Eyering	1	TW042-14	\$	Ea	







REA	REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	f Spring 2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	ΩT	PART NO	RF	RP			
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Petrol /Diesel / Bar	2	NIS-040/07	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
8	Petrol /Diesel / Bar	2	NIS-040/06	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	TROGEN GAS - SH	100	CK ABSORBER	
	Up to 40mm Lift	2	BD1368T	\$ Ea
<u> </u>	FOAM CEL	L -	SHOCK ABSORBI	ER .
	Up to 40mm Lift	2	FC41368	\$ Ea
8	40MM ADJUSTA	\BI	LE - SHOCK ABSC	RBER
	Up to 40mm Lift	2	BM401368	\$ Ea

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
	STRUT -	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		

	COIL SPF	RIN	IGS	
MIAAAA	40mm Lift - Petrol / Diesel / Bar	1	TDC772	\$ Pr
	40mm Lift - Petrol / Diesel / Bar / Winch	1	TDC772H	\$ Pr

LEAF SPRINGS						
	0-300kg load	2	T85C	\$	Ea	
	CONSTANT 300kg load	2	T85L	\$	Ea	
	CONSTANT 500kg load	2	T85LL	\$	Ea	

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit			TDUK-068					
\bigcap	U-Bolt Kit		TDEK 020	TDUB-016	.				
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Greasable Shackle Kit	1	TDFK-020	TDGS-667	\$ Kt				
	Greasable Pin Kit			TDGP-668					





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-007	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP		
A	AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag kit - OEM Height	1	TDAA-120	\$	Kt		
	Bellows Bag kit - 40mm Lift	1	TDAA-108	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
-E-0	Strut Top	2	NIS-3030	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-068	\$	Kt		
\cap	U-Bolt kit	2	TDUB-016	\$	Kt		
	Greasable Shackle kit	1	TDGS-667	\$	Kt		
	Greasable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear Top Eyering	1	404702	\$	Ea		
	Rear Bottom Eyering	1	TW042-14	\$	Ea		




NISSAN NAVARA NP300 - COIL REAR 07/2015 - 11/2020

Upper Control Arms (Optional)

1 Pr



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRF	9				
ASSEMBLED STRUTS - FOAM CELL									
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top						
	Petrol /Diesel / Bar	2	NIS-300/07	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$	Ea				
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	o				
8	Petrol / Diesel / Bar	2	NIS-300/05	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
ě	Up to 35mm Lift	2	FC41369	\$ Ea					
	40MM ADJUSTA	ABL	LE - SHOCK ABSC	RBER					
o o	Up to 35mm Lift	2	BM401369	\$ Ea					

STRUT - FOAM CELL						
I	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea	

COIL SPRINGS					
M 1 4 4 A A A	35mm Lift - Petrol / Diesel / Bar	1	TDC773	\$	Pr
	35mm Lift - Petrol / Diesel / Bar / Winch	1	TDC773H	\$	Pr

COIL SPRINGS						
	0-300kg load	1	TDC774	\$	Pr	
	CONSTANT 300kg load	1	TDC774H	\$	Pr	
	CONSTANT 500kg load	1	TDC774VHL	\$	Pr	

PANHARD RODS					
o 	Adjustable	1	TDPR-300	\$	Ea



300 - COIL REAR 07/2015 - 11/2020



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	UPPER CONT	RC	L ARMS					
UU	Upper Control Arms	1	TDCA-007	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
Al	AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag Kit - OEM Height	1	TDAA-016	\$	Kt			
	Coil Insert Bag Kit - 35mm Lift	1	TDAA-007	\$	Kt			
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM									
	Wireless Air System Suits Coil insert Airbags	1	TDAS-002	\$	Kt				

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS								
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea			
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea			

FRONT INDIVIDUAL COMPONENTS					
1	Strut Top	2	NIS-3030	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ĩ	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Eyering	1	TW038-16	\$	Ea		
	Fits Bottom Eyering	1	TW042-14	\$	Ea		




NISSAN NAVARA NP300 - COIL REAR (S5) 11/2020 ON

NOT WARRIOR PRO 4X4



EST. LIFT FRONT: 20MM | REAR: 20MM



REAR										
REAR SUSPENSION	REAR SUSPENSION CHECK LIST									
You need to order the following item	You need to order the following items for the rear end of your vehicle.									
	Shock Absorber	2	Ea							
	Coil Springs	1	Pr							
	Panhard Rods (Optional)	1	Ea							
II≾≾	Coil Insert Airbags (Optional)	1	Kt							
ii ss										
0 0										

CONTENT	DESCRIPTION	QTY	PART NO	RRF	•				
ASSEMBLED STRUTS - FOAM CELL									
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top						
	No Accessories	2	NIS-300/07	\$	Ea				
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/08	\$	Ea				
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top)				
8	No Accessories	2	NIS-300/05	\$	Ea				
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/06	\$	Ea				

CONTENT	DESCRIPTION	₫	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	Up to 20mm Lift	2	FC41369	\$ Ea		
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER		
8	Up to 20mm Lift	2	BM401369	\$ Ea		

STRUT - FOAM CELL							
I	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea		

	COIL SPE	RIN	IGS	
M 1 1 1 A A A A	20mm Lift - Petrol / Diesel / No Accessories	1	TDC773	\$ Pr
	20mm Lift - Petrol / Diesel / Bar / Bar & Winch	1	TDC773H	\$ Pr

COIL SPRINGS								
	0-300kg load	1	TDC774H	\$	Pr			
	CONSTANT 300kg load	1	TDC774VHL	\$	Pr			
	CONSTANT 500kg load	1	TDC1037	\$	Pr			

PANHARD RODS					
o	Adjustable	1	TDPR-300	\$	Ea



NAVARA NP300 - COIL REAR (S5) NOT WARRIOR PRO 4X4 11/2020 ON

LIFT FRONT: 20MM | REAR: 20MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
	UPPER CONT	RC	L ARMS			
UU	Upper Control Arms	1	TDCA-007	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP	
All	R ASSIST - COIL II	NS	ERT AIR BAGS			
	Coil Insert Bag Kit - OEM Height	1	TDAA-016	\$	Kt	
	Coil Insert Bag Kit - 35mm Lift	1	TDAA-007	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea	


FRONT INDIVIDUAL COMPONENTS						
46	Strut Top	2	NIS-3030	\$	Ea	

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil insert Airbags	1	TDAS-002	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	TW038-16	\$	Ea	
	Fits Bottom Eyering	1	TW042-14	\$	Ea	







REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					
	Bellows Airbags (Optional)	1						

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	Petrol /Diesel / Bar	2	NIS-300/07	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$	Ea		
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut to	р		
8	Petrol /Diesel / Bar	2	NIS-300/05	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$	Ea		

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
ı	FOAM CELL - SHOCK ABSORBER							
°	Up to 35mm Lift	2	FC43017	\$ Ea				
	40MM ADJUSTA	۱BI	E - SHOCK ABSC	RBER				
8	Up to 35mm Lift	2	BM403017	\$ Ea				

STRUT - FOAM CELL						
I	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea	

COIL SPRINGS					
MIAAAA	35mm Lift- Petrol / Diesel / Bar	1	TDC773	\$	Pr
	35mm Lift- Petrol / Diesel / Bar / Winch	1	TDC773H	\$	Pr

LEAF SPRINGS						
	0-300kg load	2	T86C	\$	Ea	
	CONSTANT 300kg load	2	T86L	\$	Ea	
	CONSTANT 500kg load	2	T86LL	\$	Ea	

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit			TDUK-079					
\cap	U-Bolt Kit		TDEK 024	TDUB-005					
13 d 3	Greaseable Shackle Kit	1	TDFK-021	TDGS-669	\$ Kt				
	Greaseable Pin Kit			TDGP-668					





FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RR	P.			
UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-007	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
AIR ASSIST - COIL INSERT AIR BAGS								
	Bellows Bag kit - 35mm Lift	1	TDAA-109	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea		

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS							
Æ 0	Strut Top	2	NIS-3030	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-079	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-005	\$	Kt			
\Box	Greaseable Shackle Kit	1	TDGS-669	\$	Kt			
	Greaseable Pin Kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear Top & Bottom Eyering	2	404702	\$	Ea		





FRONT									
CONTENT	DESCRIPTION	QTY	PART NO		RRP				
STRUT - FOAM CELL									
I	OE Height - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea				
I	STRUT -	40I	MM ADJUSTABLE						
	OE Height - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	OE Height	2	FC43017	\$ Ea					
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER					
8	OE Height	2	BM403017	\$ Ea					

Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions.

LEAF SPI	RIN	IGS	
0-600kg load	2	T86C	\$ Ea
CONSTANT 600kg load	2	T86L	\$ Ea
CONSTANT 800kg load	2	T86LL	\$ Ea

LEAF SPRING FITMENT KIT						
	Urethane Shackle Bush Kit			TDUK-079		
\cap	U-Bolt Kit	1	TDFK-021	TDUB-005	\$ Kt	
	Greasable Shackle Kit		IDFK-021	TDGS-669	φ Kt	
	Greasable Pin Kit			TDGP-668		

F	RONT INDIVIDUAL	_ C	OMPONENTS	
Æ 0	Strut Top	2	NIS-3030	\$ Ea


REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-079	\$	Kt
\cap	U-Bolt Kit	2	TDUB-005	\$	Kt
	Greasable Shackle Kit	1	TDGS-669	\$	Kt
	Greasable Pin Kit	1	TDGP-668	\$	Kt




THIS PAGE IS INTENTIONALLY BLANK









CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
ě	Up to 30mm Lift	2	BD2057T	\$ Ea			
1	FOAM CELI		SHOCK ABSORBE	ER .			
8	Up to 30mm Lift	2	FC42057B	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 30mm Lift	2	BD1382T	\$ Ea			
	FOAM CELL - SHOCK ABSORBER						
	Up to 30mm Lift	2	FC41382B	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
_	Up to 30mm Lift	2	BM401382	\$ Ea			

	TORSION	В	ARS		
	26mm / 1232mm	1	4WTB-1458	\$	Pr
Note: Adjust Torsion Bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

	COIL SPF	RIN	IGS	
MILLAAA	0-300kg load	2	TDC739	\$ Pr
	0-300kg load CONSTANT 300kg load	2	TDC739H	\$ Pr

STEERING DAMPERS					
Replacement Damper 1 SD14035	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering #2057	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Eyering	2	404702	\$	Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 1 Pr

REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
II33							
iibb							

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
	TWIN TUBE MCPHERSON STRUT								
	OEM Height - 11/1995-1999 - D/S only	1	BDS4002R (D/S)	\$ Ea					
	OEM Height - 11/1995-1999 - P/S only	1	BDS4003L (P/S)	\$ Ea					
	30mm Lift - Suits All Models	2	BDS4024	\$ Ea					


CONTENT	DESCRIPTION	QTY	PART NO	RRF	•			
NITROGEN GAS - SHOCK ABSORBER								
	OEM Height - 11/1995-1999 Only	2	BD3009T	\$	Ea			
	30mm Lift - 11/1995-1999 Only	2	BD3010T	\$	Ea			
Ě	30mm Lift - 11/1999-2005 Only	2	BD3011T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
	OEM Height - 11/1995-1999 Only	2	FC43009	\$	Ea			
0	30mm Lift - 11/1995-1999 Only	2	FC43010	\$	Ea			
	30mm Lift - 11/1999-2005 Only	2	FC43011	\$	Ea			

COIL SPRINGS					
	OE Height	1	TDC784S	\$	Pr
	Suit Up to Bar	1	TDC784	\$	Pr
	Suit Up to Bar / Winch	1	TDC784H	\$	Pr

	COIL SPF	RIN	IGS	
	OEM Height - 0-300kg load	1	TDC783S	\$ Pr
	0-300kg load	1	TDC783	\$ Pr
	CONSTANT 300kg load	1	TDC783H	\$ Pr







REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
⊢ ‼₹ ≼	Coil Insert Airbags (Optional)	1	Kt				
⊢ II≾≾							

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Petrol / Diesel / Bar	2	NIS-040/04	\$ Ea				
*	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$ Ea				
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE				
#	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
8	Petrol / Diesel / Bar	2	NIS-040/01	\$ Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$ Ea				
	STRUT - FO	ΑN	CELL					
Ī	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	FC404700	\$ Ea				
I	STRUT -	40I	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	BM404700	\$ Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	OCK	ABSORBER	
ů	Up to 40mm Lift	2	FC41347	\$ Ea
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER
ŏ	Up to 40mm Lift	2	BM401347	\$ Ea

	COIL SPE	RIN	IGS	
	Petrol / Diesel / Bar	2	TDC770	\$ Pr
	Petrol / Diesel / Bar / Winch	2	TDC770H	\$ Pr

COIL SPRINGS					
	0-300kg load	1	TDC771	\$	Pr
	CONSTANT 300kg load	1	TDC771H	\$	Pr
	CONSTANT 500kg load	1	TDC771XHD	\$	Pr

AIR ASSIST - COIL INSERT AIR BAGS

\$

Κt

TDAA-018

Coil Insert Bag Kit - OEM Height

FRONT INDIVIDUAL COMPONENTS					
T .0	Strut Top	2	NIS-3030	\$	Ea

	Coil Insert Bag Kit - 40mm Lift	1	TDAA-002	\$	Kt	
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.					
AIR ASSIS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

FRONT RE	FRONT REPLACEMENT BUSHES (QTY PER SHOCK) Front Bottom Eyering 1 ADJ300/40A \$ Ea			
	Front Bottom Eyering	1	ADJ300/40A \$	Ea

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top & Bottom Eyering	2	4W-BS101CH	\$	Ea	



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts OR Struts Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
∥₹₹	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				
ା । as							
8 8							

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL			
Assemble	d struts are made up of:	1 x	Strut, 1 x Coil, 1 x Strut t	ор		
	Petrol / Diesel / Bar	2	NIS-040/07	\$ Ea		
*	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$ Ea		
.	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE		
3	Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top					
8	Petrol / Diesel / Bar	2	NIS-040/06	\$ Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$ Ea		
	STRUT - FO	ΑN	CELL			
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	FC404700	\$ Ea		
	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	BM404700	\$ Ea		

CONTENT	DESCRIPTION	αT	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
ů	Up to 40mm Lift	2	FC41347	\$ Ea				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
ŏ	Up to 40mm Lift	2	BM401347	\$ Ea				

COIL SPRINGS					
MIAAAA	Petrol / Diesel / Bar	2	TDC772	\$	Pr
	Petrol / Diesel / Bar / Winch	2	TDC772H	\$	Pr

COIL SPRINGS					
	0-300kg load	1	TDC771	\$	Pr
	CONSTANT 300kg load	1	TDC771H	\$	Pr
	CONSTANT 500kg load	1	TDC771XHD	\$	Pr

AIR ASSIST - COIL INSERT AIR BAGS

TDAA-018

\$

Coil Insert Bag Kit - OEM Height

FRONT INDIVIDUAL COMPONENTS					
1	Strut Top	2	NIS-3030	\$	Ea

	Coil Insert Bag Kit - 40mm Lift	1	TDAA-002	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page 1	14.		
AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Bottom Eyering	1	ADJ300/40A \$	S Ea	


REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top & Bottom Eyering	2	4W-BS101CH	\$	Ea	



FT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Ea Leaf Spring 2 **Urethane Bushes** 1 Kt U-Bolt 2 Kt Greaseable Shackles 1 Kt Greaseable Pin Kt Steering Damper (Optional) Ea Offset King Pins (Optional) Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1005T	\$ Ea			
	40mm Lift	2	BD1007T	\$ Ea			
FOAM CELL - SHOCK ABSORBER				ER			
	OE Height	2	FC41005	\$ Ea			
	40mm Lift	2	FC41007	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
0	OE Height	2	BM401005	\$ Ea			
	40mm Lift	2	BM401007	ъ ⊏а			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1400T	\$ Ea			
	40mm Lift	2	BD1441T	р са			
	FOAM CELI	L - .	SHOCK ABSORBE	ER			
	OE Height	2	FC41400	\$ Ea			
	40mm Lift	2	FC41441	р са			
	40MM ADJUSTA	\BI	LE - SHOCK ABSC	RBER			
	OE Height	2	BM401400	\$ Ea			
	40mm Lift	2	BM401441	р са			

LEAF SPRINGS					
م ی	Up to Steel Bar	2	BPN-007	\$	Ea
	With Bar & Winch	2	BPN-007H	\$	Ea

LEAF SPRINGS					
مر به	0-300kg load	2	BPN-008	\$	Ea
	CONSTANT 300kg load	2	BPN-008H	\$	Ea

STEERING DAMPERS					
-	Heavy Duty Replacement	1	EXT5005	\$	Ea
<u> </u>	Return to Centre - Power Steering	1	SS5005-P/S	\$	Ea
<u>~,±</u> ,	Return to Centre - Manual Steering	1	SS5005-M/S	\$	Ea

OFFSET KING PINS						
	0.5 Degree	1	NAK-005	\$	Ea	
	0.75 Degree	1	NAK-075	\$	Ea	
	1.0 Degree	1	NAK-001	\$	Ea	



PATROL MQ, MK 09/1980 - 1988 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION 🗟 PART NO F					
F	RONT INDIVIDUAL	L C	OMPONENTS			
	Urethane Shackle Bush kit	1	TDUK-009	\$ Kt		
	Note: Must be fitted	wit	h TD springs			
\cap	U-bolt kit	1	TDUB-009	\$ Kt		
\cap	U-bolt kit	1	TDUB-004	\$ Kt		
 →	Greasable Pin kit	1	TDGP-470	\$ Kt		
	Greasable Shackle kit - MQ with OE springs	1	TDGS-355	\$ Kt		
	Greasable Shackle kit - MQ, MK with Tough Dog springs	1	TDGS-665	\$ Kt		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-010	\$	Kt			
\cap	U-bolt kit	2	TDUB-010	\$	Kt			
	Greasable Pin kit	1	TDGP-470	\$	Kt			
\Box	Greasable Shackle kit	1	TDGS-664	\$	Kt			

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)
	Front Top & Bottom Pin	4	TW969 \$	S Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top Eyering	1	404702	\$	Ea
	Rear Bottom Pin	2	TW959	\$	Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following item	You need to order the following items for the rear end of your vehicle.					
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Panhard Rod (Optional)	1	Ea			
⊢∷II≾≾	Coil Insert Air bag (Optional)	1	Ea			
BB						

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ı	FOAM CELL - SHOCK ABSORBER						
	Up to 50mm Lift - Shock only	2	FC41047	\$	Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBEF	₹		
	Up to 50mm Lift - Shock only	2	BM401047	\$	Ea		
	45MM ADJUSTA	4BI	E - SHOCK ABSC	RBEF	₹		
8	Only 50mm Lift - Shock only	2	BMX1047/2	\$	Ea		
	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift - Shock only	2	TDR1047B	\$	Ea		

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
1	FOAM CELL - SHO	Cł	(ABSORBER				
	Up to 50mm Lift - Shock only	2	FC41206	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER			
	Up to 50mm Lift - Shock only	2	BM401206	\$ Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER						
8	Only 50mm Lift - Shock only	2	BMX1206/2	\$ Ea			
	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift - Shock only	2	TDR1206	\$ Ea			

COIL SPRINGS - 25MM							
	Suit SWB /Alloy Bar	1	TDC731	\$	Pr		
	Suit LWB /Bar	1	TDC734SL	\$	Pr		
WVVVF	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr		
	COIL SPRING	S	- 50MM				
	Suit 2.8L /LWB / Alloy Bar	1	TDC734CL	\$	Pr		
	Suit LWB /Bar	1	TDC734L	\$	Pr		
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr		

	COIL SPRINGS - 25MM LIFT							
	0-300kg load - SWB	1	TDC733	\$	Pr			
	0-300kg load - LWB	1	TDC732SL	\$	Pr			
WVVV¥	CONSTANT 300kg load - LWB	1	TDC732HSL	\$	Pr			
	COIL SPRINGS	- 5	OMM LIFT					
	No Load /Comfort	1	TDC732CL	\$	Pr			
	0-300kg load	1	TDC732L	\$	Pr			
	CONSTANT 300kg load	1	TDC749HL	\$	Pr			

STEERING DAMPERS - 02/1988-08/1989 ONLY								
-	Replacement Damper	1	EXT5612	\$	Ea			
~~~~~~ ±	Return-to-Center	1	SS5612-P/S	\$	Ea			
O(SV 9 Stage Adjustable	1	SV5612	\$	Ea			
STEE	RING DAMPERS -	09	-1989-1998 ONLY	•				
-	Replacement Damper	1	EXT5613	\$	Ea			
<u></u>	Return-to-Center	1	SS5613-P/S	\$	Ea			
·	SV 9 Stage Adjustable	1	SV5613	\$	Ea			





FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000								
~ _	Adjustable - RHD	1	TDPR-004	\$	Ea			
—	Adjustable - LHD	1	TDPR-014	\$	Ea			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
o 	Adjustable - All	1	TDPR-005	\$	Ea		

OFFSET KING PINS							
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

CASTOR CORRECTION						
•	2 Degree castor correction bush	1	TDUK-054/2	\$	Kt	

AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag Kit - OEM Height	1	TDAA-017	\$ Kt			
	Coil Insert Bag Kit - 50mm Lift	1	TDAA-008	\$ Kt			
Note: Sepa	arate Air Assist compone	nts	can be viewed on page 1	L4.			
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	ЕМ			
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$ Kt			

FRONT INDIVIDUAL COMPONENTS								
	15mm Urethane Spring spacer	1	TDUK-1734/15	\$	Ea			
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$	Ea			
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt			
	Front Radius Rod to Chassis	1	TDUK-041	\$	Kt			
	Front Radius Rod to Diff	1	TDUK-050	\$	Kt			

REAR INDIVIDUAL COMPONENTS							
	nm Urethane ring spacer	1	TDUK-1736/15	\$	Ea		
	nm Urethane ring spacer	1	TDUK-1736/30	\$	Ea		
Up Trailin	per & Lower g Arm bush kit	2	TDUK-052	\$	Kt		
	rd Rod Bush kit -004, 005, 014)	1	TDUK-051	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Top & Bottom Pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top Eyering	1	ADJ00191	\$	Ea		
8	Fits Bottom Eyering	1	415024	\$	Ea		





FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the front end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Panhard Rod (Optional)	1	Ea				
⊢∷II≰≰	Castor Correction (Optional)	1	Ea				
ii ss	Steering Damper (Optional)	1	Ea				
	Offset King Pins (Optional)	1	Ea				

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
ii 22	Coil Springs	1	Pr				
	Panhard Rod (Optional)	1	Ea				
⊢∷II≾≾	Coil Insert Air bag (Optional)	1	Ea				
i ss							

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ا	FOAM CELL - SHOCK ABSORBER						
	Up to 50mm Lift - Shock only	2	FC41047	\$ Ea			
	40MM ADJUST	ABL	E - SHOCK ABSC	RBER			
	Up to 50mm Lift - Shock only	2	BM401047	\$ Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER						
	Only 50mm Lift - Shock only	2	BMX1047/2	\$ Ea			
	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift - Shock only	2	TDR1047B	\$ Ea			

CONTENT	DESCRIPTION	ΩT	PART NO	RRP		
1	FOAM CELL - SHC	Cł	K ABSORBER			
	Up to 50mm Lift - Shock only	2	FC41206	\$	Ea	
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RE	BER	
	Up to 50mm Lift - Shock only	2	BM401206	\$	Ea	
	45MM ADJUSTABLE - SHOCK ABSORBER					
	Up to 50mm Lift - Shock only	2	BMX1206/2	\$	Ea	
	RALPH - SHOCK ABSORBER					
	Up to 50mm Lift - Shock only	2	TDR1206	\$	Ea	

COIL SPRINGS - 25MM					
	Suit LWB /Bar	1	TDC734SL	\$	Pr
	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr
	COIL SPRING	S	- 50MM		
M 1 A A A A	Suit LWB /Bar	1	TDC734L	\$	Pr
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr

COIL SPRINGS - 25MM LIFT					
	0-300kg load - LWB	1	TDC742SL	\$	Pr
	CONSTANT 300kg load - LWB	1	TDC742HSL	\$	Pr
	COIL SPRINGS	- 5	OMM LIFT		
M 1 4 4 4 4 4	0.0001 1 1 114/0		TD 07401	1.	
	0-300kg load - LWB	1	TDC742L	\$	Pr

STEERING DAMPERS - 12/1997-2000 ONLY						
-	Replacement Damper	1	EXT5000	\$	Ea	
○──₩₩₩₩ ±	Return-to-Center	1	SS5000P/S	\$	Ea	
••••• •	SV 9 Stage Adjustable	1	SV5000	\$	Ea	
STE	ERING DAMPERS	- 2	/2000-2015 ONLY			
-	Replacement Damper	1	EXT5617	\$	Ea	
<u>~</u> ±	Return-to-Center	1	SS5617P/S	\$	Ea	
○ ○	SV 9 Stage Adjustable	1	SV5617	\$	Ea	



NISSAN
PATROL
GU (Y61) 2" LIFT WAGON
12/1997 - 2016
EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
PANHARD RODS - ALL GQ & GU UTE, S1 & S2 GU WAGON*, PRE 02/2000							
~	Adjustable - RHD	1	TDPR-004	\$	Ea		
~	Adjustable - LHD	1	TDPR-014	\$	Ea		
PANHARD RODS S2 & S3 GU WAGON*, 02/2000 ON							
~	Adjustable - RHD	1	TDPR-012	\$	Ea		
	Adjustable - LHD	1	TDPR-016	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000						
o ====o	Adjustable	1	TDPR-005	\$	Ea	
PANHARD RODS - GU WAGON 02/2000 ON						
	Adjustable - All	1	TDPR-013	\$	Ea	

PANHARD ROD COMPATIBILITY

GU Patrols were fitted with two different bush options for the **CHASSIS END** of the panhard rod - Check which style of bush is fitted to your vehicle before ordering by measuring the bracket spacing:

48mm: TDPR-004/014 | **65mm**: TDPR-012/016

CASTOR CORRECTION					
	2 Degree Castor Correction Bush	1	TDUK-054/2	\$	Kt

OFFSET KING PINS					
	0.5 Degree	1	NAK-005	\$	Ea
	0.75 Degree	1	NAK-075	\$	Ea
	1.0 Degree	1	NAK-001	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
0	15mm Urethane Spring spacer	1	TDUK-1734/15	\$	Ea
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$	Ea

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OEM Height	1	TDAA-017	\$	Kt	
	Coil Insert Bag Kit - 50mm Lift	1	TDAA-008	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	
	2 Gal. Air Tank - UPGRADE for existing Wireless Air Assist	1	TDAS-004	\$	Kt	
	2 Gal. Air Tank - COMPLETE KIT with Control Module	1	TDAS-003	\$	Kt	
Note: F	Note: Full Wireless Air Kit details can be viewed on page 15.					

REAR INDIVIDUAL COMPONENTS					
	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea
)	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front Top & Bottom Pin	4	TW967	\$	Ea		
	Panhard Rod Bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt		
	Panhard Rod Bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$	Ea		
	Panhard Rod Bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$	Ea		
	Front Radius Rod to Diff	1	TDUK-050	\$	Kt		
	Front Radius Rod to Chassis	1	TDUK-041	\$	Kt		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	1	ADJ00191	\$	Ea	
8	Fits Bottom Eyering	1	415024	\$	Ea	
	Panhard Rod Bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt	
	Panhard Rod Bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt	

PANHARD ROD BUSH COMPATIBILITY

GU Patrols were fitted with two different bush options for the **CHASSIS END** of the panhard rod - Check which style of bush is fitted to your vehicle before ordering by measuring the bracket spacing:

48mm: TDUK-051 | **65mm**: TDUK-056

FOR GVM UPGRADES, SEE PAGE 190

GVM UPGRADE



ILABLE ON ABS EQUIPPED MODELS ONLY TD42 1997-03/2007 ZD30 2000-2016

3000_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 550KG*
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE SPECIFICATIONS							
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG					
FRONT AXLE RATING	1500KG	1600KG					
REAR AXLE RATING	18009KG	2050KG					
GROSS VEHICLE MASS (GVM)	3000KG - 3150KG	3550KG					
TOWING CAPACITY (BRAKED)	D. C. OEM ODEOUEIOATIONO						
GROSS COMBINED MASS (GCM)	Refer OEM SPECIFICATIONS	REFER OEM SPECIFICATIONS					
	rease is based on model variant.						




THIS PAGE IS INTENTIONALLY BLANK





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr 1 Coil Springs **Castor Correction** 1 Kt Panhard Rod 1 Ea Steering Damper (Optional) Ea Offset King Pins (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
	FOAM CELL - SHOCK ABSORBER								
	75mm Lift	2	FC41047/3	\$ Ea					
40MM ADJUSTABLE - SHOCK ABSORBE									
- 1	75mm Lift	2	BM401047/3	\$ Ea					
8	45MM ADJUST	ABI	E - SHOCK ABSO	RBER					
	75mm Lift	2	BMX1047/3	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
I	FOAM CELL - SHO	Cł	(ABSORBER	
	75mm Lift	2	FC41206/3	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	75mm Lift	2	BM401206/3	\$ Ea
8	45MM ADJUSTA	BI	E - SHOCK ABSO	RBER
	75mm Lift	2	BMX1206/3	\$ Ea

COIL SPRINGS						
MILLARA	No Bar or with Bar	1	TDC734/3	\$	Pr	
	Steel Bar & Winch	1	TDC734/3H	\$	Pr	

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC732/3	\$	Pr
	CONSTANT 300kg load	1	TDC732/3H	\$	Pr

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000						
~	Adjustable - RHD	1	TDPR-004	\$	Ea	
~	Adjustable - LHD	1	TDPR-014	\$	Ea	
PANHARD RODS - GU WAGON 02/2000 ON						
~	Adjustable - RHD	1	TDPR-012	\$	Ea	
~ —	Adjustable - LHD	1	TDPR-016	\$	Ea	

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000						
o o	Adjustable - All	1	TDPR-005	\$	Ea	
PANHARD RODS - GU WAGON 02/2000 ON						
<u> </u>	Adjustable - All	1	TDPR-013	\$	Ea	

CASTOR CORRECTION						
	2 Degree Castor Correction Bush	1	TDUK-054/2	\$	Kt	

TRANSMISSION SPACER					
H	Transmission spacer	1	TDSP-004/2	\$	Ea



PATROL GQ, GU (Y60, Y61)- 3" LIFT 02/1988 - 2016 EST. LIFT FRONT: 75MM | REAR: 75MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
STEERING DAMPERS - 02/1988-18/1989 ONLY								
-	Replacement Damper	1	EXT5612	\$	Ea			
· ####################################	Return-to-Center	1	SS5612-P/S	\$	Ea			
• ••••	SV 9 Stage Adjustable	1	SV5612	\$	Ea			
STEERING DAMPERS - 09-1989-1998 ONLY								
	Replacement Damper	1	EXT5613	\$	Ea			
~ 	Return-to-Center	1	SS5613-P/S	\$	Ea			
∞	SV 9 Stage Adjustable	1	SV5613	\$	Ea			
STEEF	RING DAMPERS - 0	2/1	997 - 02/2000 ON	LY				
	Replacement Damper	1	EXT5000	\$	Ea			
~ 	Return-to-Center	1	SS5000-P/S	\$	Ea			
○€	SV 9 Stage Adjustable	1	SV5000	\$	Ea			
STEE	RING DAMPERS - ()4/2	2000 - 2/2000 - 201	6				
	Replacement Damper	1	EXT5617	\$	Ea			
~ ── ₩₩₩₩ <u>,</u> ‡	Return-to-Center	1	SS5617-P/S	\$	Ea			
O	SV 9 Stage Adjustable	1	SV5617	\$	Ea			

REAR						
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP		

OFFSET KI	NG	PINS	
0.5 Degree	1	NAK-005	\$ Ea
0.75 Degree	1	NAK-075	\$ Ea
1.0 Degree	1	NAK-001	\$ Ea

BRA	BRAKE HOSE KITS - UP TO 2002 - GQ / GU						
	Non-ABS Rubber hose	1	TDBH-001	\$	Ea		
	Non-ABS Braided hose	1	TDBH-194	\$	Ea		
BRA	KE HOSE KITS - 1	99	8 ON - GU ONLY				
	ABS rubber hose	1	TDBH-390	\$	Ea		
	ABS braided hose	1	TDBH-190	\$	Ea		
*	ABS & Stability Rubber hose	1	TDBH-400	\$	Ea		

F	RONT INDIVIDUAL	. C	OMPONENTS	
	Front Radius Rod to Chassis	1	TDUK-041	\$ Kt
	Front Radius Rod to Diff	1	TDUK-050	\$ Kt
	Panhard Rod Bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Panhard Rod Bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$ Kt
	Panhard Rod Bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$ Kt

F	REAR INDIVIDUAL	C	OMPONENTS	
	Panhard Rod Bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Upper & Lower Trailing Arm Bush kit	1	TDUK-052	\$ Kt
	Panhard Rod Bush (TDPR-013) - Diff end	1	TDUK-055	\$ Kt
	Panhard Rod Bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Top & Bottom Pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	1	ADJ00191	\$	Ea	
8	Fits Bottom Eyering	1	415024	\$	Ea	




PATROL GQ, GU (Y60, Y61) - 4", 5", 6" LIFT 02/1988 - 2016



EST. LIFT FRONT: 100MM,125MM,150MM | REAR: 100MM,125MM,150MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr 1 Coil Springs **Castor Correction** 1 Ea Panhard Rod Ea Steering Damper (Optional) Ea Offset King Pins (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	FOAM CELL - SHOCK ABSORBER						
	100mm / 4" Lift	2	FC41047/4	\$ Ea			
45MM ADJUSTABLE - SHOCK ABSORBER							
	100mm / 4" Lift	2	BMX1047/4/5				
I	125mm / 5" Lift	2	BMX1047/4/5	\$ Ea			
	150mm / 6" Lift	2	BMX1047/6	\$ Ea			
Ŭ	200mm / 8" Lift	2	BMX1047/8				
N	Note: BMX1247/8 Shocks Only, No Suited Coils.						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
Ī	FOAM CELL - SHOCK ABSORBER							
	100mm / 4" Lift	2	FC41206/4	\$ Ea				
	45MM ADJUST	ABI	E - SHOCK ABSO	RBER				
	100mm / 4" Lift	2	BMX1206/4					
I	125mm / 5" Lift	2	BMX1206/4/5	\$ Ea				
	150mm / 6" Lift	2	BMX1206/6	\$ Ea				
O	200mm / 8" Lift	2	BMX1206/8					
N	Note: BMX1206/8 Shocks Only, No Suited Coils.							

	COIL SPI	RIN	IGS	
	100mm / 4" Lift No Bar or with Bar	1	TDC734/4	\$ Pr
	100mm / 4" Lift Steel Bar & Winch	1	TDC734/4H	\$ Pr
	125mm / 5" Lift No Bar or with Bar	1	TDC734/5	\$ Pr
	125mm / 5" Lift Steel Bar & Winch	1	TDC734/5H	\$ Pr
	150mm / 6" Lift No Bar or with Bar	1	TDC734/6	\$ Pr
	150mm / 6" Lift Steel Bar & Winch	1	TDC734/6H	\$ Pr

COIL SPRINGS						
	100mm / 4" Lift 0-300kg load	1	TDC732/4	\$	Pr	
	100mm / 4" Lift CONSTANT 300kg load	1	TDC732/4H	\$	Pr	
	125mm / 5" Lift 0-300kg load	1	TDC732/5	\$	Pr	
WVVVV	125mm / 5" Lift CONSTANT 300kg load	1	TDC732/5H	\$	Pr	
	150mm / 6" Lift 0-300kg load	1	TDC732/6	\$	Pr	
	150mm / 6" Lift CONSTANT 300kg load	1	TDC732/6H	\$	Pr	

CASTOR CO	RRI	ECTION	
100mm / 4" Lift 3 Degree Castor Correction bushes	1	TDUK-054/3	\$ Kt
125mm / 5" & 150mm / 6" Lift 5 Degree Castor Correction Plates	1	TDCP-005	\$ Ea
7 Degree Castor Correction Plate	1	TDCP-007	\$ Ea

TRANSMISSION SPACER							
	Transmission spacer	1	TDSP-004/2	\$	Ea		



GQ, GU (Y60, Y61) - 4", 5", 6" LIFT 02/1988 - 2016 EST. LIFT FRONT: 100MM,125MM,150MM | REAR: 100MM,125MM,150MM



FRONT										
CONTENT	DESCRIPTION	QTY	PART NO	RRP						
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000										
	Adjustable - RHD	1	TDPR-004	\$	Ea					
	Adjustable - LHD	1	TDPR-014	\$	Ea					
~	PANHARD ROD	s-	GU WAGON 02/20	000	ON					
	Adjustable - RHD	1	TDPR-012	\$	Ea					
	Adjustable - LHD	1	TDPR-016	\$	Ea					

REAR										
CONTENT	DESCRIPTION	QTY	PART NO	RRP						
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000										
·——	Adjustable - All	1	TDPR-005	\$	Ea					
PANI	PANHARD RODS - GU WAGON 02/2000 ON									
~	Adjustable - All	1	TDPR-013	\$	Ea					

STEERING DAMPERS - WITH MOUNTING BRACKETS							
•	Return-to-Center	1	SS5613-XHD	\$	Ea		
<u> </u>	SV 9 Stage Adjustable	1	SV5613/4	\$	Ea		

OFFSET K	ING	PINS	
0.5 Degree	1	NAK-005	\$ Ea
0.75 Degree	1	NAK-075	\$ Ea
1.0 Degree	1	NAK-001	\$ Ea

BRAKE HOSE KITS - UP TO 2002 - GQ / GU								
	Non-ABS Rubber hose	1	TDBH-001	\$	Ea			
	Non-ABS Braided hose	1	TDBH-194	\$	Ea			
BRAKE HOSE KITS - 1998 ON - GU ONLY								
DIVE	KE HUSE KITS - 1	99	8 ON - GU ONLY					
BICA	ABS rubber hose	1	TDBH-390	\$	Ea			
		1 1		\$	Ea Ea			

FRONT INDIVIDUAL COMPONENTS								
	Front Radius Rod to Chassis	1	TDUK-041	\$	Kt			
	Front Radius Rod to Diff	1	TDUK-050	\$	Kt			
	Panhard Rod Bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt			
	Panhard Rod Bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$	Kt			
	Panhard Rod Bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$	Kt			

REAR INDIVIDUAL COMPONENTS									
	Panhard Rod Bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt				
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt				
	Panhard Rod Bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt				
	Panhard Rod Bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Pin	4	TW967	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top Eyering	1	ADJ00191	\$	Ea		
8	Fits Bottom Eyering	1	415024	\$	Ea		




U CAB CHASSIS (LEAF/LEAF) FRONT: 50MM | REAR: 50MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Ea 2 Leaf Spring Urethane bush kit 1 Kt U-Bolt kit 2 Kt Greaseable Shackle kit 1 Kt Greaseable Pin kit 1 Kt Steering Damper (Optional) Ea

Offset King Pins (Optional)

Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41108	\$ Ea			
	50mm Lift	2	FC41113	ф са			
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER			
	OE Height	2	BM401108	\$ Ea			
	50mm Lift	2	BM401113	ф са			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	FC41404				
	75mm Lift / 3" Lift	2	FC41404/3	\$ Ea			
	100mm Lift / 4" Lift	2	FC41404/4				
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
	50mm Lift	2	BM401404	\$ Ea			

	LEAF SP	RIN	IGS		
ao	Up to Steel Bar	1	FS37-LH	\$	Ea
		1	FS37-RH	\$	Ea
	Bar & Winch	1	FS37H-LH	\$	Ea
		1	FS37H-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered					

	LEAF SPI	RIN	IGS		
	0-300kg load	2	BPN-010	\$	Ea
	CONSTANT 300kg load	2	BPN-010H	\$	Ea
	CONSTANT 500kg load	1	FS39M-LH	\$	Ea
		1	FS39M-RH	\$	Ea
	CONSTANT GVM - Mine Spec	1	FS38M-LH	\$	Ea
		1	FS38M-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered					

STEERING DAMPERS - EYE/EYE MOUNTING						
-	Replacement damper	1	EXT5005	\$	Ea	
<u> </u>	Return-to-Center	1	SS5005-P/S	\$	Ea	

STEERING DAMPERS - PIN/PIN MOUNTING						
-	Replacement damper	1	EXT5613	\$	Ea	
<u>~</u>	Return-to-Center	1	SS5613-P/S	\$	Ea	
•••••• •	SV 9 Stage Adjustable	1	SV5613	\$	Ea	

AIR ASSIST - BELLOWS AIR BAGS							
	Bellows Bag kit - 50mm Lift	1	TDAA-110	\$	Kt		
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.						
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		



NISSAN PATROL GQ/GU CAB CHASSIS (LEAF/LEAF) 02/1988 - 1997 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	OFFSET KING PINS						
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

REAR					
RRP	PART NO	QTY	DESCRIPTION	CONTENT	
	PART NO	QTY	DESCRIPTION	Т	

FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-011	\$	Kt		
\cap	U-Bolt kit	2	TDUB-011	\$	Kt		
\Box	Greaseable Shackle kit	1	TDGS-357	\$	Kt		
	Greaseable Pin kit	1	TDGP-667	\$	Kt		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-025	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Top Pin	2	TW959	\$	Ea	
	Front Bottom Eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear Bottom Pin	2	TW959	\$	Ea		
	Rear Top Eyering	1	ADJ00191	\$	Ea		




GU CAB CHASSIS RONT: 50MM | REAR: 50MM

(COIL/COIL)



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Κt Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RF	RP			
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41047	\$	Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R			
	Up to 50mm Lift	2	BM401047	\$	Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R			
8	Only 50mm Lift	2	BMX1047/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1047B	\$	Ea			

CONTENT	DESCRIPTION	ΩŢ	PART NO	RRP				
1	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41206	\$ Ea				
	40MM ADJUSTA	ABL	LE - SHOCK ABSC	RBER				
	Up to 50mm Lift	2	BM401206	\$ Ea				
	45MM ADJUSTA	ABL	E - SHOCK ABSC	RBER				
8	Only 50mm Lift	2	BMX1206/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1206	\$ Ea				

COIL SPRINGS					
MILLAAA	Up to Steel Bar	1	TDC734L	\$	Pr
	Bar & Winch	1	TDC734HL	\$	Pr

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC749HL	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC749VHL	\$	Pr	

STEERING DAMPERS - GQ PIN/PIN ONLY							
-	Replacement damper	1	EXT5613	\$	Ea		
<u></u>	Return-to-Center	1	SS5613-P/S	\$	Ea		
•••••• <u>•</u>	SV 9 Stage Adjustable	1	SV5613	\$	Ea		
STE	ERING DAMPERS	- 0	U PIN/PIN ONLY				
-	Replacement damper	1	EXT5000	\$	Ea		
<u>~</u> ±.	Return-to-Center	1	SS5000-P/S	\$	Ea		
•••••• •	SV 9 Stage Adjustable	1	SV5000	\$	Ea		

PANHARD RODS						
~	Adjustable RHD	1	TDPR-004	\$	Ea	
~	Adjustable LHD	1	TDPR-014	\$	Ea	

PANHARD RODS						
-	Adjustable	1	TDPR-005	\$	Ea	



PATROL GQ/GU CAB CHASSIS 1988-2016 EST. LIFT FRONT: 50MM | REAR: 50MM

(COIL/COIL)



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
OFFSET KING PINS								
	0.5 Degree	1	NAK-005	\$	Ea			
	0.75 Degree	1	NAK-075	\$	Ea			
	1.0 Degree	1	NAK-001	\$	Ea			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag Kit - 50mm Lift	1	TDA A-008	\$	Kt		
Note: Sep	arate Air Assist compone	nts	can be viewed on page	14.			
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ТЕМ			
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

	CASTOR CO	DRR	ECTION	
©	2 Degree	1	TDUK-054/2	\$ Kt

F	FRONT INDIVIDUAL COMPONENTS						
	Front Radius Rod to Chassis	1	TDUK-041	\$	Kt		
	Front Radius Rod to Diff	1	TDUK-050	\$	Kt		
	Panhard Rod Bush Kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt		
	15mm Urethane Coil Springs spacer	1	TDUK-1734/15	\$	Ea		
	30mm Urethane Coil Springs spacer	1	TDUK-1734/30	\$	Ea		

REAR INDIVIDUAL COMPONENTS							
	Panhard Rod Bush Kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt		
	Trailing Arm Bush Kit	2	TDUK-052	\$	Kt		
0	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea		
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Pin	4	TW967	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	1	ADJ00191	\$	Ea	
	Fits Bottom Eye	1	415024	\$	Ea	



(COIL/LEAF) **REAR: 50MM**



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Kt Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	50mm Lift / 2" Lift	2	FC41047	
	75mm Lift / 3" Lift	2	FC41047/3	\$ Ea
	100mm Lift / 4" Lift	2	FC41047/4	
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
<u> </u>	50mm Lift / 2" Lift	2	BM401047	-\$ Ea
	75mm Lift / 3" Lift	2	BM401047/3	ъ са
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	50mm Lift / 2" Lift	2	BMX1047/2	
8	75mm Lift / 3" Lift	2	BMX1047/3	\$ Ea
	100mm Lift / 4" Lift	2	BMX1047/4/5	
	RALPH -	SH	OCK ABSORBER	
	Up to 50mm Lift	2	TDR1047B	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	FC41404				
	75mm Lift / 3" Lift	2	FC41404/3	\$ E	a		
	100mm Lift / 4" Lift	2	FC41404/4				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER			
	Up to 50mm Lift	2	BM401404	\$ E	a		
	45MM ADJUSTA	ABI	LE - SHOCK ABSC	RBER			
	50mm Lift / 2" Lift	2	BMX1404/2				
8	75mm Lift / 3" Lift	2	BMX1404/3	\$ E	а		
	100mm Lift / 4" Lift	2	BMX1404/4				
	RALPH -	SH	IOCK ABSORBER				
	Up to 50mm Lift	2	TDR1404	\$ Ea	a		

COIL SPRINGS						
MIAAAA	Up to Steel Bar	1	TDC734L	\$	Pr	
	Bar & Winch	1	TDC734HL	\$	Pr	

	LEAF SPI	RIN	IGS		
0-300kg load CONSTANT 300kg load CONSTANT 500kg load CONSTANT GVM - Mine Spec	0-300kg load	2	BPN-010	\$	Ea
	CONSTANT 300kg load	2	BPN-010H	\$	Ea
	CONSTANT 500kg load	1	FS39M-LH	\$	Ea
		1	FS39M-RH	\$	Ea
	1	FS38M-LH	\$	Ea	
		1	FS38M-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered					



GU CAB CHASSIS 1997 - 2016 FT FRONT: 50MM | REAR: 50MM

SV5000

\$

Ea

(COIL/LEAF)



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
STEERING DAMPERS - GQ PIN/PIN ONLY								
	Replacement damper	1	EXT5613	\$	Ea			
~──₩₩₩₩ ;±;	return -to-Center	1	SS5613-P/S	\$	Ea			
O(SV 9 Stage Adjustable	1	SV5613	\$	Ea			
STE	STEERING DAMPERS - GU PIN/PIN ONLY							
	Replacement damper	1	EXT5000	\$	Ea			
~~~~~	return -to-Center	1	SS5000-P/S	\$	Ea			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

PANHARD RODS						
~	Adjustable Panhard Rod - RHD	1	TDPR-004	\$	Ea	
~	Adjustable Panhard Rod - LHD	1	TDPR-014	\$	Ea	
	OFFSET KI	NG	PINS			
	0.5 Degree	1	NAK-005	\$	Ea	
	0.75 Degree	1	NAK-075	\$	Ea	

SV 9 Stage Adjustable

	1	1		1,	- 1			
	1.0 Degree	1	NAK-001	\$	Ea			
	CASTOR CO	RRI	ECTION					
	2 Degree	1	TDUK-054/2	\$	Kt			
	3 Degree	1	TDUK-054/3	\$	Kt			

AIR ASSIST - BELLOWS AIR BAGS							
	Bellows Bag kit - 50mm Lift	1	TDAA-111	\$	Kt		
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.						
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞМ			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
	Front Radius Rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius Rod to Diff	1	TDUK-050	\$	Kt	
	Panhard Rod Bush Kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	15mm Urethane Coil Springs spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane Coil Springs spacer	1	TDUK-1734/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-023	\$	Kt	
I	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top & Bottom Pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	1	ADJ00191	\$	Ea	
	Fits Bottom Pin	2	TW959	\$	Ea	



PATROL Y62 - WITHOUT HYDRAULIC BODY MOTION CONTROL 2013 ON

4WD Suspension
Across the World

EST. LIFT FRONT: 40MM | REAR: 40MM

FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items	for the front end of your ve	hicle					
	Assembled struts	2	Ea				
!!!	OR						
SECORTISS	Struts	2	Ea				
FF TIZZ	Coil Springs	1	Pr				
	Strut Top (Optional)	2	Ea				

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					
∣ II≾≾								

CONTENT	DESCRIPTION	QΤΥ	PART NO	R	RP		
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled Struts are made up of	:1 x S	strut, 1 x Coil, 1 x Strut top				
	Up to Steel Bar - 40mm Lift	2	NIS-062/02	\$	Ea		
	With Steel Bar & Winch - 40mm Lift	2	NIS-062/03	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAI	BLE		
	Assembled Struts are r	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top		
	Up to Steel Bar - 40mm Lift	2	NIS-062/07	\$	Ea		
₹	With Steel Bar & Winch - 40mm Lift	2	NIS-062/08	\$	Ea		
O	ASSEMBLED ST	ru	TS - 45MM ADJUS	STAI	BLE		
	Assembled Struts are r	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top		
	Up to Steel Bar - 40mm Lift	2	NIS-062/10	\$	Ea		
	With Steel Bar & Winch - 40mm Lift	2	NIS-062/11	\$	Ea		

CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC41220	\$ Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBER			
8	Up to 40mm Lift	2	BM401220	\$ Ea			
	45MM ADJUSTA	\BI	E - SHOCK ABSC	RBER			
	Up to 40mm Lift	2	BMX1220/2	\$ Ea			

STRUT - FOAM CELL					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404750	\$	Ea
	STRUT -	40I	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404750	\$	Ea
	STRUT - 45MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454750	\$	Ea
BMX454750 (45mm Adjustable Strut) must only be used with either TDC791L or TDC791HL coil springs.					



Y62 - WITHOUT HYDRAULIC BODY MOTION CONTROL 2013 ON



ST. LIFT FRONT: 40MM | REAR: 40MM

FRONT						
CONTENT	DESCRIPTION	ΩT	PART NO	RRP		
	COIL SPF	RIN	IGS			
	Up to Steel Bar - OE Height	1	TDC1092	\$	Pr	
	With Bar & Winch - OE Height	1	TDC1093	\$	Pr	
	Up to Steel Bar - 40mm Lift	1	TDC790L	\$	Pr	
WVVV Y	With Bar & Winch - 40mm Lift	1	TDC790HL	\$	Pr	
	Up to Steel Bar - 40mm Lift / BMX only	1	TDC791L	\$	Pr	
	With Bar & Winch - 40mm Lift / BMX only	1	TDC791HL	\$	Pr	

	REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	COIL SPE	RIN	IGS				
	0-200kg load OE Height	1	TDC1094	\$	Pr		
	0-120kg load	1	TDC795	\$	Pr		
	CONSTANT 120kg - 300kg load	1	TDC795L	\$	Pr		
	CONSTANT 300kg load	1	TDC795HL	\$	Pr		

AIR ASSIST - COIL INSERT AIR BAGS					
	Coil Insert Bag Kit - OEM Height	1	TDAA-022	\$	Kt
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-023	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					

FRONT INDIVIDUAL COMPONENTS						
1 0	Strut Top	2	NIS-062	\$	Ea	

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Bottom Eyering	1	4WAY-002	\$	Ea	

Fits Top Pin - Lower 1 RETAINER-X \$ Ea	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
1.10 10 10 10 11 11 11 11 11 11 11 11 11 1		Fits Top Pin - Upper	1	RETAINER-W	\$	Ea		
- 50 D 10 5 D 10 D 10 D 10 D 10 D 10 D 10		Fits Top Pin - Lower	1	RETAINER-X	\$	Ea		
Fits Bottom Eyering 1 ADJ27805 \$ Ea	Ť	Fits Bottom Eyering	1	ADJ27805	\$	Ea		



PATROL Y62 - WITH HYDRAULIC BODY MOTION CONTROL 2013 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT										
CONTENT	DESCRIPTION	ΩTY	PART NO	F	RRP					
COIL SPRINGS										
MIAAAA	Up to Steel Bar - OE Height	1	TDC1092	\$	Pr					
	With Bar & Winch - OE Height	1	TDC1093	\$	Pr					
	Up to Steel Bar - 40mm Lift	1	TDC790L	\$	Pr					
	With Bar & Winch - 40mm Lift	1	TDC790HL	\$	Pr					

REAR										
CONTENT	DESCRIPTION	QTY	PART NO	RRP						
COIL SPRINGS										
MIAAAA	0-200kg load OE Height	1	TDC1094	\$	Pr					
	0-120kg load	1	TDC795	\$	Pr					
	CONSTANT 120kg - 300kg load	1	TDC795L	\$	Pr					
	CONSTANT 300kg load	1	TDC795HL	\$	Pr					

AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag Kit - OEM Height	1	TDAA-022	\$	Kt		
	Coil Insert Bag Kit - 40mm Lift	1	TDAA-023	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			


INSTALLATION NOTE


Changing coil springs in vehicles fitted with HBMC requires the factory Nissan hydraulic suspension system to be reset.

Refer to Nissan or to a qualified specialist in regard to this service and cost.









CONTENT	DESCRIPTION	ΩT	PART NO	RRP					
NITROGEN GAS - SHOCK ABSORBER									
	Up to 30mm Lift	2	BD2057T	\$ Ea					
FOAM CELL - SHOCK ABSORBER									
8	Up to 30mm Lift	2	FC42057B	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NITROGEN GAS - SHOCK ABSORBER									
	Up to 30mm Lift	2	BD1388T	\$ Ea					
Å	FOAM CELL - SHOCK ABSORBER								
1	Up to 30mm Lift	2	FC41388	\$ Ea					
	40MM ADJUSTABLE - SHOCK ABSORBE								
J	Up to 30mm Lift	2	BM401388	\$ Ea					


TORSION BARS							
-	26mm/1232mm	1	4WTB-1458	\$	Pr		
Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.							


COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC739	\$	Pr	
WVVV Y	0-300kg load CONSTANT 300kg load	1	TDC739H	\$	Pr	

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK)	
	Front Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering	1	412772	\$	Ea

REAR RE	PLACEMENT BU	SHE	ES (QTY PER SH	DCK)	
	Fits Top & Bottom Eyering	2	404702	\$	Ea







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL			
Assem	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top			
	No Accessories	1	DOD-003-LH	\$ Ea		
	- 50mm Lift	1	DOD-003-RH	\$ Ea		
_	Bar / Bar & Winch	1	DOD-004-LH	Φ -		
	- 50mm Lift	1	DOD-004-RH	\$ Ea		
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	ADJUSTABLE		
•	Assembled Struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top		
	No Accessories	1	DOD-001-LH	¢		
	- 50mm Lift	1	DOD-001-RH	\$ Ea		
	Bar / Bar & Winch	1	DOD-002-LH	ф Г-		
	- 50mm Lift	1	DOD-002-RH	\$ Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 50mm Lift	2	FC43033	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 50mm Lift	2	BM403033	\$ Ea

	STRUT - FO	ΑN	CELL	
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404927	\$ Ea
+	STRUT -	40I	MM ADJUSTABLE	
!	Up to 50mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404927	\$ Ea

	Adjustable	<u>'</u>	1D1 K-020	Ψ	La
	COIL SPF	SIV	IGS		
	0-300kg load	1	TDC1026	\$	Pr
MIAAAA	CONSTANT 300kg load	1	TDC1027	\$	Pr

AIR ASSIST - COIL INSERT AIR BAGS

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

PANHARD RODS

TDPR-026

TDC1028

TDAA-024

Pr

Kt

Κt

\$

COIL SPRINGS					
MIAAAA	No Accessories - 50mm Lift	1	TDC1024	\$	Pr
	Bar & Bar & Winch - 50mm Lift	1	TDC1025	\$	Pr

	Coil Insert Bag Kit - 50mm Lift	1	TDAA-025	\$
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.

Coil Insert Bag Kit - OEM Height

Adjustable

CONSTANT 500kg load

The RA	M WARLOCK comes stan	dar	d with a 25mm (1") Lift.	
			t to this vehicle will give an	
estimate	d 25mm (1") additional l	ift.	not the advertised 50mm	

Wireless Air System **TDAS-002** \$ Kt Suits Coil Insert Airbags

FRONT INDIVIOUAL COMPONENTS						
10	Strut Top	2	DOD-4927	\$	Ea	

REAR INDIVIOUAL COMPONENTS					
○ • ○ •	Swaybar Relocation Bracket - Must be fitted	1	TDSP-021	\$	Ea

GVM UPGRADE



RAM 1500 - DS

'QUAD CAB' (EXPRESS) - 2017 ON 'CREW CAB' (EXPRESS, WARLOCK, LARAMIE) - 2017 ON 3450_{KG*}

3889_{KG*}





WHAT YOU GET:

- EXTRA PAYLOAD UP TO 439KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1769KG	1769KG				
REAR AXLE RATING	1769KG	2120KG				
GROSS VEHICLE MASS (GVM)	3450KG	3889KG				
TOWING CAPACITY (BRAKED)	4500KG	4500KG				
GROSS COMBINED MASS (GCM)	7237KG	7237KG				
• Payload increa	se is based on model variant.					








CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Asseml	oled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	No Accessories - 50mm Lift	1	DOD-007	\$	Ea		
*	With Bar & Winch - 50mm Lift	1	DOD-008	\$	Ea		
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	юр		
8	No Accessories - 50mm Lift	1	DOD-005	\$	Ea		
	With Bar & Winch - 50mm Lift	1	DOD-006	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
ě	Up to 50mm Lift	2	FC43042	\$ Ea				
	40MM ADJUSTA	ABL	LE - SHOCK ABSC	RBER				
	Up to 50mm Lift	2	BM403042	\$ Ea				



	l						
COIL SPRINGS							
	0-300kg load	1	TDC1052	\$	Pr		
CIAAAA	CONSTANT 300kg load	1	TDC1053	\$	Pr		

PANHARD RODS

Adjustable

CONSTANT 500kg load

Suits Coil Insert Airbags

1

TDPR-026

TDC1054

TDAS-002

\$

Ea

Pr

Κt

COIL SPRINGS						
	No Accessories - 50mm Lift	1	TDC1050	\$	Pr	
	With Bar & Winch - 50mm Lift	1	TDC1051	\$	Pr	

	Coil Insert Bag Kit - OEM Height	1	TDAA-027	\$ Kt		
	Coil Insert Bag Kit - 50mm lift	1	TDAA-028	\$ Kt		
Note: Separate Air Assist components can be viewed on page 14.						
AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
FO /	Wireless Air System	1	TDAS-002	¢ 1/+		

AIR ASSIST - COIL INSERT AIR BAGS

FRONT INDIVIOUAL COMPONENTS						
	Strut Top	2	DOD-4933	\$	Ea	

REAR INDIVIOUAL COMPONENTS						
ſ	0 • 0 •	Swaybar Relocation bracket - Must be fitted	1	TDSP-026	\$	Ea

GVM UPGRADE



RAM 1500 - DT
DT SERIES (LARAMIE, BIG HORN) - NON AIR SUSPENSION - 2019 ON

3450_{KG*}

4000_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **550KG**
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1769KG	1769KG				
REAR AXLE RATING	1860KG	2231KG				
GROSS VEHICLE MASS (GVM)	3450KG	4000KG				
TOWING CAPACITY (BRAKED)	4500KG	4500KG				
GROSS COMBINED MASS (GCM)	7713KG	7713KG				
Payload increase is based on model variant.						



FRONT: 40MM | REAR: 40MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs Ea Swaybar Link Steering Dampers (Optional) 1 Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
H₹₹	Swaybar Link	1	Ea					
II≾≾	Bellows Airbags (Optional)	1	Kt					

Note: The development of this kit was completed on a ASV converted vehicle. Part number BMX3506 must be used to limit suspension droop, due to the steering pitman arm contacting the sway-bar link. Do not use part number BMX3509 if steering box/pitman arm is mounted on the R/H Side chassis rail.

CONTENT	DESCRIPTION	QTY	PART NO	RRP
45MN	M ADJUSTABLE -	SH	OCK ABSORBER	
	Up to 40mm Lift	2	BMX3506	\$ Ea

Front lower shock mount is only partially welded from factory. It is required that a full weld around the entire mount is completed to avoid failure.

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
45MN	M ADJUSTABLE -	SH	OCK ABSORBER	
	Up to 40mm Lift	2	BMX3504	\$ Ea

COIL SPRINGS							
	40mm Lift	1	TDC1032	\$	Pr		

STEERING DAMPERS					
<u>~</u>	Return-to-Center	1	SS5930-P/S	\$	Ea
·	SV 9 Stage Adjustable	1	SV5930	\$	Ea

COIL SPRINGS						
MIAAAA	0-400kg load	1	TDC1033	\$	Pr	
	0-400kg load CONSTANT 400kg load	1	TDC1034	\$	Pr	

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag kit - OEM Height	1	TDAA-127	\$	Kt	
	Bellows Bag kit - 50mm Lift	1	TDAA-128	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
	Swaybar Links	1	TDSP-024	\$	Ea	
Required for all Lifted vehicles.						

REAR INDIVIDUAL COMPONENTS						
0-0	Swaybar Links	1	TDSP-022	\$	Ea	
Required for all Lifted vehicles.						



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Dampers (Optional) 1 Ea

REAR									
REAR SUSPENSION	REAR SUSPENSION CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea						
	Coil Springs	1	Pr						
│ ∐ ⋛⋛⊷	Swaybar Link	1	Ea						
∣II ≾ ≾	Bellows Airbags (Optional)	1	Kt						

Note: The development of this kit was completed on a ASV converted vehicle. Part number BMX3509 must be used if steering box is mounted on the LH chassis rail only.

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
45MM ADJUSTABLE - SHOCK ABSORBER							
0	Up to 40mm Lift	2	ВМХ3509	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
45MN	45MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 40mm Lift	2	BMX3510	\$ Ea				

COIL SPRINGS							
UTTYVV	40mm Lift	1	TDC1032	\$	Pr		

that a full weld around the entire mount is completed to avoid failure.

COIL SPRINGS					
MIAAAA	0-400kg load	1	TDC1033	\$	Pr
WVVVV	0-400kg load CONSTANT 400kg load	1	TDC1034	\$	Pr

STEERING DAMPERS					
○ 	Return-to-Center	1	SS5930-P/S	\$	Ea
00	SV 9 Stage Adjustable	1	SV5930	\$	Ea

AIR ASSIST - BELLOWS AIR BAGS							
22	Bellows Bag kit - OEM Height	1	TDAA-127	\$	Kt		
	Bellows Bag kit - 50mm Lift	1	TDAA-128	\$	Kt		

Note: Separate Air Assist components can be viewed on page 14.

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS							
oo	Swaybar Links	1	TDSP-029	\$	Ea		
Required for all Lifted vehicles.							




SSANGYONG Musso (inc sport ute)

08/1996-2007 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - S	НО	CK ABSORBER	
8	Up to 35mm Lift	2	BD2057T	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1104T	\$ Ea				
	Up to 35mm Lift	2	BD1105T	ъ са				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	OE Height	2	BM401104	\$ Ea				
J	Up to 35mm Lift	2	BM401105	ф Еа				

TORSION BARS						
-	26mm / 1232mm	1	4WTB-1800	\$	Pr	
Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC100	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC100H	\$	Pr	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	412772	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	404702	\$	Ea			



THIS PAGE IS INTENTIONALLY BLANK




SUZUKI JIMNY SN413 (JB33, 43, 48) 10/1998-2018



EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Castor Correction 1 Kt Panhard Rod 1 Ea Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
Å	Up to 40mm Lift	2	FC31000	\$	Ea				
	60 & 80mm Lift	2	FC31001	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
F	OAM CELL - SHO	Cł	(ABSORBER		
	Up to 40mm Lift	2	FC31004	\$	Ea
	60 & 80mm Lift	2	FC31006	\$	Ea

COIL SPRINGS - 10/1998-2005 1.3L								
	40mm Lift	1	TDC836	\$	Pr			
	60mm Lift	1	TDC838L	\$	Pr			
	Up to Steel Bar - 80mm Lift	1	TDC824	\$	Pr			
	With Steel Bar & Winch - 80mm Lift	1	TDC824H	\$	Pr			

COIL SPE	RIN	IGS	
40mm Lift	1	TDC837	\$ Pr
 60mm Lift	1	TDC839L	\$ Pr
80mm Lift	1	TDC825	\$ Pr
80mm Lift - Overseas model	1	TDC826	\$ Pr

C	OIL SPRINGS - 20	05	ON VVT 1.3L	
•• • • • • •	40mm Lift	1	TDC838L	\$ Pr
	60mm Lift	1	TDC824	\$ Pr
	80mm Lift	1	TDC824H	\$ Pr

CASTOR CORRECTION					
©	3 Degree - for 60 & 80mm Lifts	1	TDUK-063	\$	Kt

	PANHARD	R	ODS	
·	RHD Adjustable - for 60 & 80mm Lifts	1	TDPR-009	\$ Ea
·	LHD Adjustable - for 60 & 80mm Lifts	1	TDPR-011	\$ Ea

	PANHARD	R	ODS	
o———	Adjustable - for 60 & 80mm Lifts	1	TDPR-010	\$ Ea



SUZUKI

JIMNY
SN413 (JB33, 43, 48)
10/1998-2018
EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT



FRONT								
CONTENT	DESCRIPTION	ΩTΥ	PART NO		RRP			
STEERING DAMPERS								
_	Replacement Damper	1	SD5610	\$	Ea			
<u></u>	Return-to-Center	1	SS5610-M/S	\$	Ea			
O(SV 9 Stage Adjustable	1	SV5610	\$	Ea			
Note: Includes mounting brackets.								

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
BRAKE HOSE KITS								
	Rubber - Rear Hose 60 & 80mm Lift	1	TDBH-199	\$ Ea				

FRONT INDIVIDUAL COMPONENTS						
	Radius Rod Bushes	1	TDUK-039	\$	Kt	
	Panhard Rod Bush Kit - TDPR-009, 010, 011	1	TDUK-030	\$	Kt	
	ABS Relocation	1	TDSK-022	\$	Ea	
	Note: Must be fitted to all Kits.					

REAR INDIVIDUAL COMPONENTS						
	Trailing Arm Bushes	1	TDUK-039	\$	Kt	
T	Panhard Rod Bush Kit - TDPR-009, 010, 011	1	TDUK-030	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	402267	\$	Ea	
	Fits Bottom Eyering	1	412773	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Eyering	1	412773	\$	Ea	




JIMNY JB74 - 3 DOOR 2019 ON EST LIST FRONT 40



EST. LIFT FRONT: 40MM | REAR: 40MM





CONTENT	DESCRIPTION	QTY	PART NO	RRF	•
F	OAM CELL - SH	OCŁ	K ABSORBER		
	Up to 40mm Lift	2	FC31000	\$	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC31002	\$ Ea			

COIL SPRINGS					
	40mm Lift	1	TDC1000	\$	Pr
Note: Fit TDUK-084 if vehicle has a Bar & Winch - all heights.					

COIL SPRINGS					
	40mm Lift	1	TDC1003	\$	Pr

CASTOR CORRECTION						
©	3 Degree	1	TDUK-063	\$	Kt	

BRAKE HOSE KITS					
	1x Rubber Hose L/H Rear - 40mm Lift	1	TDBH-403	\$	Ea
Note: Must be fitted to all Kits.					

STEERING DAMPERS					
-	Replacement Damper	1	EXT5928	\$	Ea
~──₩₩₩₩ ±	Return-to-Center	1	SS5928-P/S	\$	Ea
○€ ───	SV 9 Stage Adjustable	1	SV5928	\$	Ea
Note: Includes mounting brackets.					



SUZUKI JIMNY JB74 - 3 DOOR 2019 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
F	RONT INDIVIDUAL	_ C	OMPONENTS			
	Radius Rod bushes - No Adjustment	1	TDUK-039	\$	Kt	
	Coil Spacer - Fit with Bar & Winch	1	TDUK-084	\$	Kt	
	ABS Relocation & Vacuum Hose	1	TDSP-016	\$	Ea	
	Note: Must be fitted to all Kits.					
i 📆	Crossmember Drop Kit	1	TDSP-018	\$	Ea	
	Note: Must be fitted to all Kits.					

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
F	REAR INDIVIDUAL	C	OMPONENTS			
	Radius Rod Bushes - No Adjustment	1	TDUK-039	\$	Kt	
	Headlight Module Bracket	1	TDSP-017	\$	Ea	
Note: Must be fitted to all Kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	402267	\$	Ea
	Fits Bottom Eyering	1	412773	\$	Ea

FOR GVM UPGRADES, SEE PAGE 218

GVM UPGRADE



SUZUKI JB74 JIMNY 3 DOOR - 2019 ON

1435_{KG*}

1800_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 365KG
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE SPECIFICATIONS							
DESCRIPTION ORIGINAL EQUIPMENT TOUGH DOG							
FRONT AXLE RATING	680KG	800KG					
REAR AXLE RATING	800KG	1100KG					
GROSS VEHICLE MASS (GVM)	1435KG	1800KG					
TOWING CAPACITY (BRAKED)	1300KG	1300KG					



THIS PAGE IS INTENTIONALLY BLANK



SUZUKI JIMNY JB74 - 3 DOOR 2019 ON




EST. LIFT FRONT: 60MM - 80MM | REAR: 60MM - 80MM

Ea

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Pr 1 Coil Springs Castor Correction 1 Kt Panhard Rod 1 Ea ABS relocation & 1 Ea Vacuum hose Crossmember drop kit Ea

Steering Damper (Optional)



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SH	OCK	(ABSORBER	
	60 & 80mm Lift	2	FC31001	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	60 & 80mm Lift	2	FC31003	\$ Ea				

COIL SPRINGS					
	60mm Lift	1	TDC1001	\$	Pr
	80mm Lift	1	TDC1002	\$	Pr
Note: Fit TDUK-084 if vehicle has a Bar & Winch - all heights.					

COIL SPI	RIN	IGS	
60mm Lift	1	TDC1004	\$ Pr
80mm Lift	1	TDC1005	\$ Pr

PANHARD RODS					
o———	RHD Adjustable - for 60 & 80mm Lifts	1	TDPR-021	\$	Ea
o———	LHD Adjustable - for 60 & 80mm Lifts	1	TDPR-023	\$	Ea

PANHARD RODS					
o———	Adjustable - for 60 & 80mm Lifts	1	TDPR-010	\$	Ea

CASTOR CORRECTION					
©	3 Degree - for 60 & 80mm Lifts	1	TDUK-063	\$	Kt
Note: Must be fitted to all Kits.					

BRAKE HOSE KITS					
	4x Rubber Hose - 60 & 80mm Lift	1	TDBH-401	\$	Ea
	4x Braided Hose - 60 & 80mm Lift	1	TDBH-402	\$	Ea
Note: Must be fitted to all Kits.					

STEERING DAMPERS						
-	Replacement Damper	1	EXT5928	\$	Ea	
<u>~</u> ±_	Return-to-Center	1	SS5928-P/S	\$	Ea	
∞	SV 9 Stage Adjustable	1	SV5928	\$	Ea	
Note: Includes mounting brackets.						



SUZUKI JIMNY JB74 - 3 DOOR 2019 ON



EST. LIFT FRONT: 60MM - 80MM | REAR: 60MM - 80MM

	FRONT						
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
F	RONT INDIVIDUAL	_C	OMPONENTS				
	Radius Rod Bushes - No Adjustment	1	TDUK-039	\$ Kt			
	Panhard Rod Bush Kit - TDPR-021,023	1	TDUK-031	\$ Kt			
	Coil Spacer - Fit with Bar & Winch	1	TDUK-084	\$ Kt			
	ABS Relocation & Vacuum Hose	1	TDSP-016	\$ Ea			
	Note: Must be fitt	ed t	to all Kits.				
i 🔂	Crossmember drop kit	1	TDSP-018	\$ Ea			
	Note: Must be fitted to all Kits.						

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	ا	RRP		
F	REAR INDIVIDUAL COMPONENTS						
	Radius Rod Bushes - No Adjustment	1	TDUK-039	\$	Kt		
	Panhard Rod Bush Kit -TDPR-010	1	TDUK-030	\$	Kt		
	Headlight Module Bracket	1	TDSP-017	\$	Ea		
Note: Must be fitted to all Kits.							


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	402267	\$	Ea	
	Fits Bottom Eyering	1	412773	\$	Ea	



JIMNY XL JB74 - 5 DOOR 09/2023 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr 1 Coil Springs **ABS** Relocation 1 Ea & Vacuum Hose **Castor Correction** 1 Kt Crossmember Drop Kit Ea 1 Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31000	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31013	\$ Ea				

COIL SPRINGS					
	40mm Lift	1	TDC1107	\$	Pr
Note: Fit TDUK-084 if vehicle has a Bar & Winch - all heights.					

COIL SPRINGS					
	40mm Lift	1	TDC1108	\$	Pr

CASTOR CORRECTION						
©	3 Degree	1	TDUK-063	\$	Kt	
Note: Must be fitted to all Kits.						

BRAKE HOSE KITS					
	Rubber Hose Rear - 40mm Lift	1	TDBH-404	\$	Kt
Note: Must be fitted to all Kits.					

STEERING DAMPERS					
-	Replacement Damper	1	EXT5928	\$	Ea
<u>~</u> ±.	Return-to-Center	1	SS5928-P/S	\$	Ea
•••••• <u>†</u>	SV 9 Stage Adjustable	1	SV5928	\$	Ea



SUZUKI JIMNY XL JB74 - 5 DOOR 09/2023 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FRONT INDIVIDUAL COMPONENTS							
	Coil Spacer - Fit with Bar & Winch	1	TDUK-084	\$ Kt				
	ABS Relocation & Vacuum Hose	1	TDSP-016	\$ Ea				
	Note: Must be fitt	ed	to all Kits.					
i 🔂	Crossmember Drop Kit	1	TDSP-018	\$ Ea				
Note: Must be fitted to all Kits.								

REAR								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
F	REAR INDIVIDUAL COMPONENTS							
	Bump Stop Spacer Kit	1	TDSP-037	\$	Kt			
Note: Must be fitted to all Kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	402267	\$	Ea		
	Fits Bottom Eyering	1	412773	\$	Ea		
	Radius Rod Bushes - Replaces OEM	1	TDUK-039	\$	Kt		

REAR RE	PLACEMENT BUS	SHE	ES (QTY PER SHO	CK)		
	Radius Rod Bushes - Replaces OEM	1	TDUK-039	\$	Kt	



SUZUK JIMNY XL JB74 - 5 DOOR 09/2023 ON EST. LIFT FRONT: 60MM | REAR: 60MM



COMING SOON



SUZUKI
JIMNY XL
JB74 - 5 DOOR
09/2023 ON
EST. LIFT FRONT: 60MM | REAR: 60MM



COMING SOON




SUZUKI LJ50, LJ80, LJ81 - 1974-81 SIERRA SJ40 - 1981-87 MARTOW TRACK) - 1990-92

Steering Damper (Optional)

Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber 2 Ea Leaf Spring Urethane Shackle bushes 1 Kt U-Bolt kits 2 Κt Greaseable Shackle kit 1 Κt



CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	ROGEN GAS - S	НО	CK ABSORBER		
	Up to 50mm Lift	2	BD1102T	\$ E	a

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - SH	10	CK ABSORBER	
<u> </u>	LJ80 & 80V 2 BD1102T	BD1102T		
	LJ80 & 80V - 50mm Lift	2	BD1104T	s Ea
	OE height	2	BD1364T	\$ Ea
8	50mm Lift	2	BD1366T	

LEAF SPRINGS					
مر یه	Up to Steel Bar	1	T61-LH	¢.	Ea
	- 50mm Lift	1	T61-RH	Þ	Еа

	LEAF S	PRIN	IGS		
	50mm Lift	1	T62-LH	4	Ea
	JUIIIII LIIL	1	T62-RH	Ф	⊏a

STEERING DAMPERS						
•	Replacement Damper	1	SD14030	\$	Ea	
<u>~</u> ± <u>.</u>	Return-to-Center	1	SS5611-M/S	\$	Ea	

FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-013	\$	Kt			
\cap	U-Bolt Kit	2	TDUB-041	\$	Kt			
	Greaseable Shackle Kit	1	TDGS-656	\$	Kt			

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle Bush Kit	1	TDUK-013	\$	Kt				
\cap	U-Bolt Kit	2	TDUB-041	\$	Kt				
\Box	Greaseable Shackle Kit	1	TDGS-656	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW959	\$	Ea			
	Fits Bottom Eyering	1	404702	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top & Bottom Eyering (For 1364, 1366)	2	404702	\$	Ea			
	Fits Top Pin (For 1102, 1104)	2	TW959	\$	Ea			
	Fits Bottom Eyering (For 1102, 1104)	1	404702	\$	Ea			





SUZUKI SIERRA SJ50, SJ51, SJ70 - 1984-04/1996 MARUTI MG410 (WIDE TRACK) - 1992-2000

4WD Suspension
Across the World

EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber 2 Ea Leaf Spring Urethane Shackle bushes 1 Kt 2 U-Bolt kits Kt Greaseable Shackle kit 1 Κt Steering Damper (Optional) Ea





CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - SH	10	CK ABSORBER	
	OE height	2	BD1364T	£ [
	50mm Lift	2	BD1366T	\$ Ea

LEAF SPRINGS						
	Up to Steel bar	1	T61-LH	•	Ea	
	- 50mm Lift	1	T61-RH	Ф	Ea	

LEAF SPRINGS					
مي يه	50mm Lift	1	T62-LH	¢.	Ea
	SOMM LIN	1	T62-RH	\$	Ea

STEERING DAMPERS						
-	Replacement Damper	1	SD14030	\$	Ea	
<u>~ ######</u>	Return-to-Center	1	SS5611-M/S	\$	Ea	

FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-013	\$	Kt			
\cap	U-Bolt Kit - P/S	1	TDUB-014	\$	Kt			
\cap	U-Bolt Kit - D/S	1	TDUB-013	\$	Kt			
	Greaseable Shackle kit	1	TDGS-656	\$	Kt			

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-013	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-014	\$	Kt		
	Greaseable Shackle kit	1	TDGS-656	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Eyering (For 1364, 1366)	2	404702	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Strut 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
	NITROGEN GAS - STRUT								
	OE Height - Shock only	2	BDS4613	\$	Ea				
	30mm Lift - Shock Includes Camber Bolt	2	BDS4000LR	\$	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - S	НО	CK ABSORBER	
	Up to 30mm Lift	2	FC31005	\$ Ea

	COIL SPF	RIN	IGS	
M 1 4 4 4 4	88-97 1.6L SWB	1	TDC814	\$ Pr
	91-97 1.6L LWB & 97-99 2.0L SWB	1	TDC816	\$ Pr
	95-03/98 2.0L V6 LWB	1	TDC818	\$ Pr
	98-05 1.6L SWB & 2.0L LWB	1	TDC834SL	\$ Pr
	98-05 2.5L V6 LWB	1	TDC834	\$ Pr
	01-06 2.7L V6 XL7 LWB	1	TDC834H	\$ Pr


COIL SPRINGS								
	88-03/98 SWB	1	TDC815	\$	Pr			
	91-03/98 LWB	1	TDC817	\$	Pr			
	04/98-07/05 SWB	1	TDC835SL	\$	Pr			
	04/98-07/05 LWB	1	TDC835	\$	Pr			
	07/01-06 XL7 Only	1	TDC838	\$	Pr			

STEERING DAMPERS					
-	Return-to-Center Suits 07/1988-1998	1	SS5614-M/S	\$	Ea

PANHARD ROD					
·	Adjustable Suits 1988 - 2006	1	TDPR-024	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	4W-SPF420-02	\$	Ea	





REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your v	ehicle						
	Shock Absorber	2	Ea					
II	Coil Springs	1	Pr					
i i se								

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		
А	SSEMBLED STRU	JTS	- FOAM CELL			
Assemble	ed struts are made up of	:1 x	Strut, 1 x Coil, 1 x Strut t	ор		
	Lin to Ctool Day	1	TOY-026/03-LH	\$ Ea		
	Up to Steel Bar	1	TOY-026/03-RH	ф са		
_	With Steel Bar & Winch	1	TOY-026/04-LH	¢ 5-		
		1	TOY-026/04-RH	\$ Ea		
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE					
3	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1	x Strut top		
	Lin to Ctool Day	1	TOY-026/01-LH	\$ Fa		
	Up to Steel Bar	1	TOY-026/01-RH	\$ Ea		
	With Steel Bar	1	TOY-026/02-LH	ф Г-		
	& Winch	1	TOY-026/02-RH	\$ Ea		

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ě	Up to 40mm Lift	2	FC41113	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM401113	\$ Ea

STRUT - FOAM CELL					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$	Ea
	STRUT -	40I	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$	Ea

COIL SPRINGS						
	OE Height	1	TDC974S	\$	Pr	
	Up to Steel Bar	1	TDC974	\$	Pr	
	With Steel Bar & Winch	1	TDC974H	\$	Pr	
			•			

COIL SPRINGS					
MILAAAA	0-300kg load	1	TDC912	\$	Pr
	CONSTANT 300kg load	1	TDC912L	\$	Pr
	CONSTANT 500kg load	1	TDC912HL	\$	Pr


FRONT INDIVIDUAL COMPONENTS						
1 0	Strut Top	2	TOY-1083	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Î	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
8	Fits Bottom Eyering	1	ADJ00191	\$	Ea		









CONTENT	DESCRIPTION	ΩTY	PART NO	RRP					
ASSEMBLED STRUTS - FOAM CELL									
Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top									
	No Accessories	1	TOY-026/03-LH	·\$ Ea					
	No Accessories	1	TOY-026/03-RH	р ⊏а					
	With Steel Bar	1	TOY-027/06-LH	-\$ Ea					
		1	TOY-027/06-RH	-\$ Ea					
_	With Bar & Winch	1	TOY-027/07-LH	¢ 5-					
*		1	TOY-027/07-RH	-\$ Ea					
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled Struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top					
	No Accessories	1	TOY-026/01-LH	¢					
Ü	No Accessories	1	TOY-026/01-RH	\$ Ea					
	With Ctool Do-	1	TOY-027/02-LH	-\$ Fa					
	With Steel Bar	1	TOY-027/02-RH	-\$ Ea					
	Mitte Dec 9 Mines	1	TOY-027/03-LH	¢ 5-					
	With Bar & Winch	1	TOY-027/03-RH	-\$ Ea					

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
F	FOAM CELL - SHO	OCK	(ABSORBER	
ů	Up to 40mm Lift	2	FC43016	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM403016	\$ Ea

STRUT - FOAM CELL							
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$	Ea		
	STRUT - 40MM ADJUSTABLE						
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$	Ea		

	COIL SPI	RIN	IGS	
	No Accessories	1	TDC974	\$ Pr
	Up to Steel Bar	1	TDC983	\$ Pr
~~~~~	With Steel Bar & Winch	1	TDC974H	\$ Pr

COIL SPRINGS							
	0-300kg load	1	TDC913L	\$	Pr		
	CONSTANT 300kg load	1	TDC913HL	\$	Pr		
<b>~~~~</b>	CONSTANT 500kg load	1	TDC913VHL	\$	Pr		

	PANHARI	) F	ROD	
•	Adjustable	1	TDPR-020	\$ Ea





FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
UPPER CONTROL ARMS									
UU	Upper Control Arms	1	TDCA-002	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
AIR ASSIST - COIL INSERT AIR BAGS									
	Coil Insert Bag Kit - OEM Height	1	TDAA-019	\$	Kt				
	Coil Insert Bag Kit - 35mm Lift	1	TDAA-003	\$	Kt				
Note: Separate Air Assist components can be viewed on page 14									

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS								
	Bush Kit to fit 1x UCA - for TDCA-002	1	TDSK-001	\$	Ea			
	Ball Joint Kit to fit 1x UCA - for TDCA-002	1	TDSK-002	\$	Ea			

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			

FRONT INDIVIDUAL COMPONENTS							
<b>-E</b> :0	Strut Top	2	TOY-1083	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
•	Transmission Spacer Kit	1	TDSP-010	\$	Ea			
<b>Note:</b> Must be fitted to all kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Bottom Eyering	1	415024	\$	Ea	




## 4RUNNER IFS/LEAF REAR 11/1985-1989 EST. LIFT FRONT: 50MM | REAR: 50MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea





CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1350T	\$ Ea		
	50mm Lift	2	BD1377T	р са		
	FOAM CELL - SHOCK ABSORBER					
	OE Height	2	FC41350	\$ Ea		
I	50mm Lift	2	FC41377	<b>ў</b> Еа		
	40MM ADJUSTA	\ΒL	E - SHOCK ABSO	RBER		
	OE Height	2	BM401350	\$ Ea		
	50mm Lift	2	BM401377	\$ Ea		

TORSION BAR						
-	26mm / 1064mm	1	4WTB-1646	\$	Pr	
- Er	Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

	LEAF SPI	RIN	IGS		
	0-300kg load	1	T46C-LH	\$	Ea
مر یہ	0-300kg load	1	T46C-RH	\$	Ea
	CONSTANT 300kg load	1	T46L-LH	\$	Ea
	CONSTANT 300kg load	1	T46L-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered					

STEERING DAMPERS					
-	Replacement Damper	1	EXT5510	\$	Ea
○ <del></del>	Return-to-Center	1	SS5510-P/S	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-015	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt	
T	Greaseable Shackle kit	1	TDGS-386	\$	Kt	
	Greaseable Pin kit	1	TDGP-385	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	TW038-16	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits Top And Bottom Eyering	2	ADJ00191	\$	Ea



4RUNNER
IFS/COIL REAR
1989-1996
EST. LIFT FRONT: 50MM | REAR: 50MM







CONTENT	DESCRIPTION	ΩT	PART NO	RRP
ı	FOAM CELL - SHO	OCK	ABSORBER	
	Up to 50mm Lift	2	FC41127B	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41108	\$ Ea		
•	50mm Lift	2	FC41113	ф Еа		
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
8	OE Height	2	BM401108	\$ Ea		
	50mm Lift	2	BM401113	ф са		

TORSION BAR					
	26mm / 1064mm	1	4WTB-1646	\$	Pr
- Er	Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.				

COIL SPRINGS						
	OE Height	1	TDC946S	\$	Pr	
	0-300kg load	1	TDC946	\$	Pr	
	CONSTANT 300kg load	1	TDC946H	\$	Pr	

STEERING DAMPERS						
	Replacement Damper	1	EXT5510	\$	Ea	
<u>~</u> ±.	Return-to-Center	1	SS5510-P/S	\$	Ea	

	PANHARI	) R	OD	
o <del></del>	Adjustable	1	TDPR-008	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	TW038-16	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	ea	
8	Fits Bottom Eyering	1	ADJ00191	\$	Ea	





## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Ea 2 Leaf Springs Leaf Springs Fitment Kit Kt 1 1 Steering Damper (Optional) Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
8 8 ••• 1 1								

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - SI	100	CK ABSORBER	
	OE Height	2	BD1134T	-\$ Ea
	50mm Lift	2	BD1109T	ф La
	FOAM CEL	L - :	SHOCK ABSORB	ER
	OE Height	2	FC41134	-\$ Ea
o o	50mm Lift	2	FC41109	φ La
	40MM ADJUSTA	۱BI	E - SHOCK ABSO	DRBER
	OE Height	2	BM401134	
	50mm Lift	2	BM401109	-\$ Ea

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
NIT	ROGEN GAS - SI	100	CK ABSORBER	
	OE Height - 04/1979 - 1983	2	BD1382T	
	50mm Lift - 04/1979 - 1983	2	BD1388T	-\$ Ea
	OE Height - 11/1983 - 1997	2	BD1350T	\$ Ea
	50mm Lift - 11/1983 - 1997	2	BD1377T	
	FOAM CEL	L - :	SHOCK ABSORBI	ĒR
<u> </u>	OE Height - 04/1979 - 1983	2	FC41382	
	50mm Lift - 04/1979 - 1983	2	FC41388	-\$ Ea
I	OE Height - 11/1983 - 1997	2	FC41350	ъ са
8	50mm Lift - 11/1983 - 1997	2	FC41377	
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER
	OE Height - 04/1979 - 1983	2	BM401382	
	50mm Lift - 04/1979 - 1983	2	BM401388	¢
	OE Height - 11/1983 - 1997	2	BM401350	-\$ Ea
	50mm Lift - 11/1983 - 1997	2	BM401377	

	LEAF SP	RI	NG		
•	Up to Steel bar	1	T75-LH	\$	Ea
		1	T75-RH	\$	Ea
	Steel Bar & Winch	1	T78-LH	\$	Ea
		1	T78-RH	\$	Ea
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered					

LEAF SPRINGS						
	0-300kg load	1	T46C-LH	\$	Ea	
	0-300kg load	1	T46C-RH	\$	Ea	
	CONSTANT 300kg load	1	T46L-LH	\$	Ea	
	CONSTANT 300kg load	1	T46L-RH	\$	Ea	
	CONSTANT 500kg load	2	BP-002-XHD	\$	Ea	
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered						





FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PAR'	RRP			
LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush Kit			TDUK-014			
$\cap$	U-Bolt Kit			TDUB-015			
$\cap$	U-Bolt Kit	1	TDEK 022	TDUB-016	ф 1/4		
	Greaseable Shackle Kit		TDFK-023	TDGS-384	\$ Kt		
	Greaseable Pin Kit			TDGP-385			
O	Adjustable Diff Locator			TDDL-001			

REAR								
CONTENT	DESCRIPTION	QΤΥ	PAR [*]	RRP				
LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-015				
$\cap$	U-Bolt Kit	1	TDFK-022	TDUB-016	\$ Kt			
	Greaseable Shackle Kit			TDGS-386	φ Ki			
••••§•••	Greaseable Pin Kit			TDGP-385				

STEERING DAMPERS						
	Replacement Damper	1	EXT5500	\$	Ea	
<u>~</u> ±	Return-to-Center	1	SS5500-M/S	\$	Ea	
<u>~</u> ±	Return-to-Center	1	SS5500-P/S	\$	Ea	
• <u> </u>	SV 9 Stage Adjustable	1	SV5500	\$	Ea	

FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-014	\$	Kt		
$\cap$	U-Bolt Kit - Driver Side	1	TDUB-015	\$	Kt		
$\cap$	U-Bolt Kit - Passenger Side	1	TDUB-016	\$	Kt		
	Greaseable Shackle Kit	1	TDGS-384	\$	Kt		
	Greaseable Pin Kit	1	TDGP-385	\$	Kt		
0	Adjustable Diff Locator	1	TDDL-001	\$	Ea		
Fits with all kits							

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-015	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-016	\$	Kt	
$\Box$	Greaseable Shackle Kit	1	TDGS-386	\$	Kt	
	Greaseable Pin Kit	1	TDGP-385	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	412773	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits Top And Bottom Eyering - For #1350, #1377	2	ADJ00191	\$	Ea
	Fits Top And Bottom Eyering - For #1382, #1388	2	404702	\$	Ea



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
ů	50mm Lift	2	FC41127B				
Š	100mm Lift	2	FC41127/4B	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1350T	\$ Ea			
	50mm Lift	2	BD1377T	р са			
<u> </u>	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41350				
	50mm Lift	2	FC41377	\$ Ea			
	100mm Lift	2	FC41377/4				
8	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
	OE Height	2	BM401350	¢			
	50mm Lift	2	BM401377	\$ Ea			

TORSION BAR					
-	26mm / 1064mm	1	4WTB-1646	\$	Pr
Adjust Torsion Bars after fitting shocks					
- En	sure a minimum of 60m	m c	lroop is maintained.		

LEAF SPRINGS					
	0-300kg load	2	BP-007	\$	Ea
	CONSTANT 300kg load	2	BP-007H	\$	Ea
	CONSTANT 500kg load	2	BP-007HH	\$	Ea

STEERING DAMPERS					
	Replacement Damper	1	EXT5510	\$	Ea
<b>○──₩₩₩</b> ‡	Return-to-Center	1	SS5510-P/S	\$	Ea



	FRO	TNC		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

REAR													
CONTENT	DESCRIPTION	QTY	PART NO		PART NO		PART NO		PART NO		PART NO		RRP
LEAF SPRING FITMENT KIT													
	Urethane Shackle Bush kit			TDUK-065									
$\cap$	U-Bolt kit	1 TDFK-024	TDEK-024	TDUB-016	\$ Kt								
	Greaseable Shackle kit			TDGS-386/1	ΨKt								
	Greaseable Pin kit			TDGP-668									


REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-065	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt		
$\Box$	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
	Fits Bottom Eyering	1	TW038-16	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top and Bottom Eyering	2	ADJ00191	\$	Ea	









CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ů	50mm Lift	2	FC41127B	
8	100mm Lift	2	FC41127B/4	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	NITROGEN GAS - SHOCK ABSORBER					
	OE Height - RHS	1	BD1350T			
	OE Height - LHS	1	BD1377T	\$ Ea		
	50mm Lift	2	BD1377T			
<u> </u>	FOAM CELI		SHOCK ABSORBI	ĒR		
	OE Height - RHS	1	FC41350			
	OE Height - LHS	1	FC41377			
	50mm Lift	2	FC41377	\$ Ea		
8	100mm Lift	2	FC41377/4			
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER		
	OE Height - RHS	1	BM401350			
	OE Height - LHS	1	BM401377	\$ Ea		
	50mm Lift	2	BM401377			

TORSION BAR						
	26mm / 1064mm	1	4WTB-1646	\$	Pr	
- En	Adjust Torsion Bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

LEAF SPRINGS						
	0.200111	1	T79C-LH	¢	Ea	
	0-300kg load	1	T79C-RH	\$	Ea	
	CONSTANT 300kg load	1	T79L-LH	<u></u>		
		1	T79L-RH	\$	Ea	
	CONSTANT 500kg load	1	T79LL-LH	Φ.		
		1	T79LL-RH	\$	Ea	
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered						

STEERING DAMPERS							
P(CCCC)	HD Steering Damper	1	EXT5510	\$	Ea		
<u> </u>	Return-to-Center	1	SS5513-P/S	\$	Ea		
○€ <b>■■■</b>	SV 9 Stage Adjustable	1	SV5513	\$	Ea		



CONTENT	DESCRIPTION	QTY	PART NO		RRP		
LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush kit				TDUK-038		
$\bigcap$	U-Bolt kit		TDEK 005	TDUB-016			
***************************************	Greaseable Shackle kit	1	TDFK-025	TDGS-386/1	\$ Kt		
	Greaseable Pin kit			TDGP-668			


REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-038	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
	Fits Bottom Eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top and Bottom Eyering	2	ADJ00191	\$	Ea	









CONTENT	DESCRIPTION	ΩT	PART NO	RRP
А	SSEMBLED STRU	JTS	- FOAM CELL	
Assem	bled Struts are made up of	f: 1 x S	strut, 1 x Coil, 1 x Strut top	
	Up to Steel Bar	1	TOY-026/03-LH	-\$ Ea
		1	TOY-026/03-RH	ъ ⊏а
	With Steel Bar & Winch	1	TOY-026/04-LH	-\$ Ea
_		1	TOY-026/04-RH	-\$ Ea
*	0511:11	1	TOY-026/06-LH	ф <b>Г</b> -
3	OE Height	1	TOY-026/06-RH	-\$ Ea
•	ASSEMBLED ST	ΓRU	TS - 40MM ADJUS	STABLE
Ţ	Assembled Struts are	made	up of: 1 x Strut, 1 x Coil, 1 x	Strut top
Ū	Lie te Ote el Des	1	TOY-026/01-LH	Φ 5-
	Up to Steel Bar	1	TOY-026/01-RH	\$ Ea
	With Steel Bar	1	TOY-026/02-LH	ф <b>Г</b> -
	& Winch	1	TOY-026/02-RH	-\$ Ea

CONTENT	DESCRIPTION	ΩT	PART NO	RRP	
FOAM CELL - SHOCK ABSORBER					
	OE Height	2	FC41350	\$ Ea	
	40mm Lift	2	FC41376	ф La	
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER	
8	OE Height	2	BM401350	s Ea	
	40mm Lift	2	BM401376	ф Еа	

	STRUT - FO	ΑN	I CELL	
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea
I	STRUT -	40I	MM ADJUSTABLE	
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea

	COIL SPF	RIN	IGS	
	OE Height	1	TDC974S	\$ Pr
	Up to Steel Bar	1	TDC974	\$ Pr
<b>600000</b>	With Steel Bar & Winch	1	TDC974H	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	T80C	\$ Ea
CONSTANT 300kg load	2	T80L	\$ Ea
CONSTANT 500kg load	2	T80LL	\$ Ea





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

	REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush kit							
$\bigcap$	U-Bolt kit	1	TDFK-026	\$ Kt				
***************************************	Greaseable Shackle kit	'	1DFK-020	φ Κι				
**************************************	Greaseable Pin kit							

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-002	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag Kit - OE Height	1	TDAA-123	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-112	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-002	1	TDSK-001	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-002	1	TDSK-002	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
<b>-1</b> -0	Strut Top	2	TOY-1083	\$	Ea


AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

FRONT INDIVIDUAL COMPONENTS						
<b>-1</b> -0	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Sway Bar Spacer kit - 76mm hole spacing	1	TDSP-011	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-067	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-389	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering	2	415024	\$	Ea	
2	Fits Bottom Eyering	2	ADJ00191	\$	Ea	





**Note:** The new 2022 Toyota Hilux Rogue Wide Track from October 2022 onwards is not compatible with the Tough Dog suspension kits offered. It is wider than the current Hilux Rogue on offer. We currently do not have suspension for the October 2022 onwards Toyota Hilux Rogue Wide Track

Pr

1

## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 1 Ea

Upper Control Arms (Optional)

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
	SSEMBLED STRU			TAIN			
Assem	bled Struts are made up of	f: 1 x S	trut, 1 x Coil, 1 x Strut top				
	Up to Steel bar	1	TOY-027/05-LH	-\$ Ea			
	- OE Height	1	TOY-027/05-RH				
	No Accessories	1	TOY-027/06-RH	-\$ Ea			
	No Accessories	1	TOY-027/06-LH	Ф Са			
	With Steel Bar	1	TOY-027/07-LH	-\$ Ea			
		1	TOY-027/07-RH	-\$ Ea			
	With Steel Bar & Winch	1	TOY-027/08-LH	<b>6 5</b> -			
*		1	TOY-027/08-RH	-\$ Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are	made	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
Ţ	Up to Steel bar	1	TOY-027/01-LH	<b>6 5</b> -			
Ü	- OE Height	1	TOY-027/01-RH	\$ Ea			
		1	TOY-027/02-RH	<b>6 5</b> -			
	No Accessories	1	TOY-027/02-LH	\$ Ea			
	M. 01   15	1	TOY-027/03-LH				
	With Steel Bar	1	TOY-027/03-RH	\$ Ea			
	With Steel Bar	1	TOY-027/04-LH				
	& Winch		TOY-027/04-RH	\$ Ea			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	40mm Lift - Comfort Use Only	2	BD3015T	\$ Ea		
	FOAM CELI	<b>-</b> -	SHOCK ABSORBE	ĒR		
	OE Height only	2	FC43014	\$ Ea		
2	40mm Lift - Super Soft	2	FC43036	\$ Ea		
	40mm Lift	2	FC43015	\$ Ea		
ŏ	FC43036 valving suitable for Supper Soft Comfort only. Shock control is not suitable for CONSTANT 300kg, 500kg, or 800kg load leaf springs. Do not use with these springs. Use this shock only with 0-300kg load springs					
	40MM ADJUSTA	Bl	E - SHOCK ABSC	RBER		
	OE Height	2	BM403014	¢ Fa		
	40mm Lift	2	BM403015	\$ Ea		

STRUT - FOAM CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$	Ea
	STRUT -	40I	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$	Ea

	LEAF SPI	RIN	IGS	
•	0-300kg load	2	T81C	\$ Ea
	CONSTANT 300kg load	2	T81L	\$ Ea
	CONSTANT 500kg load - Use TDUB-016HD	2	T81LL	\$ Ea
	CONSTANT 800kg load - Use TDUB-016HD	2	T81XHD	\$ Ea

FOR GVM UPGRADES, SEE PAGE 246



HILUX GUN125R, GUN126R, GGN125R - 4X4 10/2015 ON EST. LIFT FRONT: 40MM | REAR: 40MM



**Note:** The new 2022 Toyota Hilux Rogue Wide Track from October 2022 onwards is not compatible with the Tough Dog suspension kits offered. It is wider than the current Hilux Rogue on offer. We currently do not have suspension for the October 2022 onwards Toyota Hilux Rogue Wide Track

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
COIL SPRINGS							
	OE Height	1	TDC983S	\$	Pr		
	No Accessories	1	TDC983	\$	Pr		
	With Steel bar	1	TDC974H	\$	Pr		
	With Steel Bar & Winch	1	TDC974HH	\$	Pr		

REAR							
CONTENT	DESCRIPTION	QTY	PAR'	PART NO			
LEAF	SPRING FITMENT	Κľ	T - SUITS	T81C & I	-		
	Urethane Shackle bush kit		TDUK-067				
	U-Bolt kit		TDE1/ 007	TDUB-016	<b>.</b>		
$\cap$	Greaseable Shackle kit	1	1 T	TDFK-027	TDGS-392	\$ Kt	
1 1	Greaseable Pin kit			TDGP-668			
	LEAF SPRING FIT	M	ENT KIT -	SUITS L	L & XHD		
***************************************	Urethane Shackle bush kit			TDUK-067			
	U-Bolt kit		TDEK 000	TDUB-016HD	Φ 14		
<u>-</u>	Greaseable Shackle kit	1	TDFK-028	TDGS-392	\$ Kt		
- 1	Greaseable Pin kit			TDGP-668			

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-002	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-002	1	TDSK-001	\$	Ea		
	Ball joint kit to fit one	1	TDSK-002	\$	Ea		

FRONT INDIVIDUAL COMPONENTS						
<b>-1</b> ••	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Sway Bar Spacer kit - 86mm hole spacing	1	TDSP-023	\$	Ea	

AIR ASSIST - BELLOWS AIR BAGS							
	Bellows Bag kit - OEM Height	1	TDAA-122	\$	Kt		
	Bellows Bag kit - 40mm Lift	Bellows Bag kit - 40mm Lift 1 TDAA-113 \$					
<b>Note:</b> Separate Air Assist components can be viewed on page 14.							

	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	
--	----------------------------------------------	---	----------	----	----	--

**AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM** 

	Urethane Shackle Bush kit	1	TDUK-067	\$ Kt
$\cap$	U-Bolt kit	2	TDUB-016	\$ Kt
Λ	U-Bolt kit - fits with T81LL & T81XHD	2	TDUB-016HD	\$ Kt
	Greaseable Shackle kit	1	TDGS-392	\$ Kt
	Greaseable Pin kit	1	TDGP-668	\$ Kt

**REAR INDIVIDUAL COMPONENTS** 

Note: Fit driveshaft spacer kit if vibration occurs

Driveshaft Spacer kit

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	


REAR RE	PLACEMENT BUS	SHE	ES (QTY PER SH	OCK)	)
8	Fits Top and Bottom Eyering	2	ADJ00191	\$	Ea

**TDSP-010** 

Ea









CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	STRUT - FOAM CELL						
i	OEM Height - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea			
	STRUT -	40I	MM ADJUSTABLE				
	OEM Height - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OEM Height	2	FC43015	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
ŏ	OEM Height	2	BM403015	\$ Ea				

Note: The Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions, instead these solutions assist the vehicle to carry its maximum OEM payload without suspension sag.

LEAF SPRINGS						
	CONSTANT 200kg load	2	T81C	\$	Ea	
مر یہ	CONSTANT 400kg load	2	T81L	\$	Ea	
	CONSTANT 600kg load - Use TDUB-016HD	2	T81LL		Ea	
	CONSTANT 900kg load - Use TDUB-016HD	2	T81XHD	\$	Ea	





FRONT					
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	

REAR						
CONTENT	DESCRIPTION	QTY	PAR'	RRP		
LEAF S	SPRING FITMENT	Κľ	T - SUITS	T81C & I		
	Urethane Shackle Bush kit			TDUK-067		
	U-Bolt kit			TDUB-016		
$\cap$	Greaseable Shackle kit	1	TDFK-027	TDGS-392	\$ Kt	
1 1	Greaseable Pin kit			TDGP-668		
	LEAF SPRING FIT	M	ENT KIT -	SUITS LI	_ & XHD	
****	Urethane Shackle Bush kit			TDUK-067		
	U-Bolt kit	1			TDUB-016HD	
	Greaseable Shackle kit		TDFK-028	TDGS-392	\$ Kt	
- 1	Greaseable Pin kit			TDGP-668		

FRONT INDIVIDUAL COMPONENTS						
<b>-E-0</b>	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Sway Bar Spacer kit - 86mm hole spacing	1	TDSP-023	\$	Ea	

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush kit	1	TDUK-067	\$	Kt
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt
Λ	U-Bolt kit - Fits with T81LL & T81XHD	2	TDUB-016HD	\$	Kt
	Greaseable Shackle kit	1	TDGS-392	\$	Kt
§	Greaseable Pin kit	1	TDGP-668	\$	Kt
	Driveshaft Spacer kit	1	TDSP-010	\$	Ea
Note: Fit driveshaft spacer kit if vibration occurs					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
2	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top and Bottom Eyering	2	ADJ00191	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 246

## **GVM UPGRADE**



## TOYOTA HILUX N80

4x2/4x4 'SINGLE CAB' GUN125R (WORKMATE)/GUN126R (SR) - 2015 ON 4x2/4x4 'EXTRA CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON 4x2/4x4 'DOUBLE CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON 2950_{KG*}

3510_{KG*}



## WHAT YOU GET:

- EXTRA PAYLOAD UP TO 610KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1450KG	1510KG				
REAR AXLE RATING	1700KG	2000KG				
ORIGINAL GVM 4X4	3000KG - 3100KG	3510KG				
ORIGINAL GVM 4X2	2900KG - 3100KG	3510KG				
TOWING CAPACITY (BRAKED)	3500KG	3500KG*				
GROSS COMBINED MASS (GCM) 4X4	5850KG*	5850KG*				
GROSS COMBINED MASS (GCM) 4X2	5650KG**	5650KG**				

Towing & GCM are not altered by Tough Dog GVM upgrades.
 Payload increase is based on model variant.
 *4x4 From 09/2020, **4x2 From 09/2020





FRONT					
CONTENT	DESCRIPTION	۵T	PART NO	RRP	
	STRUT - FO	ΑN	I CELL		
i	OE Height - Right Hand Side - Strut Only/ No Coil/ No Strut top	1	FC31010	\$ E	а
•	OE Height - Left Hand Side - Strut Only/ No Coil/ No Strut top	1	FC31011	\$ E	ā

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
ŀ	FOAM CELL - SHO	OCK	ABSORBER			
	OE Height	2	FC41350	\$	Ea	

Note: The Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions, instead these solutions assist the vehicle to carry its maximum OEM payload without suspension sag.

LEAF SPRINGS - 25MM EYERING							
<u> </u>	0-1000kg load	2	Т82	\$	Ea		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-086	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	



## TOYOTA HILUX ROGUE WIDEBODY 2023 ON EST. LIFT FRONT: 40MM | REAR: 40MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 1 Ea

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	You need to order the following items for the rear end of your vehicle.					
	Shock Absorber	2	Ea			
	Leaf Springs	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			
	Bellows Airbag (Optional)	1	Kt			
▎▕▋▋██░░░░░▀▀▀						

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemi	bled Struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top				
	No Accessories	1	TOY-017	\$	Ea		
*	With Steel Bar & Winch	1	TOY-018	\$	Ea		
<b>3</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top						
Ţ	No Accessories	1	TOY-015	\$	Ea		
	With Steel Bar & Winch	1	TOY-016	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ě	Up to 40mm Lift	2	FC43052	\$ Ea
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM403052	\$ Ea

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404936	\$	Ea	
I	STRUT -	STRUT - 40MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404936	\$	Ea	

	COIL SPI	RIN	IGS	
M 1 4 4 4 4	No Accessories	1	TDC1084	\$ Pr
	With Steel Bar & Winch	1	TDC1100	\$ Pr

	LEAF SPI	RIN	IGS	
0 0	0-300kg load	2	T81C	\$ Ea
	CONSTANT 300kg load	2	T81L	\$ Ea
	CONSTANT 500kg load	2	T81LL	\$ Ea
	CONSTANT 800kg load	2	T81XHD	\$ Ea





FRONT						
CONTENT	DESCRIPTION	ΣTΥ	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush kit						
$\cap$	U-Bolt kit	1	TDFK-038	\$	Kt		
	Greaseable Shackle kit		1DFK-036	Φ	Νί		
	Greaseable Pin kit						

AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag kit - OEM Height	1	TDAA-137	\$	Kt	
	Bellows Bag kit - 40mm Lift	1	TDAA-138	\$	Kt	
<b>Note:</b> Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-002	\$	Kt	
	2 Gal. Air Tank - Upgrade for existing Wireless Air Assist	1	TDAS-004	\$	Kt	
	2 Gal. Air Tank - Complete kit with Control Module	1	TDAS-003	\$	Kt	
Note: Full Wireless Air Kit details can be viewed on page 15.						

FRONT INDIVIDUAL COMPONENTS						
<b>-1</b> €-0	Strut Top	2	TOY1083	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-067	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-042	\$	Kt		
	Greaseable Shackle kit	1	TDGS-392	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		



TOYOTA
HILUX
GR SPORT
2023 ON
EST. LIFT FRONT: 20MM | REAR: 20MM



## **COMING SOON**



TOYOTA
HILUX
GR SPORT
2023 ON
EST. LIFT FRONT: 20MM | REAR: 20MM



**COMING SOON** 





FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP
	STRUT - FO	ΑN	CELL		
i	OE Height - Right Hand Side - Strut Only/ No Coil/ No Strut top	1	FC31010	\$	Ea
•	OE Height - Left Hand Side - Strut Only/ No Coil/ No Strut top	1	FC31011	\$	Ea

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	OCK	ABSORBER				
	OE Height	2	FC31012	\$ Ea			



THIS PAGE IS INTENTIONALLY BLANK

253






RONT: 50MM | REAR: 50MM

### **FRONT**

### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.




Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea

### **REAR**

### **REAR SUSPENSION CHECK LIST**

You need to order the following items for the rear end of your vehicle.



R	s for the real end of your ve	ilicie.	
	Shock Absorber	2	Ea
	Leaf Spring	2	Ea
	Urethane Shackle bushes	1	Kt
	U-Bolt kits	2	Kt
	Greaseable Shackle kit	1	Kt
	Greaseable Pin kit	1	Kt

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	Ck	ABSORBER		
	OE Height	2	FC41364	\$	Ea
ů	50mm Lift	2	FC41366	\$	Ea
	40MM ADJUSTA	ιBI	LE - SHOCK ABSO	RBE	R
8	OE Height	2	BM401364	\$	Ea
	50mm Lift	2	BM401366	\$	Ea

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	OE Height - FJ40, FJ42 Chassis #19114	2	FC41366	-\$ Ea
	50mm Lift - FJ40, FJ42 Chassis #19114	2	FC41382	Ф Еа
	OE Height - FJ40, FJ42 Chassis #19115 On	2	FC41382	e
	50mm Lift - FJ40, FJ42 Chassis #19115 On	2	FC41388	\$ Ea
	40MM ADJUSTA	BL	LE - SHOCK ABSC	RBER
8	OE Height - FJ40, FJ42 Chassis #19114	2	BM401366	-\$ Ea
	50mm Lift - FJ40, FJ42 Chassis #19114	2	BM401382	р са
	OE Height - FJ40, FJ42 Chassis #19115 On	2	BM401382	-\$ Ea
	50mm Lift - FJ40, FJ42 Chassis #19115 On	2	BM401388	φ Ea

LEAF SPRINGS - 25MM EYERING					
	Up to Steel Bar	2	BP-009	\$	Ea
	With Steel Bar & Winch	2	BP-009H	\$	Ea

LEAF SPRINGS - 25MM EYERING						
م ب	0-300kg load	2	BP-010	\$	Ea	
	CONSTANT 300kg load	2	BP-010H	\$	Ea	

FRONT INDIVIDUAL COMPONENTS - 25MM EYERING						
	Urethane Shackle bushes	1	TDUK-016	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-343	\$	Kt	
§	Greaseable Pin kit	1	TDGP-346	\$	Kt	

REAR INDIVIDUAL COMPONENTS - 25MM EYERING						
	Urethane Shackle bushes	1	TDUK-016	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-343	\$	Kt	
	Greaseable Pin kit	1	TDGP-346	\$	Kt	



# TOYOTA LANDCRUISER 40, 42 SERIES 12/1977-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	ξ	PART NO	RRP			
LEAF SPRINGS - 35MM EYERING							
مر یہ	Up to Steel Bar	2	BP-011	\$	Ea		
	With Steel Bar & Winch	2	BP-011H	\$	Ea		

REAR							
CONTENT	DESCRIPTION	Ψ	PART NO	RRP			
LEAF SPRINGS - 35MM EYERING							
مي يه	0-300kg load	2	BP-012	\$	Ea		
	CONSTANT 300kg load	2	BP-012H	\$	Ea		

FRONT INDIVIDUAL COMPONENTS - 35MM EYERING							
	Urethane Shackle bushes	1	TDUK-012	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle kit	1	TDGS-348	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-351	\$	Kt		

REAR INDIVIDUAL COMPONENTS - 35MM EYERING						
	Urethane Shackle bushes	1	TDUK-012	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-348	\$	Kt	
<u>-</u>	Greaseable Pin kit	1	TDGP-351	\$	Kt	

STEERING DAMPERS							
	Replacement Damper	1	EXT5511	\$	Ea		
<u>~ ₩₩₩₩,[±].</u>	Return-to-Center (Non Power Steer)	1	SS5511-M/S	\$	Ea		
<u>~,±</u>	Return-to-Center (Power Steer)	1	SS5511-P/S	\$	Ea		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Eyering	2	404702	\$	Ea		





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Ea 2 Leaf Spring Urethane Shackle bushes 1 Kt U-Bolt kits 2 Κt Greaseable Shackle kit 1 Kt Greaseable Pin kit Kt Steering Damper (Optional) Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	OE Height	2	FC41364	\$	Ea				
ě	50mm Lift	2	FC41366	\$	Ea				
	40MM ADJUSTA	BL	.E - SHOCK ABSO	DRB	ER				
ŏ	OE Height	2	BM401364	\$	Ea				
	50mm Lift	2	BM401366	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41382	\$ Ea				
	50mm Lift	2	FC41388	\$ Ea				
	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER				
8	OE Height	2	BM401382	\$ Ea				
	50mm Lift	2	BM401388	\$ Ea				

LEAF SPRINGS - 45 SERIES - 30MM EYES							
	Up to Steel Bar	2	BP-013	\$	Ea		
	With Steel Bar & Winch	2	BP-013H	\$	Ea		

LEAF SPRINGS - 45 SERIES - 30MM EYES							
	0-300kg load	2	BP-014	\$	Ea		
	CONSTANT 300kg load	2	BP-014H	\$	Ea		

FRONT INDIVIDUAL COMPONENTS - 45 SERIES							
	Urethane Shackle bushes	1	TDUK-016	\$	Kt		
$\cap$	U-Bolt kit	1	TDUB-017	\$	Kt		
$\cap$	U-Bolt kit	1	TDUB-018	\$	Kt		
	Greaseable Shackle kit	1	TDGS-343	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-346	\$	Kt		

REAR INDIVIDUAL COMPONENTS - 45 SERIES								
	Urethane Shackle bushes	1	TDUK-017	\$	Ea			
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Ea			
	Greaseable Shackle kit	1	TDGS-344/5	\$	Ea			
	Greaseable Pin kit	1	TDGP-347	\$	Ea			



# TOYOTA LANDCRUISER 45, 47 SERIES 01/1965-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
LEAI	LEAF SPRINGS - 47 SERIES - 35MM EYES							
مر به	Up to Steel Bar	2	BP-015	\$	Ea			
	With Steel Bar & Winch	2	BP-015H	\$	Ea			

REAR							
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
LEA	LEAF SPRINGS - 47 SERIES - 35MM EYES						
	0-300kg load	2	BP-016	\$	Ea		
	CONSTANT 300kg load	2	BP-016H	\$	Ea		

FRONT	FRONT INDIVIDUAL COMPONENTS - 47 SERIES							
	Urethane Shackle bushes	1	TDUK-012	\$	Kt			
$\cap$	U-Bolt kit	1	TDUB-017	\$	Kt			
$\cap$	U-Bolt kit	1	TDUB-018	\$	Kt			
	Greaseable Shackle kit	1	TDGS-348	\$	Kt			
<b>****</b>	Greaseable Pin kit	1	TDGP-351	\$	Kt			

REAR INDIVIDUAL COMPONENTS - 47 SERIES							
	Urethane Shackle bushes	1	TDUK-012	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt		
$\Box$	Greaseable Shackle kit	1	TDGS-349/5	\$	Kt		
	Greaseable Pin kit	1	TDGP-351	\$	Kt		

STEERING DAMPERS						
	Replacement Damper	1	EXT5511	\$	Ea	
<u> </u>	Return-to-Center (Non Power Steer)	1	SS5511-M/S	\$	Ea	
<u></u>	Return-to-Center (Power Steer)	1	SS5511-P/S	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering	2	404702	\$	Ea	





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Shock Absorber Ea 2 Leaf Spring Urethane Shackle bushes 1 Kt U-Bolt kits 2 Kt Greaseable Shackle kit 1 Kt Greaseable Pin kit Kt Steering Damper (Optional) Ea Offset King Pin (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	OE Height	2	FC41113	\$ Ea					
	50mm Lift	2	FC41163	\$ Ea					
	40MM ADJUSTA	BL	E - SHOCK ABSO	DRBER					
ŏ	OE Height	2	BM401113	\$ Ea					
	50mm Lift	2	BM401163	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	OE Height - 11/80 - 10/85	2	FC41366	\$ Ea					
	50mm Lift - 11/80 - 10/85	2	FC41382	\$ Ea					
	50mm Lift - 10/85 - 90	2	FC41350	\$ Ea					
1	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER					
8	OE Height - 11/80 - 10/85	2	BM401366	\$ Ea					
	50mm Lift - 11/80 - 10/85	2	BM401382	\$ Ea					
	50mm Lift - 10/85 - 90	2	BM401350	\$ Ea					

LEAF SPRINGS							
	Up to Steel Bar	2	T43L	\$	Ea		
	With Steel Bar & Winch	2	T43H	\$	Ea		
	Up to Steel Bar - With Factory Turbo Diesel	2	T53	\$	Ea		
	With Steel Bar & Winch - With Factory Turbo Diesel	2	Т53Н	\$	Ea		

	LEAF SPI	RIN	IGS				
	0-300kg load	1	T44L-LH	\$	Ea		
	0-300kg load	1	T44L-RH	\$	Ea		
مر به	CONSTANT 300kg load	1	T44H-LH	\$	Ea		
	CONSTANT 300kg load	1	T44H-RH	\$	Ea		
	CONSTANT 500kg load	1	T44HM-LH	\$	Ea		
	CONSTANT 500kg load	1	T44HM-RH	\$	Ea		
Note: 1 LEFT Har	Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered						

STEERING DAMPERS						
-	Heavy Duty Damper	1	EXT5001	\$	Ea	
o <del></del>	Return-to-Center	1	SS5001-P/S	\$	Ea	
•••••• <del>•</del>	SV 9 Stage Adjustable	1	SV5001	\$	Ea	





FRONT								
CONTENT	DESCRIPTION	αTΥ	PART NO	RRP				
FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt			
$\cap$	U-Bolt kit	2	TDUB-019	\$	Kt			
	Greaseable Shackle Kit	1	TDGS-348	\$	Kt			
	Greaseable Pin Kit	1	TDGP-351	\$	Kt			

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt			
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt			
	Greaseable Shackle Kit	1	TDGS-357	\$	Kt			
	Greaseable Pin Kit	1	TDGP-351	\$	Kt			

OFFSET KING PINS						
	0.5 Degree	1	TAK-005	\$	Ea	
	0.75 Degree	1	TAK-075	\$	Ea	
	1.0 Degree	1	TAK-001	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top Pin	2	TW959	\$	Ea	
8	Fits Bottom Eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Eyering - #1382/1366	2	404702	\$	Ea	
	Fits Top & Bottom Eyering - #1350	2	ADJ00191	\$	Ea	





FRONT								
FRONT SUSPENSION	FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
<b>                                  </b>	Steering Damper (Optional)	1	Ea					
1199								

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
2 E	Ea						
1	Pr						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
ů	OE Height	2	FC41005	\$ Ea					
	50mm Lift	2	FC41007	\$ Ea					

CONTENT	DESCRIPTION	ΩT	PART NO	F	RRP			
FOAM CELL - SHOCK ABSORBER								
	OE Height - RHS	1	FC43005	\$	Ea			
	OE Height - LHS	1	FC41107	\$	Ea			
Ţ	40mm Lift - RHS	1	FC41350	\$	Ea			
δ	40mm Lift - LHS	1	FC41108	\$	Ea			

COIL SPRINGS						
	Up to Steel Bar	1	TDC941L	\$	Pr	

COIL SPRINGS						
	0-300kg	1	TDC942L	\$	Pr	

STEERING DAMPERS						
	HD Steering Damper	1	EXT5001	\$	Ea	
<u>~</u> ±,	Return-to-Center	1	SS5001-P/S	\$	Ea	
•••••• <u></u>	SV 9 Stage Adjustable	1	SV5001	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$	Kt	
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$	Kt	
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Pin	4	TW959	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits Bottom Eyering - #1107 & #1108	2	ADJ00191	\$	Ea
	Fits Top Pin - #1107 & 1108	2	TW959	\$	Ea
8	Fits Top & Bottom Eyering - #3005 & #1350	2	ADJ00191	\$	Ea



## TOYOTA LANDCRUISER 71, 74 SERIES (HZJ71 & HZJ74)

4WD Suspension
Across the World

EST. LIFT FRONT: 50MM | REAR: 50MM

# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane Shackle bush kit	1	Kt				
	U-Bolt kit	1	Kit				
!!							

CONTENT	DESCRIPTION	ΩTY	PART NO	R	RP
ı	FOAM CELL - SHO	Ck	ABSORBER		
	Up to 50mm Lift	2	FC41050	\$	Ea
	40MM ADJUSTA	۱BI	LE - SHOCK ABSC	RBI	ER
	Up to 50mm Lift	2	BM401050	\$	Ea
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBI	ER
8	Only 50mm Lift	2	BMX1050/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 50mm Lift	2	TDR1050	\$	Ea

CONTENT	DESCRIPTION	ΩT	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	50mm Lift	2	FC41377	\$ Ea
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER
	50mm Lift	2	BM401377	\$ Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	50mm Lift	2	BMX1377/2	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	50mm Lift	2	TDR1377	\$ Ea

COIL SPRINGS					
M	Up to Steel Bar	1	TDC950SL	\$	Pr
	With Steel Bar & Winch	1	TDC950L	\$	Pr

	LEAF SPI	RIN	IGS				
<u> </u>	0-300kg load	1	T44L-LH	•	Г-		
		1	T44L-RH	\$	Ea		
	CONSTANT 300kg load	CONCTANT 2001 II I I	CONCTANT 200kg load	1	T44H-LH	•	۲.
		1	T44H-RH	<b>D</b>	Ea		
Note: 1 LEFT Hand and 1 RIGHT Hand side leaf spring pack should be ordered							

STEERING DAMPERS					
	HD Steering Damper	1	EXT5001	\$	Ea
<u></u>	Return-to-Center	1	SS5001-P/S	\$	Ea
O(	SV 9 Stage Adjustable	1	SV5001	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber 2 Ea Leaf Spring Leaf Spring Fitment Kit 1 Kt Offset King Pin (Optional) 1 Κt Steering Damper (Optional) 1 Kt



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41113	\$ Ea				
	50mm Lift	2	FC41163	у La				
<u> </u>	40MM ADJUSTA	\BL	.E - SHOCK ABSO	RBER				
	OE Height	2	BM401113	\$ Ea				
1	50mm Lift	2	BM401163	ъ са				
	45MM ADJUSTA	BL	.E - SHOCK ABSO	RBER				
8	50mm Lift	2	BMX1163/2	\$ Ea				
	RALPH -	SH	IOCK ABSORBER					
	50mm Lift	2	TDR1163B	\$ Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	OAM CELL - SHO	Cł	K ABSORBER	
	OE Height	2	FC41350	Ea
	50mm Lift	2	FC41377	Ea
<u> </u>	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER
	OE Height	2	BM401350	\$ Ea
	50mm Lift	2	BM401377	ъ ⊏а
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	50mm Lift	2	BMX1377/2	\$ Ea
	RALPH -	Sŀ	OCK ABSORBER	
	50mm Lift	2	TDR1377	\$ Ea

LEAF SPRINGS						
•	Up to Steel Bar	2	T52	\$	Ea	

LEAF SPRINGS					
	0-300kg load	1	T44L-LH	¢	
		1	T44L-RH	∤\$ Ea	
	CONSTANT 300kg load	1	T44H-LH	¢	
		1	T44H-RH	\$ Ea	

LEAF SPRING FITMENT KIT										
	Urethane Shackle bush kit			TDUK-012						
$\cap$	U-Bolt kit	1	TDFK-030	TDUB-019	\$ Kt					
	Greaseable Shackle kit	1		TDGS-357	Φ Ki					
	Greaseable Pin kit			TDGP-351						

LEAF SPRING FITMENT KIT										
	Urethane Shackle bush kit			TDUK-012						
$\cap$	U-Bolt kit	1	4 TDEK 004	TDFK-031	TDUB-017	\$ Kt				
	Greaseable Shackle kit		1DFK-031	TDGS-357	φ Ki					
§	Greaseable Pin kit			TDGP-351						

STEERING DAMPERS								
	Heavy Duty Damper	1	EXT5001	\$	Ea			
<u>~</u> ±	Return-to-Center	1	SS5001-P/S	\$	Ea			
••••• <u></u>	SV 9 Stage Adjustable	1	SV5001	\$	Ea			



# TOYOTA LANDCRUISER 70, 73, 74 SERIES 11/1984-1992 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT										
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
F	FRONT INDIVIDUAL COMPONENTS									
	Urethane Shackle Bush kit	1	TDUK-012	\$ Kt						
$\cap$	U-Bolt kit	2	TDUB-019	\$ Kt						
	Greaseable Shackle kit	1	TDGS-357	\$ Kt						
	Greaseable Pin kit	1	TDGP-351	\$ Kt						

REAR										
CONTENT	DESCRIPTION		RRP							
F	REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt					
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt					
$\Box$	Greaseable Shackle kit	1	TDGS-357	\$	Kt					
§	Greaseable Pin kit	1	TDGP-351	\$	Kt					


OFFSET KING PINS									
	0.5 Degree	1	TAK-005	\$	Ea				
	0.75 Degree	1	TAK-075	\$	Ea				
	1.0 Degree	1	TAK-001	\$	Ea				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Front Top Pin	2	TW959	\$	Ea			
8	Front Bottom Eyering	1	ADJ00191	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
8	Rear Top & Bottom Eyering	2	ADJ00191	\$	Ea				



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Ea 2 Leaf Spring Leaf Spring Fitment Kit 1 Kt Offset King Pins (Optional) Ea Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
FOAM CELL - SHOCK ABSORBER										
	OE Height	2	FC41	113B						
	50mm Lift - HZJ75 3/90-99	2	FC41163B		\$ Ea					
۵	50mm Lift - All Except HZJ75	2	FC4	1163						
	40MM ADJUSTA	ABI	E - SHO	CK ABSC	RBER					
Ī	50mm Lift - All models	2	BM40	)1163	\$ Ea					
8	45MM ADJUSTA	ABI	E - SHO	CK ABSC	RBER					
	50mm Lift - All models	2	ВМХ1	163/2	\$ Ea					
	RALPH -	SH	IOCK ABS	SORBER						
	50mm Lift - All models	2	TDR1	163B	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	KIT INC.	R	RP			
FOAM CELL - SHOCK ABSORBER									
	OE Height	2	FC4	1350	\$	Ea			
	50mm Lift - All models	2	FC4	1377	\$	Ea			
Q	40MM ADJUSTA	BL	E - SHO	CK ABSC	RBI	ΕR			
	50mm Lift - All models	2	BM401377		\$	Ea			
	45MM ADJUSTA	BL	E - SHO	CK ABSC	RBI	ĒR			
8	50mm Lift - All models	2	вмх1	377/2	\$	Ea			
	RALPH -	SH	OCK AB	SORBER					
	50mm Lift - All models	2	TDR	1377	\$	Ea			

	LEAF SP	RIN	IGS	
٥	Up to Steel Bar	2	T52	\$ Ea
	With Steel Bar & Winch	2	Т52Н	\$ Ea

LEAF SPRINGS							
	0.0001 1 1		T51-LH	\$	Ea		
	0-300kg load	1	T51-RH	\$	Ea		
مر یہ	CONSTANT 300kg load	1	FS751M-LH	\$	Ea		
		1	FS751M-RH	\$	Ea		
	CONSTANT 500kg load	1	FS751HM-LH	\$	Ea		
		1	FS751HM-RH	\$	Ea		



FRONT										
CONTENT	DESCRIPTION	ΩT	PAR'	RRP						
	LEAF SPRING I	ŦΙΤ	MENT KI	Γ						
	Urethane Shackle Bush kit			TDUK-012						
$\cap$	U-Bolt kit	1	TDFK-030	TDUB-019	\$ Kt					
••••••••••••••••••••••••••••••••••••••	Greaseable Shackle kit	'	1511000	TDGS-357	Ψ Kt					
	Greaseable Pin kit			TDGP-351						

REAR										
CONTENT	DESCRIPTION	QTY	PAR'	RRP						
	LEAF SPRING F	-IT	MENT KI	Γ						
	Urethane Shackle Bush kit			TDUK-018						
$\bigcap$	U-Bolt kit			TDUB-017						
***************************************	Greaseable Shackle kit	1	TDFK-033	TDGS-357	\$ Kt					
S	Greaseable Pin kit			TDGP-354						
ı.	Brake Bias Bracket - Must be included			TDSP-014						

STEERING DAMPERS						
	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u></u>	Return-to-Center	1	SS5001-P/S	\$	Ea	
·	SV 9 Stage Adjustable	1	SV5001	\$	Ea	

AIR ASSIST - BELLOWS AIR BAGS							
	Bellows Bag kit 50mm - 75mm Lift	1	TDAA-115	\$	Kt		
	Bellows Bag kit Standard	1	TDAA-121	\$	Kt		
Note: San	Note: Senarate Air Assist components can be viewed on page 14						

OFFSET KING PINS						
	0.5 Degree	1	TAK-005	\$	Ea	
	0.75 Degree	1	TAK-075	\$	Ea	
	1.0 Degree	1	TAK-001	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt			
$\cap$	U-Bolt kit	2	TDUB-019	\$	Kt			
	Greaseable Shackle kit	1	TDGS-357	\$	Kt			
	Greaseable Pin kit	1	TDGP-351	\$	Kt			

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-018	\$	Kt			
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt			
	Greaseable Shackle kit	1	TDGS-357	\$	Kt			
•••••• <del>•</del>	Greaseable Pin kit	1	TDGP-354	\$	Kt			
<u>. 8</u>	Brake Bias Bracket - Must be included	1	TDSP-014	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
	Fits Bottom Eyering	1	ADJ00191	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Rear Top & Bottom Eyering	2	ADJ00191	\$	Ea	





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Castor Correction (Optional) 1 Kt


Steering Damper (Optional)

Offset King Pin (Optional)

1 Ea

1

Ea



CONTENT	DESCRIPTION	αTY	PART NO	F	RRP				
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41050	\$	Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RB	ER				
	Up to 50mm Lift	2	BM401050	\$	Ea				
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER				
8	Only 50mm Lift	2	BMX1050/2	\$	Ea				
	RALPH -	SH	OCK ABSORBER						
	Up to 50mm Lift	2	TDR1050	\$	Ea				

CONTENT	DESCRIPTION	ΩTY	PART NO	R	RP
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 50mm Lift	2	FC41377	\$	Ea
	40MM ADJUSTA	۱BI	E - SHOCK ABSC	RB	ER
	Up to 50mm Lift	2	BM401377	\$	Ea
	45MM ADJUSTA	\BI	E - SHOCK ABSC	RB	ER
8	Only 50mm Lift	2	BMX1377/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 50mm Lift	2	TDR1377	\$	Ea

COIL SPRINGS							
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr		
	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr		
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr		

LEAF SPRINGS							
	0-300kg load	2	FS761	\$	Ea		
	CONSTANT 300kg load	2	FS761M	\$	Ea		
	CONSTANT 500kg load	2	FS761HM	\$	Ea		

STEERING DAMPERS							
•	HD Steering Damper	1	EXT5004	\$	Ea		
<u></u>	Return-to-Center	1	SS5004-P/S	\$	Ea		
·	SV 9 Stage Adjustable	1	SV5004	\$	Ea		



## TOYOTA LANDCRUISER 76 SERIES 2007 ON



EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT								
CONTENT	DESCRIPTION	αTY	PART NO	RRP				
	CASTOR CORRECTION							
	2 Degree	1	TDUK-054/2	\$ Kt				
	3 Degree	1	TDUK-054/3	\$ Kt				

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
A	AIR ASSIST - BELL	OV.	WS AIR BAGS					
22	Bellows Bag kit - OEM Height	1	TDAA-121	\$	Kt			
	Bellows Bag kit - Up to 50mm Lift	1	TDAA-115	\$	Kt			
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.							

PANHARD RODS					
o <del></del>	Adjustable	1	TDPR-015	\$	Ea

AIR ASS	IST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

OFFSET KING PINS							
	0.5 Degree	1	TAK-8005	\$	Ea		
	0.75 Degree	1	TAK-8075	\$	Ea		
	1.0 Degree	1	TAK-8001	\$	Ea		

FRONT INDIVIDUAL COMPONENTS								
0	30mm Urethane Spring spacer	1	TDUK-1961/30	\$	Ea			
•	Swaybar Spacer kit	1	TDSP-013	\$	Ea			
	Use if tailshaft contacts							
	Swaybar 33mm	1	TDSB-007	\$	Ea			

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit - Pre 01/2017	1	TDUK-048	\$	Kt			
	e: TDUK-048 OEM replac I use when fitted TDGS-							
$\bigcap$	U-Bolt kit	2	TDUB-024	\$	Kt			
	Greaseable Shackle kit	1	TDGS-387/18	\$	Kt			
<u>-</u>	Greaseable Pin kit	1	TDGP-388	\$	Kt			
	Urethane Shackle Bush kit - Post 1/2017	1	TDUK-048/14	\$	Kt			
Note: TDU	K-048/14 OEM replacem All when reusing OEM			nly.				
<u>. 6</u>	Brake Bias Bracket - Suits Up to 01/2017	1	TDSP-014	\$	Kt			
Note:	TDSPR-014 Must be fitte	d to	all kits before 1/2017.					
	Handbrake Relocation Bracket	1	TDSP-015	\$	Kt			
Note: TDSP-0	15 Must be fitted when i	ısin	g BMX/ TDR Shock in th	e rear				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Pin	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top & Bottom Eyering	2	ADJ00191	\$	Ea		



# TOYOTA LANDCRUISER 77 SERIES 1993-1999 EST. LIFT FRONT: 50MM | REAR: 50MM



# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Leaf Spring 2 Ea Leaf Spring Fitment Kit 1 Kt Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	FOAM CELL - SHO	OCK	ABSORBER			
	OE Height	2	FC41113B	\$	Ea	
	50mm Lift	2	FC41163B	\$	Ea	
<u> </u>	40MM ADJUST	ABI	E - SHOCK ABSO	ORB	ER	
	50mm Lift	2	BM401163	\$	Ea	
	45MM ADJUST	ABI	E - SHOCK ABSO	ORB	ER	
8	50mm Lift	2	BMX1163/2	\$	Ea	
	RALPH - SHOCK ABSORBER					
	50mm Lift	2	TDR1163B	\$	Ea	

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	Ck	ABSORBER		
	Up to 50mm Lift	2	FC41377	\$ Ea	
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER	
	Up to 50mm Lift	2	BM401377	\$ Ea	
	45MM ADJUST/	ABI	E - SHOCK ABSC	RBER	
8	Only 50mm Lift	2	BMX1377/2	\$ Ea	
	RALPH -	SH	IOCK ABSORBER		
	Up to 50mm Lift	2	TDR1377	\$ Ea	

LEAF SPRINGS							
مر یہ	Up to Steel Bar	2	T52	\$	Ea		
	With Steel Bar & Winch	2	T52H	\$	Ea		

LEAF SPRINGS						
و ن	0-300kg load	2	FS761	\$	Ea	
	CONSTANT 300kg load	2	FS761M	\$	Ea	

	LEAF SPRING FITMENT KIT										
	Urethane Shackle Bush kit			TDUK-012							
$\bigcap$	U-Bolt kit		TDEK 000	TDUB-019							
20 de	Greaseable Shackle kit	1	TDFK-029	TDGS-348	\$ K	t					
	Greaseable Pin kit			TDGP-351							

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush kit			TDUK-018					
$\cap$	U-Bolt kit		TDEK 024	TDUB-017					
49 40 E	Greaseable Shackle kit	1	TDFK-034	TDGS-357	\$ Kt				
	Greaseable Pin kit			TDGP-354					

STEERING DAMPERS									
	Heavy Duty Damper	1	EXT5001	\$	Ea				
<u> </u>	Return-to-Center	1	SS5001-P/S	\$	Ea				
·	SV 9 Stage Adjustable	1	SV5001	\$	Ea				



## TOYOTA LANDCRUISER 77 SERIES 1993-1999



EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT									
CONTENT	DESCRIPTION	QΤ	PART NO	RRF	•				
F	FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt				
$\cap$	U-Bolt kit	2	TDUB-019	\$	Kt				
	Greaseable Shackle kit	1	TDGS-348	\$	Kt				
**************************************	Greaseable Pin kit	1	TDGP-351	\$	Kt				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle Bush kit	1	TDUK-018	\$	Kt				
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt				
	Greaseable Shackle kit	1	TDGS-357	\$	Kt				
•••••• <del>•</del>	Greaseable Pin kit	1	TDGP-354	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW959	\$	Ea		
8	Fits Bottom Eyering	1	ADJ00191	\$	Ea		


REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
8	Fits Top & Bottom Eyering	2	ADJ00191	\$	Ea				



## LANDCRUISER 78 SERIES (WITH COIL SPRING) KZ78 (INTERNATIONAL) EST. LIFT FRONT: 50MM | REAR: 50M



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea



CONTENT	DESCRIPTION	ΩTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
ů	50mm Lift	2	FC41254	\$ Ea					
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER					
8	50mm Lift	2	BM401254	\$ Ea					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ů	50mm Lift	2	FC41255	\$ Ea
	40MM ADJUSTA	ιBl	LE - SHOCK ABSO	RBER
8	50mm Lift	2	BM401255	\$ Ea

COIL SPRINGS					
MILLAAA	Up to Steel Bar	1	TDC960L	\$	Pr
	With Bar & Winch	1	TDC960HL	\$	Pr

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC961L	\$	Pr
	0-300kg load  CONSTANT 300kg load	1	TDC961HL	\$	Pr

STEERING DAMPERS						
-	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u>~</u>	Return-to-Center	1	SS5001-P/S	\$	Ea	
○€ <b>───</b>	SV 9 Stage Adjustable	1	SV5001	\$	Ea	




THIS PAGE IS INTENTIONALLY BLANK






#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) Kt Steering Damper (Optional) 1 Ea Offset King Pin (Optional) 1 Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ı	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41050	\$ Ea				
<u> </u>	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
	Up to 50mm Lift	2	BM401050	\$ Ea				
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
	Only 50mm Lift	2	BMX1050/2	\$ Ea				
8	RALPH -	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift	2	TDR1050	\$ Ea				

CONTENT	DESCRIPTION	ΩT	PART NO	RF	RP
F	FOAM CELL - SHO	OCK	ABSORBER		
	Up to 50mm Lift	2	FC41377	\$	Ea
<u> </u>	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R
	Up to 50mm Lift	2	BM401377	\$	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R
	Only 50mm Lift	2	BMX1377/2	\$	Ea
8	RALPH - SHOCK ABSORBER				
	Up to 50mm Lift	2	TDR1377	\$	Ea



	LEAF SPI	RIN	igs		
	0-200kg load	2	BP-019	\$	Ea
	CONSTANT 400kg load	1	FS781-LH	\$	Ea
	CONSTANT 400kg load	1	FS781-RH	\$	Ea
	CONSTANT 600kg load	1	FS781HM-LH	\$	Ea
		1	FS781HM-RH	\$	Ea
	CONCTANT 000kg load	1	FS781XHD-LH	\$	Ea
	CONSTANT 900kg load	1	FS781XHD-RH	\$	Ea
IF FS781XHD springs selected, then select 1 X TDSB-008 as well					

AIR ASSIST - BELLOWS AIR BAGS						
	Bellows Bag Kit - OEM Height	1	TDAA-121	\$	Kt	
	Bellows Bag Kit - Up to 50mm Lift	1	TDAA-115	\$	Kt	
<b>Note:</b> Separate Air Assist components can be viewed on page 14.						

	OFFSET KI	NG	PINS	
	0.5 Degree	1	TAK-8005	\$ Ea
	0.75 Degree	1	TAK-8075	\$ Ea
	1.0 Degree	1	TAK-8001	\$ Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt



# TOYOTA LANDCRUISER 78, 79 SERIES (SINGLE CAB) 10/1999 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
S.	STEERING DAMPERS - 6 CYLINDER						
	HD Steering Damper	1	EXT5001	\$	Ea		
<u>~</u>	Return-to-Center	1	SS5001-P/S	\$	Ea		
·	SV 9 Stage Adjustable	1	SV5001	\$	Ea		
S	STEERING DAMPERS - V8 MODELS						
	Heavy Duty damper	1	EXT5004	\$	Ea		
<u>~</u> ±,	Return-to-Center	1	SS5004-P/S	\$	Ea		
OE	SV 9 Stage Adjustable	1	SV5004	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

SWAY BARS								
	33mm Sway Bar - V8 Vehicles only	1	TDSB-007	\$	Ea			
	33mm Sway Bar - 6 Cylinder only	1	TDSB-011	\$	Ea			
•	Front Sway Bar Spacer kit - if tailshaft contacts	1	TDSP-013	\$	Ea			

SWAY BARS								
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$	Ea			
	Sway Bar - Fit with CONSTANT 900kg Springs - 5 Star Ancap only 9/2016 - On	1	TDSB-012	\$	Ea			
Note:	Note: Swaybar does not suit 6 Cylinder, only V8 Models.							
	Replacement Bush for Sway Bar	1	TDUK-033	\$	Kt			

CASTOR CORRECTION							
	2 Degree	1	TDUK-054/2	\$	Kt		
	3 Degree	1	TDUK-054/3	\$	Kt		

PANHARD RODS								
~	Adjustable - 6 Cylinder	1	TDPR-079	\$	Ea			
	Adjustable - V8 Up to 08/2016	1	TDPR-015	\$	Ea			
	Adjustable - V8 09/2016 on	1	TDPR-006	\$	Ea			
	Adjustable - 6 Cylinder LHD Only	1	TDPR-019	\$	Ea			
	Adjustable - V8 LHD Only	1	TDPR-025	\$	Ea			
	Panhard rod replacement bushes	1	TDUK-043	\$	Kt			

F	REAR INDIVIDUAL	C	OMPONENTS	
T	Urethane Shackle bush kit - Suit V8 with greaseable pins & shackles	1	TDUK-048	\$ Kt
$\cap$	U-Bolt kit (230mm long)	2	TDUB-024	\$ Kt
Λ	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$ Kt
	Greaseable Shackle kit	1	TDGS-387/18	\$ Kt
	Greaseable Pin Kit	1	TDGP-388	\$ Kt
ı.	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$ Ea
	Handbrake relocation bracket - Must be fitted with BMX OR TDR shocks	1	TDSP-015	\$ Ea
	Urethane Shackle Bush kit - Suit Ute before 6/09, w/ standard pins & shackles	1	TDUK-048/14	\$ Kt
	Urethane Shackle Bush kit - Suit T/Carrier before 6/09, w/ standard pins & shackles	1	TDUK-048/18	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top & Bottom Pin	4	TW957	\$	Ea			
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea			


REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top & Bottom Eyering	2	ADJ00191	\$	Ea		



# TOYOTA LANDCRUISER 78, 79 SERIES (DUAL CAB) 2012 ON EST. LIFT FRONT: 50MM | REAR: 50MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) Kt Steering Damper (Optional) 1 Ea Offset King Pin (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41050	\$	Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R				
Ĭ	Up to 50mm Lift	2	BM401050	\$	Ea				
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R				
	Only 50mm Lift	2	BMX1050/2	\$	Ea				
	RALPH - SHOCK ABSORBER								
	50mm Lift	2	TDR1050	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41377	\$	Ea				
•	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER					
Ĭ	Up to 50mm Lift	2	BM401377	\$	Ea				
•	45MM ADJUSTA	Bl	E - SHOCK ABSC	RBER	2				
	Only 50mm Lift	2	BMX1377/2	\$	Ea				
RALPH - SHOCK ABSORBER									
	50mm Lift	2	TDR1377	\$	Ea				

COIL SPRINGS							
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr		
	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr		
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr		

LEAF SPRINGS							
	CONCTANT 2001	1	FS781-LH	\$	Ea		
	CONSTANT 300kg load	1	F\$781-RH	\$	Ea		
م یہ	CONSTANT 500kg load	1	FS781HM-LH	\$	Ea		
		1	FS781HM-RH	\$	Ea		
	CONCTANT 0001 I d	1	FS781XHD-LH	\$	Ea		
	CONSTANT 800kg load	1	FS781XHD-RH	\$	Ea		
IF FS781XHD springs selected, then select 1 X TDSB-008 as well							

STEERING DAMPERS - V8 MODELS							
-	Heavy Duty damper	1	EXT5004	\$	Ea		
<u>~</u>	Return-to-Center	1	SS5004-P/S	\$	Ea		
••••• <del>•</del>	SV 9 Stage Adjustable	1	SV5004	\$	Ea		



# TOYOTA LANDCRUISER 78, 79 SERIES (DUAL CAB) 2012 ON EST. LIFT FRONT: 50MM | REAR: 50MM



	FROI	T			
CONTENT	DESCRIPTION	QTY	PART NO		RRP
	SWAY E	AF	RS		
	33mm Sway Bar - V8 Vehicles only	1	TDSB-007	\$	Ea
•	Front Sway Bar Spacer kit - If tailshaft contacts	1	TDSP-013	\$	Ea

	REA	R		
CONTENT	DESCRIPTION	QTY	PART NO	RRP
	SWAY B	AF	RS	
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$ Ea
	Replacement Bush for Sway Bar	1	TDUK-033	\$ Kt

OFFSET KI	NG	PINS	
0.5 Degree	1	TAK-8005	\$ Ea
0.75 Degree	1	TAK-8075	\$ Ea
1.0 Degree	1	TAK-8001	\$ Ea

A	IR ASSIST - BELL	.OV	VS AIR BAGS		
	Bellows Bag Kit - OEM Height	1	TDAA-121	\$	Kt
	Bellows Bag Kit - Up to 50mm Lift	1	TDAA-115	\$	Kt
Note: Sep	arate Air Assist compon	ents	can be viewed on page	14.	

CASTOR CO	RR	ECTION	
2 Degree	1	TDUK-054/2	\$ Kt
3 Degree	1	TDUK-054/3	\$ Kt

AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

	PANHARD	R	ODS	
~	Adjustable - V8 RHD Only	1	TDPR-015	\$ Ea
~ <del>_</del>	Adjustable - V8 LHD Only	1	TDPR-025	\$ Ea
	Panhard Rod Replacement Bushes	1	TDUK-043	\$ Kt

F	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle Bush kit - Suit V8 w/ greaseable pins & shackles	1	TDUK-048	\$ Kt
$\cap$	U-Bolt kit (230mm long)	2	TDUB-024	\$ Kt
Λ	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$ Kt
	Greaseable Shackle kit	1	TDGS-387/18	\$ Kt
	Greaseable Pin Kit	1	TDGP-388	\$ Kt
	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$ Ea
	Handbrake Relocation Bracket - Fit with BMX OR TDR shocks	1	TDSP-015	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					)
	Fits Top & Bottom Pin	4	TW957	\$	Ea
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea

REAR RE	PLACEMENT BU	SHI	ES (QTY PER SHO	OCK)	
8	Fits Top & Bottom Eyering	2	ADJ00191	\$	Ea

FOR GVM UPGRADES, SEE PAGE 276

## **GVM UPGRADE**



## TOYOTA LANDCRUISER **UTE 79 SERIES**

V8 ENGINE ONLY, 2007 - 09/2022

3300_{KG*}



The 79 Series Ute continues to stand out from the pack with its indestructible design and unparalleled power. Give it the upgrade it needs to take you into unchartered territory with a Tough Dog GVM Upgrade!

## **WHAT YOU GET:**

- EXTRA PAYLOAD 650KG
- UPGRADED SUSPENSION
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE SPECIFICATIONS					
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG			
FRONT AXLE RATING	1480KG	1540KG			
REAR AXLE RATING	2300KG	2410KG			
GROSS VEHICLE MASS (GVM) SINGLE CAB	3400KG*	3950KG			
GROSS VEHICLE MASS (GVM) DUAL CAB	3300KG	3950KG			
TOWING CAPACITY (BRAKED)	3500KG	3500KG			
GROSS COMBINED MASS (GCM) SINGLE CAB	6900KG*	6900KG			
GROSS COMBINED MASS (GCM) DUAL CAB	6800KG	6800KG			

^{*09/2016} On



## TOYOTA LANDCRUISER TROOPY 78 SERIES

**V8 ENGINE ONLY, 2007 - 09/2022** 

3300_{KG}

3950_{KG}



The LandCruiser is still the King off the road, and the 78 Series is built for one specific purpose; hard work. Take the proven capabilities of your workhorse to the next level, with a Tough Dog GVM Upgrade!

## WHAT YOU GET:

- EXTRA PAYLOAD 650KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS							
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG					
FRONT AXLE RATING	1480KG	1540KG					
REAR AXLE RATING	2300KG	2410KG					
GROSS VEHICLE MASS (GVM)	3300KG	3950KG					
TOWING CAPACITY (BRAKED)	3500KG	3500KG					
GROSS COMBINED MASS (GCM)	6800KG	6800KG					

[•] Payload increase is based on model variant.

## **GVM UPGRADE**



## TOYOTA LANDCRUISER UTE 79 SERIES

4.5L V8 ENGINE, 09/2022 ON 2.8L 4 cvl. ENGINE. 09/2023 ON

3510_{KG}

4200_{KG}

The 79 Series Ute continues to stand out from the pack with its indestructible design and unparalleled power. Give it the upgrade it needs to take you into unchartered territory with a Tough Dog GVM Upgrade!

## **WHAT YOU GET:**

- EXTRA PAYLOAD UP TO 690KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1480KG	1650KG				
REAR AXLE RATING	2300KG	2430KG / 2550KG [†]				
GROSS VEHICLE MASS (GVM) SINGLE CAB	3510KG	3950KG / 4200KG [†]				
GROSS VEHICLE MASS (GVM) DUAL CAB	3510KG	3950KG / 4200KG [†]				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM) SINGLE CAB	6900KG / 7010KG*	REFER OEM SPECS*				
GROSS COMBINED MASS (GCM) DUAL CAB	6800KG / 7010KG*	REFER OEM SPECS*				

Payload increase is based on model variant.

*Refer OEM Specifications for your vehicle's factory GCM
† a Minimum 'Tyre Load Rating Index' of 117 is required to achieve 4200KG GVM Upgrade.

## **GVM UPGRADE**



## TOYOTA LANDCRUISER TROOPY 78 SERIES



The LandCruiser is still the King off the road, and the 78 Series is built for one specific purpose; hard work. Take the proven capabilities of your workhorse to the next level, with a Tough Dog GVM Upgrade!

- EXTRA PAYLOAD 440KG
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

	SPECIFICATIONS	TOUGH BOO
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG
FRONT AXLE RATING	1480KG	1650KG
REAR AXLE RATING	2300KG	2430KG
GROSS VEHICLE MASS (GVM)	3510KG	3950KG
TOWING CAPACITY (BRAKED)	3500KG	3500KG
GROSS COMBINED MASS (GCM)	6800KG / 7010KG*	REFER OEM SPECS

*Refer OEM Specifications for your vehicle's factory GCM



ONT: 50MM | REAR: 50MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) Kt Steering Damper (Optional) 1 Ea Offset King Pin (Optional) Ea

REAR					
REAR SUSPENSION CHECK LIST					
You need to order the following items for the rear end of your vehicle.					
	Shock Absorber	2	Ea		
ii 22	Coil Springs	1	Pr		
	Panhard Rods (Optional)	1	Ea		
⊢∷II≾≾	Coil Insert Airbags (Optional)	1	Kt		
53					
0 0					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41002	\$ Ea			
<u> </u>	40MM ADJUSTABLE - SHOCK ABSORBER						
	Up to 50mm Lift	2	BM401002	\$ Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Only 50mm Lift	2	BMX1002/2	\$ Ea			
RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1002B	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRI	•	
F	FOAM CELL - SHOCK ABSORBER					
	Up to 50mm Lift	2	FC41111	\$	Ea	
<u> </u>	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBE	₹	
	Up to 50mm Lift	2	BM401111	\$	Ea	
	45MM ADJUSTA	ABI	E - SHOCK ABSC	RBE	₹	
	Only 50mm Lift	2	BMX1111/2	\$	Ea	
8	RALPH -	SH	OCK ABSORBER			
	Up to 50mm Lift	2	TDR1111	\$	Ea	

COIL SPRINGS - 25MM LIFT							
03/1990-1991 80 Series							
	No Bar or Alloy Bar - Petrol	1	TDC943S	\$	Pr		
	Steel Bar - Diesel	1	TDC948L	\$	Pr		
1	Steel Bar & Winch - Petrol or Diesel	1	TDC948HL	\$	Pr		
	COIL SP	RII	NGS - 50MM LIFT				
	03/1	990	-1991 80 Series	1			
	Steel Bar - Diesel	1	TDC943	\$	Pr		
	Steel Bar & Winch - Petrol or Diesel	1	TDC943H	\$	Pr		
	COIL SPRINGS - 25MM LIFT						
<b>M</b> 1 1 1 1 1 1	9/91-98 80 Series & 3/98-07 105 Series						
	No Bar or Alloy Bar - Petrol	1	TDC948SL	\$	Pr		
	Steel Bar - Diesel	1	TDC948HSL	\$	Pr		
	Steel Bar & Winch - Petrol or Diesel	1	TDC948L	\$	Pr		
	COIL SPRINGS - 50MM LIFT						
	9/91-98 80 8	Serie	es & 3/98-07 105 Series	,			
	No Bar or Alloy bar - 80 Series Only	1	TDC943S	\$	Pr		
	Steel Bar	1	TDC948L	\$	Pr		
	Steel Bar & Winch	1	TDC948HL	\$	Pr		
	Steel Bar, Winch & Dual Battery	1	TDC943H	\$	Pr		

COIL SPRINGS - 25MM LIFT							
	03/1990-1991	80	Series				
	0-300kg load	1	TDC945S	\$	Pr		
	CONSTANT 300kg load	1	TDC949L	\$	Pr		
	CONSTANT 500kg load	1	TDC949HL	\$	Pr		
	COIL SP	RII	NGS - 50MM LIFT				
	03/1	990	1-1991 80 Series				
	0-300kg load	1	TDC945	\$	Pr		
	CONSTANT 300kg load	1	TDC945H	\$	Pr		
	COIL SPRINGS - 25MM LIFT						
M 1 1 1 1 1 1	9/91-98 80 8	9/91-98 80 Series & 3/98-07 105 Series					
	0-300kg load	1	TDC949SL	\$	Pr		
	CONSTANT 300kg load	1	TDC949HSL	\$	Pr		
	CONSTANT 500kg load	1	TDC949L	\$	Pr		
	COIL SPRINGS - 50MM LIFT						
	9/91-98 80 8	Seri	es & 3/98-07 105 Series	1			
	No Load	1	TDC945S	\$	Pr		
	0-300kg load	1	TDC949L	\$	Pr		
	CONSTANT 300kg load	1	TDC949HL	\$	Pr		
	CONSTANT 500kg load	1	TDC945H	\$	Pr		



# TOYOTA LANDCRUISER 80 & 105 SERIES (2") 05/1990-2007 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
	CASTOR CO	RR	ECTION			
	2 Degree castor correction bush	1	TDUK-054/2	\$ F	<b>⟨</b> t	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP	
All	R ASSIST - COIL I	NS	ERT AIR BAGS			
	Coil Insert Bag Kit - OEM Height	1	TDAA-021	\$	Kt	
	Coil Insert Bag Kit - 25mm Lift	1	TDAA-010	\$	Kt	
	Coil Insert Bag Kit - 50mm Lift	1	TDAA-011	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

OFFSET KING PINS					
	0.5 Degree	1	TAK-8005	\$	Ea
	0.75 Degree	1	TAK-8075	\$	Ea
	1.0 Degree	1	TAK-8001	\$	Ea

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

PANHARD RODS					
~	Adjustable - RHD	1	TDPR-006	\$	Ea
~	Adjustable - LHD	1	TDPR-001	\$	Ea
	Panhard Rod Bush kit	1	TDUK-043	\$	Kt

PANHARD RODS					
·	Adjustable	1	TDPR-007	\$	Ea
	Panhard Rod Bush kit	1	TDUK-047	\$	Kt

STEERING DAMPERS							
-	Heavy Duty	1	EXT5001	\$	Ea		
<u>~</u>	Return to Centre	1	SS5001-P/S	\$	Ea		
O(	SV 9 Stage Adjustable	1	SV5001	\$	Ea		

FRONT INDIVIDUAL COMPONENTS							
_	Radius Rod to Chassis Bush kit	1	TDUK-044	\$	Kt		
	Radius Rod to Diff Bush kit	1	TDUK-050	\$	Kt		
	20mm Urethane Coil Spacer - 1 per coil	1	TDUK-1725/20	\$	Ea		
0	30mm Urethane Coil Spacer - 1 per coil	1	TDUK-1725/30	\$	Ea		

REAR INDIVIDUAL COMPONENTS							
_	Trailing Arm Bush kit - Upper	1	TDUK-045	\$	Kt		
	Trailing Arm Bush kit - Lower	1	TDUK-046	\$	Kt		
	15mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea		
0	30mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Pins	4	TW957	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top Pin	2	TW957	\$	Ea		
8	Fits Bottom Eyering	1	415024	\$	Ea		




TOYOTA
LANDCRUISER
80 & 105 SERIES (3")
05/1990-2007
EST. LIFT FRONT: 75MM | REAR: 75MM

Offset King Pin (Optional)

1 Ea



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod 1 Ea **Castor Correction** Κt 1 Steering Damper (Optional) Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	F	RRP				
ı	FOAM CELL - SHOCK ABSORBER								
	75mm / 3" Lift	2	FC41002	\$	Ea				
	40MM ADJUSTABLE - SHOCK ABSORBER								
	75mm / 3" Lift	2	BM401002	\$	Ea				
	45MM ADJUST	ABI	E - SHOCK ABSO	SORBER					
	75mm / 3" Lift	2	BMX1002/2	\$	Ea				
	RALPH - SHOCK ABSORBER								
	75mm / 3" Lift	2	TDR1002B	\$	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	75mm / 3" Lift	2	FC41111	\$ Ea					
	40MM ADJUSTA	ABI	LE - SHOCK ABSC	RBER					
Ĭ	75mm / 3" Lift	2	BM401111	\$ Ea					
1	45MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER					
	75mm / 3" Lift	2	BMX1111/2	\$ Ea					
	RALPH -	SH	IOCK ABSORBER						
	75mm / 3" Lift	2	TDR1111	\$ Ea					

COIL SPRINGS						
	75mm / 3" Lift with no bar or alloy bar	1	TDC943	\$	Pr	
	75mm / 3" Lift with Steel bar	1	TDC948/3	\$	Pr	
	75mm / 3" Lift with Steel bar & Winch	1	TDC943H	\$	Pr	

COIL SPRINGS						
	75mm / 3" Lift 0-300kg load	1	TDC949/3	\$	Pr	
	75mm / 3" Lift CONSTANT 300kg load	1	TDC945	\$	Pr	
	75mm / 3" Lift CONSTANT 500kg load	1	TDC945H	\$	Pr	

CASTOR CORRECTION							
•	2 Deg Castor Correction Bush kit	1	TDUK-054/2	\$	Kt		

PANHARD RODS							
~	Adjustable - RHD	1	TDPR-006	\$	Ea		
~	Adjustable - LHD	1	TDPR-001	\$	Ea		
	Panhard Rod Bush kit	1	TDUK-043	\$	Kt		

Adjustable 1 TDPR-007 \$		PANHARD RODS								
	Ea	\$		TDPR-007	1	Adjustable	o———			
Panhard Rod Bush kit 1 TDUK-047 \$	Kt	\$		TDUK-047	1	Panhard Rod Bush kit				

STEERING DAMPERS								
	Heavy Duty	1	EXT5001	\$	Ea			
o <del></del>	Return-to-Center	1	SS5001-P/S	\$	Ea			
	SV 9 Stage Adjustable	1	SV5001	\$	Ea			



# TOYOTA LANDCRUISER 80 & 105 SERIES (3") 05/1990-2007 EST. LIFT FRONT: 75MM | REAR: 75MM



FRONT								
CONTENT	DESCRIPTION	ξ	PART NO	RRP				
OFFSET KING PINS								
	0.5 Degree	1	TAK-8005	\$	Ea			
	0.75 Degree	1	TAK-8075	\$	Ea			
	1.0 Degree	1	TAK-8001	\$	Ea			

REAR									
CONTENT	DESCRIPTION	QΤΥ	PART NO	ŀ	RRP				
BRAKE HOSE KITS - 80 & 105 SERIES NON ABS									
	Rubber	1	TDBH-003	\$	Ea				
	Braided	1	TDBH-197	\$	Ea				
	BRAKE HOS	BRAKE HOSE KITS - 80 SERIES ABS							
	Rubber	1	TDBH-300	\$	Ea				
4	Braided	1	TDBH-200	\$	Ea				
	BRAKE HOSE	ΕK	ITS - 105 SERIES	AB	S				
	Rubber	1	TDBH-398	\$	Ea				
	Braided	1	TDBH-198	\$	Ea				

FRONT INDIVIDUAL COMPONENTS							
	Radius Rod to Chassis Bush kit	1	TDUK-044	\$	Kt		
	Radius Rod to Diff Bush kit	1	TDUK-050	\$	Kt		
	20mm Urethane Coil Spacer - 1 per coil	1	TDUK-1725/20	\$	Ea		
	30mm Urethane Coil Spacer - 1 per coil	1	TDUK-1725/30	\$	Ea		

REAR INDIVIDUAL COMPONENTS							
_	Trailing Arm Bush kit - Upper	1	TDUK-045	\$	Kt		
	Trailing Arm Bush kit - Lower	1	TDUK-046	\$	Kt		
	15mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea		
	30mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits Top & Bottom Pins	4	TW957	\$	Ea		


REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits Top Pin	2	TW957	\$	Ea			
8	Fits Bottom Eyering	1	415024	\$	Ea			



# TOYOTA LANDCRUISER 80 & 105 SERIES (4", 5", 6") 05/1990-2007 EST. LIFT FRONT: 100MM | REAR: 100MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr 1 Coil Springs Panhard Rod Ea **Castor Correction** Kt Steering Damper (Optional) 1 Ea Offset King Pin (Optional) 1 Ea



CONTENT	DESCRIPTION	QΤΥ	PART NO	RRI	Р				
FOAM CELL - SHOCK ABSORBER									
<u> </u>	100mm / 4" Lift	2	FC41002/4	\$	Ea				
	45MM ADJUSTA	<b>ABI</b>	LE - SHOCK ABSO	RBE	R				
	100mm / 4" Lift	2	BMX1002/4	\$	Ea				
	125mm / 5" Lift	2	BMX1002/6	\$	Ea				
8	150mm / 6" Lift	2	BMX1002/6	\$	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
FOAM CELL - SHOCK ABSORBER						
•	100mm Lift	2	FC41111/4	\$	Ea	
	45MM ADJUSTA	ABI	LE - SHOCK ABSO	RB	ER	
	100mm / 4" Lift	2	BMX1111/4	\$	Ea	
	125mm / 5" Lift	2	BMX1111/6	\$	Ea	
8	150mm / 6" Lift	2	BMX1111/6	\$	Ea	

	COIL SPF	RIN	IGS	
<b>M</b> 1 4 4 4 4	100mm / 4" Lift - Up to Steel Bar	1	TDC948/4	\$ Pr
	100mm / 4" Lift - Up to Steel Bar & Winch	1	TDC948/4H	\$ Pr
	125mm / 5" Lift - Up to Steel bar	1	TDC948/5	\$ Pr
	125mm / 5" Lift - Up to Steel Bar & Winch	1	TDC948/5H	\$ Pr
	150mm / 6" Lift - Up to Steel Bar	1	TDC948/6	\$ Pr
	150mm / 6" Lift - Up to Steel Bar & Winch	1	TDC948/6H	\$ Pr

	COIL SPF	RIN	IGS	
MIAAAA	100mm / 4" Lift 0-300kg load	1	TDC949/4	\$ Pr
	100mm / 4" Lift CONSTANT 300kg load	1	TDC949/4H	\$ Pr
	125mm / 5" Lift 0-300kg load	1	TDC949/5	\$ Pr
	125mm / 5" Lift CONSTANT 300kg load	1	TDC949/5H	\$ Pr
	150mm / 6" Lift 0-300kg load	1	TDC949/6	\$ Pr
	150mm / 6" Lift CONSTANT 300kg load	1	TDC949/6H	\$ Pr

CASTOR CORRECTION					
	100mm / 4" Lift 3 Deg Castor Correction bush	1	TDUK-054/3	\$	Kt
	125mm / 4" Lift & 150mm / 6" Lifts 5 Deg Castor Correction Plate	1	TDCP-006	\$	Ea

PANHARD RODS					
~	Adjustable - RHD	1	TDPR-006	\$	Ea
~	Adjustable - LHD	1	TDPR-001	\$	Ea
	Panhard Rod Bush kit	1	TDUK-043	\$	Kt

PANHARD RODS					
o <del></del>	Adjustable	1	TDPR-007	\$	Ea
	Panhard Rod Bush kit	1	TDUK-047	\$	Kt



# TOYOTA LANDCRUISER 80 & 105 SERIES (4", 5", 6") 05/1990-2007 EST. LIFT FRONT: 100MM | REAR: 100MM



FRONT							
CONTENT	DESCRIPTION	ĞŢ	PART NO	RRP			
STEERING DAMPERS							
±	Return-to-Center - RHD	1	SS5001-XHD	\$	Ea		
<u>~,±</u> ,	Return-to-Center - LHD	1	SS5002-XHD	\$	Ea		
±	SV 9 Stage Adjustable - RHD	1	SV5001/4	\$	Ea		
○ <b>(                                    </b>	SV 9 Stage Adjustable - LHD	1	SV5002/4	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

OFFSET KING PINS					
	0.5 Degree	1	TAK-8005	\$	Ea
	0.75 Degree	1	TAK-8075	\$	Ea
	1.0 Degree	1	TAK-8001	\$	Ea

BRAKE	HOSE KITS - 80 &	10	5 SERIES NON AE	3 <b>S</b>	
	Rubber	1	TDBH-003	\$	Ea
	Braided	1	TDBH-197	\$	Ea
	BRAKE HOS	Εŀ	KITS - 80 SERIES A	BS	
	Rubber	1	TDBH-300	\$	Ea
<b>*</b>	Braided	1	TDBH-200	\$	Ea
	BRAKE HOSE	ΕK	ITS - 105 SERIES	ABS	
	Rubber	1	TDBH-398	\$	Ea
	Braided	1	TDBH-198	\$	Ea

FRONT INDIVIDUAL COMPONENTS						
_	Radius Rod to Chassis Bush kit	1	TDUK-044	\$	Kt	
	Radius Rod to Diff Bush kit	1	TDUK-050	\$	Kt	
	20mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1725/20	\$	Ea	
	30mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1725/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
_	Trailing Arm Bush kit - Upper	1	TDUK-045	\$	Kt	
	Trailing Arm Bush kit - Lower	1	TDUK-046	\$	Kt	
	15mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea	
	30mm Urethane Coil Spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom Pins	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW957	\$	Ea
8	Fits Bottom Eyering	1	415024	\$	Ea



LANDCRUISER
100 SERIES (IFS)
1998-2007
EST. LIFT FRONT: 25MM | REAR: 25MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Torsion Bar Strengthing Kit 1 Kt

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
!! <b>≥</b> ≶	Panhard Rods (Optional)	1	Ea				
∥₃₃	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
F	FOAM CELL - SHO	Ck	ABSORBER		
	Up to 25mm Lift	2	FC41103	\$ Ea	
	RALPH - SHOCK ABSORBER				
8	Up to 25mm Lift	2	TDR1103	\$ Ea	

CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
F	FOAM CELL - SHO	Ck	ABSORBER				
	Up to 25mm Lift	2	FC41114	\$ E	≣а		
	40MM ADJUSTA	\Βl	LE - SHOCK ABSC	RBER			
	Up to 25mm Lift	2	BM401114	\$ E	≣а		
	45MM ADJUSTA	BL	E - SHOCK ABSC	RBER			
8	Up to 25mm Lift	2	BMX1114/2	\$ E	Ξа		
	RALPH -	RALPH - SHOCK ABSORBER					
	Up to 25mm Lift	2	TDR1114	\$ E	Ξа		

TORSION BAR					
	32mm/1160mm - Petrol models	1	4WTB-1600	\$	Pr
	32mm/1210mm - Diesel models	1	4WTB-1610	\$	Pr
ha	Strengthening kit - Must be fitted when fitting new Torsion Bars	1	4WTB-1610/BKT	\$	Kt

COIL SPF	RIN	IGS	
OE height 0-300kg load	1	TDC949HSL	\$ Pr
25mm Lift 0-300kg load	1	TDC949L	\$ Pr
25mm Lift CONSTANT 300kg load	1	TDC949HL	\$ Pr

## **INSTALLATION NOTE**

Torsion bars must only be adjusted so that the rim to guard measurements are **not more** than the measurements listed here.

Lifting the vehicle higher than the specified measurement will result in the failure of front end components, including shock failure.

For 16" Rim - 740mm For 17" Rim - 753mm



TOYOTA
LANDCRUISER
100 SERIES (IFS)
1998-2007
EST. LIFT FRONT: 25MM | REAR: 25MM



	FRO	TNC		
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP

REAR					
CONTENT	NT DESCRIPTION 🚡 PART NO		RRP		
	PANHARI	) R	ODS		
•	Adjustable	1	TDPR-003	\$	Ea

AIR ASSIST - COIL INSERT AIR BAGS					
	Coil Insert Bag Kit - OEM Height	1	TDAA-021	\$	Kt
	Coil Insert Bag Kit - Up to 25mm Lift	1	TDAA-010	\$	Kt
	Coil Insert Bag Kit - Up to 50mm Lift	1	TDAA-011	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

REAR INDIVIDUAL COMPONENTS					
	Trailing Arm Bush kit - Upper	1	TDUK-025	\$	Kt
	Trailing Arm Bush kit - Lower	1	TDUK-026	\$	Kt
0	Urethane Spring Spacer - 15mm	1	TDUK-1724/15	\$	Ea
	Urethane Spring Spacer - 30mm	1	TDUK-1724/30	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom of Top Pin	1	404454A	\$	Ea
	Fits Top of Top Pin	1	404454B	\$	Ea
	Fits Bottom Eyering - FC Shock only	1	TW040-14	\$	Ea
	Fits Bottom Eyering - TDR Shock only	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Bottom of Top Pin	1	404454A	\$	Ea
	Fits Top of Top Pin	1	404454B	\$	Ea
8	Fits Bottom Eyering	1	415024	\$	Ea



LANDCRUISER
200 SERIES GX, GXL, VX
11/2007 -2021
EST. LIFT FRONT: 40MM | REAR: 20MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Panhard Rod (Optional)	1	Ea				
II <b>≼</b> ≼	Swaybar (Optional)	1	Ea				
<b>                                    </b>	Coil Insert Airbag (Optional)	1	Kt				
- <del></del>							

CONTENT	DESCRIPTION	ΩTY	PART NO		RRP			
A	ASSEMBLED STRU		- FOAM CELL					
Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top								
	OE Height Up to Steel bar	2	TOY-200/10	\$	Ea			
	OE Height With Steel Bar & Winch	2	TOY-200/15	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/04	\$	Ea			
	40mm Lift With Steel Bar & Winch	2	TOY-200/05	\$	Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1	k Stru	ıt top			
	OE Height Up to Steel Bar	2	TOY-200/11	\$	Ea			
	40mm Lift Up to Steel Bar	2	TOY-200/01	\$	Ea			
	40mm Lift With Steel Bar & Winch	2	TOY-200/02	\$	Ea			
	ASSEMBLED STRUTS - 45MM ADJUSTABLE							
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1	k Stru	ıt top			
	25mm Lift Up to Steel Bar	2	TOY-200/12	\$	Ea			
	40mm Lift Up to Steel Bar	2	TOY-200/07	\$	Ea			
	40mm Lift With Steel Bar & Winch	2	TOY-200/08	\$	Ea			
	ASSEMBLED STRUTS - RALPH							
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1	k Stru	ıt top			
	25mm Lift Up to Steel Bar	2	TOY-200/18	\$	Ea			
	40mm Lift Up to Steel Bar	2	TOY-200/16	\$	Ea			
	40mm Lift With Steel Bar & Winch	2	TOY-200/17	\$	Ea			
	STRUT - FO	ΑN	CELL					
•	Up to 40mm Lift	2	FC404900	\$	Ea			
	STRUT - 40MM ADJUSTABLE							
	Up to 40mm Lift	2	BM404900	\$	Ea			
	STRUT - 45MM ADJUSTABLE							
	Up to 40mm Lift	2	BMX454900	\$	Ea			
l 8	STRUT - RALPH							
	Up to 40mm Lift	2	TDR4900	\$	Ea			
45mm Adjustable & Ralph Strut does not suit factory coils								
FITTING CHEFT // OCATED BAGE 200) MUST BE COMP. STED WILLIAM								

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 20mm Lift	2	FC41114	\$ Ea				
	40MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 20mm Lift	2	BM401114	\$ Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	Up to 20mm Lift	2	BMX1114/2	\$ Ea				
	RALPH - SHOCK ABSORBER							
	Up to 20mm Lift	2	TDR1114	\$ Ea				



TOYOTA
LANDCRUISER
200 SERIES GX, GXL, VX
11/2007 - 2021



FRONT									
CONTENT	DESCRIPTION	ΩT	PART NO		RRP				
	COIL SPF	RIN	IGS						
	OE Height Up to Steel Bar	1	TDC930SL	\$	Pr				
	OE Height With Steel Bar & Winch	1	TDC930HSL	\$	Pr				
	40mm Lift Up to Steel Bar	1	TDC930L	\$	Pr				
	40mm Lift With Steel Bar & Winch	1	TDC930HL	\$	Pr				
<b>WVVV</b>	25mm Lift Up to Steel bar - BMX & RALPH	1	TDC932SL	\$	Pr				
	40mm Lift Up to Steel bar - BMX & RALPH	1	TDC932L	\$	Pr				
	40mm Lift with Steel bar - BMX & RALPH	1	TDC932HL	\$	Pr				

REAR											
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP						
	COIL SPRINGS										
	OE Height 0-300kg load	1	TDC931SL	\$	Pr						
	20mm Lift 0-300kg load	1	TDC931L	\$	Pr						
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$	Pr						
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$	Pr						

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-004	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT AIR BAGS								
	Coil Insert Bag kit - OE Height	1	TDAA-021	\$	Kt			
	Coil Insert Bag kit - 25mm Lift	1	TDAA-010	\$	Kt			
	Coil Insert Bag kit - 50mm Lift	1	TDAA-011	\$	Kt			
<b>Note:</b> Separate Air Assist components can be viewed on page 14.								

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-004	1	TDSK-005	\$	Kt		
	Ball joint kit to fit one UCA - for TDCA-004	1	TDSK-006	\$	Kt		

SWAY BAR							
	Sway Bar (38mm)	1	TDSB-005	\$	Ea		

FR	FRONT INDIVIDUAL COMPONENTS							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			

	PANHARI	D F	ROD	
•	Adjustable	1	TDPR-200	\$ Ea
	Rear Panhard Rod Replacement Bush kit	1	TDUK-032	\$ Kt

FRONT INDIVIDUAL COMPONENTS							
<b>-1</b> -0	Strut Top	2	TOY-1020	\$	Ea		

REAR INDIVIDUAL COMPONENTS						
	33mm H/D Sway Bar kit - non KDSS only	1	TDSB-006	\$	Ea	
0	Rear Coil spacer - KDSS models	1	TDUK-087	\$	Kt	

Note: Due to the nature of the KDSS, models fitted with KDSS may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower.

Part number TDUK-087 can be fitted to the top of the right rear coil which will assist with this issue.

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Ì	Front Bottom Eyering	1	4WAY-001	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Rear Top of Pin	1	404454B	\$	Ea			
	Rear Bottom of Pin	1	404454A	\$	Ea			
8	Rear Bottom Eyering	1	415024	\$	Ea			

**FOR GVM UPGRADES, SEE PAGE 292** 



TOYOTA
LANDCRUISER
200 SERIES SAHARA
11/2007 - 2021
EST. LIFT FRONT: 40MM | REAR: 20MM



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Panhard Rod (Optional)	1	Ea					
⊢∷II≾≾	Coil Insert Airbag (Optional)	1	Kt					
SS								
0 0								

CONTENT	DESCRIPTION	QΤΥ	PART NO	RF	RP			
ASSEMBLED STRUTS - FOAM CELL								
Assem	bled struts are made up of:	1 x S	Strut, 1 x Coil, 1 x Strut top					
	Up to 40mm Lift - Sahara All Applications	2	TOY-200/05	\$	Ea			
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAB	LE			
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	ор			
*	Up to 40mm Lift - Sahara All Applications	2	TOY-200/02	\$	Ea			
	ASSEMBLED ST	RU	TS - 45MM ADJUS	STAB	LE			
•	Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
8	Up to 40mm Lift - Sahara All Applications	2	TOY-200/08	\$	Ea			
	ASSEMBLED STRUTS - RALPH							
Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top					ор			
	Up to 40mm Lift - Sahara All Applications	2	TOY-200/17	\$	Ea			

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 20mm Lift	2	FC41114	\$ E	а			
	40MM ADJUSTA	\Βl	E - SHOCK ABSO	RBER				
	Up to 20mm Lift	2	BM401114	\$ E	а			
	45MM ADJUSTA	BI	E - SHOCK ABSO	RBER				
8	Up to 20mm Lift	2	BMX1114/2	\$ E	а			
	RALPH -	SH	OCK ABSORBER					
	Up to 20mm Lift	2	TDR1114	\$ E	а			

	STRUT - FO	ΑM	CELL			
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	FC404900	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
Ī	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BM404900	\$	Ea	
I	STRUT - 45MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BMX454900	\$	Ea	
	STRUT - RALPH					
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	TDR4900	\$	Ea	



TOYOTA
LANDCRUISER
200 SERIES SAHARA
11/2007 - 2021
EST. LIFT FRONT: 40MM | REAR: 20MM



FRONT								
CONTENT	DESCRIPTION	QΤΥ	PART NO	F	RRP			
COIL SPRINGS								
	OE Height - With Steel Bar & Winch with FC or BM shocks	1	TDC930L	\$	Pr			
	OE Height - Up to Steel Bar with BMX or RALPH shocks	1	TDC932L	\$	Pr			
	40mm Lift - Up to Bar & Winch with FC or BM shocks	1	TDC930HL	\$	Pr			
	40mm Lift - Up to Bar & Winch with BMX or RALPH shocks	1	TDC932HL	\$	Pr			

REAR								
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
COIL SPRINGS								
	OE Height 0-300kg load	1	TDC931SL	\$ Pr				
	20mm Lift 0-300kg load	1	TDC931L	\$ Pr				
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$ Pr				
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$ Pr				

UPPER CONTROL ARMS							
UU u	pper Control Arms	1	TDCA-004	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT AIR BAGS							
	Coil Insert Bag kit - OE Height	1	TDAA-021	\$	Kt		
	Coil Insert Bag kit - 25mm Lift	1	TDAA-010	\$	Kt		
	Coil Insert Bag kit - 50mm Lift	1	TDAA-011	\$	Kt		
Note: Senarate Air Assist components can be viewed on page 14							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-004	1	TDSK-005	\$	Kt		
	Ball joint kit to fit one UCA - for TDCA-004	1	TDSK-006	\$	Kt		

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			

PANHARD ROD					
•	Adjustable	1	TDPR-200	\$	Ea
	Rear Panhard rod Replacement Bush kit	1	TDUK-032	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
·E·O	Strut Top	2	TOY-1020	\$	Ea

REAR INDIVIDUAL COMPONENTS					
0	Rear Coil Spacer - KDSS models	1	TDUK-087	\$	Kt

Note: Due to the nature of the KDSS, models fitted with KDSS may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower.

Part number **TDUK-087** can be fitted to the top of the right rear coil which will assist with this issue.

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front Bottom Eyering	1	4WAY-001	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top of Pin	1	404454B	\$	Ea
	Rear Bottom of Pin	1	404454A	\$	Ea
8	Rear Bottom Eyering	1	415024	\$	Ea

**FOR GVM UPGRADES, SEE PAGE 293** 

# **GVM UPGRADE**



# TOYOTA LANDCRUISER 200 SERIES

GX SERIES 2011 - 08/2014 & 08/2014 - 2021

3350_{KG*}

3850_{KG*}



### WHAT YOU GET:

- EXTRA PAYLOAD UP TO 500KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1700KG*	1700KG*				
REAR AXLE RATING	1950KG	2200KG				
GROSS VEHICLE MASS (GVM)	3350KG	3850KG**				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM)	6850KG	6850KG				
<ul> <li>Payload increase is based on model variant.</li> <li>*From 08/2014, **Pre 08/2014 GVM = 3830KG</li> </ul>						

# **GVM UPGRADE**



# TOYOTA LANDCRUISER 200 SERIES GXL / VX / SAHARA SERIES 2007 - 08/2014 & 08/2014 - 2021

3350_{KG*}



## WHAT YOU GET:

- EXTRA PAYLOAD UP TO 500KG
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1700KG*	1700KG*				
REAR AXLE RATING	1950KG	2200KG				
GROSS VEHICLE MASS (GVM)	3350KG	3850KG**				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM)	6850KG	6850KG				
<ul> <li>Payload increase is based on model variant.</li> <li>*From 08/2014, **Pre 08/2014 GVM = 3830KG</li> </ul>						



### LANDCRUISER 300 SERIES 03/2021 ON

VX, GXL, GX, SAHARA, SAHARA ZX



EST. LIFT FRONT: 50MM | REAR: 35MM

#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr 2 Ea Strut Top (Optional) Upper Control Arms (Optional) 1 Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
<u> </u>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Sway bar bracket	1	Kt				
	Panhard Rod (Optional)	1	Ea				
1133	Coil Insert Airbag (Optional)	1	Kt				
88							

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
A	SSEMBLED STRU	TS	- FOAM CELL					
Assem	bled struts are made up of:	1 x S	strut, 1 x Coil, 1 x Strut top					
	OE Height - Up to Steel Bar & Winch	2	TOY-010	\$ Ea				
	50mm Lift - No Accessories	2	TOY-003	\$ Ea				
	50mm Lift - Up to Steel Bar & Winch	2	TOY-004	\$ Ea				
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE				
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top				
	OE Height - Up to Steel Bar & Winch	2	TOY-009	\$ Ea				
	50mm Lift - No Accessories	2	TOY-001	\$ Ea				
	50mm Lift - Up to Steel Bar & Winch	2	TOY-002	\$ Ea				
Ŧ	ASSEMBLED ST	RU	TS - 45MM ADJUS	STABLE				
	Assembled struts are m	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top				
	50mm Lift - No Accessories	2	TOY-005	\$ Ea				
	50mm Lift - Up to Steel Bar & Winch	2	TOY-006	\$ Ea				
	ASSEMBLED STRUTS - RALPH							
	Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
	50mm Lift - No Accessories	2	TOY-007	\$ Ea				
	50mm Lift - Up to Steel Bar & Winch	2	TOY-008	\$ Ea				
	STRUT - FO	ΑM	CELL					
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404932	\$ Ea				
	STRUT -	40ľ	MM ADJUSTABLE					
Ī	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404932	\$ Ea				
Ī	STRUT -	451	MM ADJUSTABLE					
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454932	\$ Ea				
	ST	RL	JT - RALPH					
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	TDR4932	\$ Ea				
45mm Adjustable & Ralph Strut does not suit factory coils								

CONTENT	DESCRIPTION	ΩT	PART NO	R	RP			
F	OAM CELL - SHO	Ck	ABSORBER					
	Up to 35mm Lift	2	FC43041	\$	Ea			
	35mm Lift - For use with 500kg springs Only	2	FC43043	\$	Ea			
	40MM ADJUSTA	ΙBΙ	LE - SHOCK ABSO	RB	ER			
	Up to 35mm Lift	2	BM403041	\$	Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER							
8	Up to 35mm Lift	2	BMX3041	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 35mm Lift	2	TDR3041	\$	Ea			

# **PRODUCT COMPATIBILITY**

The OEM Adaptive Variable Suspension system fitted to Sahara ZX models will be lost when the front and rear shocks have been replaced with Tough Dog Suspension.



VX, GXL, GX, SAHARA, SAHARA ZX



FRONT: 50MM | REAR: 35MM

FRONT							
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
COIL SPRINGS							
<b>A</b>	OE Height with Bar/Winch - with FC or BM shocks	1	TDC1077	\$ Pr			
	50mm Lift No Accessories - with FC or BM shocks	1	TDC1055	\$ Pr			
	50mm Lift w/ Bar or Bar & Winch - with FC or BM shocks	1	TDC1056	\$ Pr			
	50mm Lift No Accessories - Fits BMX & Ralph Struts only	1	TDC1057	\$ Pr			
	50mm Lift w/ Bar or Bar & Winch - Fits BMX & Ralph Struts only	1	TDC1058	\$ Pr			

REAR								
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP			
COIL SPRINGS								
	OE Height 0-300kg load	1	TDC1078	\$	Pr			
	35mm Lift 0-300kg load	1	TDC1059	\$	Pr			
	35mm Lift CONSTANT 300kg load	1	TDC1060	\$	Pr			
	35mm Lift CONSTANT 500kg load	1	TDC1061	\$	Pr			

	UPPER CONT	RO	LARMS	
CC C	Upper Control Arms	1	TDCA-011	\$ Pr

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

All	R ASSIST - COIL II	NSI	ERT AIR BAGS		
	Coil Insert Bag Kit - OEM Height	1	TDAA-030	\$	Kt
	Coil Insert Bag Kit - Up to 35mm Lift	1	TDAA-031	\$	Kt
Note: Sen	arate Air Assist compone	onts	can be viewed on page	14	

UPPER CON	TROL ARMS - REP	PL/	CEMENT COMPO	NEI	NTS
	Bush Kit to fit one UCA - for TDCA-011	1	TDSK-015	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-011	1	TDSK-016	\$	Ea

SWAY	ВА	R	
 Sway Bar (42mm)	1	TDSB-017	\$ Ea

AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ	
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

	SWAY	BAF	R			SWAY	ВА	R	
_	Sway Bar (42mm)	1	TDSB-017	\$ Ea		Sway Bar (26mm)	1	TDSB-018	\$
<u> </u>	Sway Dai (4211111)	'_	1036-017	 Са	<u> </u>	Sway bar (2011111)	'	1036-016	

	PANHARI	D F	ROD	
·	Adjustable	1	TDPR-027	\$ Ea
	Rear Panhard Rod Replacement Bush kit	1	TDUK-032	\$ Kt

F	RONT INDIVIDUA	L C	OMPONENTS	
<b>Æ</b> :0	Strut Top	2	TOY-4932	\$ Ea

F	REAR INDIVIDUAL	C	OMPONENTS	
4	Rear Sway Bar Bracket	1	TDSP-028	\$ Kt
	Note: Must be fitte	d wi	th every Kit	

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK)	
	Replacement Bush kit	1	TDUK-057	\$	Ea

REAR RE	PLACEMENT BUS	SHE	ES (QTY PER SHO	CK	)
	Replacement Bush kit	1	TDUK-058	\$	Ea

**FOR GVM UPGRADES, SEE PAGE 298** 





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

REA	R		
REAR SUSPENSION	N CHECK LIST		
You need to order the following items	s for the rear end of your ve	hicle	
<u> </u>	Shock Absorber	2	Ea
	Coil Springs	1	Pr
	Panhard Rod (Optional)	1	Ea
│ Ⅱ <b>3</b> 3	Coil Insert Airbag (Optional)	1	Kt
II33			
88			

CONTENT	DESCRIPTION	ΩTY	PART NO	RF	RP		
A	SSEMBLED STRU	TS	- FOAM CELL				
Assem	bled struts are made up of:	1 x S	trut, 1 x Coil, 1 x Strut top				
	OE Height - Up to Steel Bar & Winch	2	TOY-010	\$	Ea		
	50mm Lift - No Accessories	2	TOY-003	\$	Ea		
	50mm Lift - Up to Steel Bar & Winch	2	TOY-004	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAE	LE		
	Assembled struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	ор		
	OE Height - Up to Steel Bar & Winch	2	TOY-009	\$	Ea		
***************************************	50mm Lift - No Accessories	2	TOY-001	\$	Ea		
	50mm Lift - Up to Steel Bar & Winch	2	TOY-002	\$	Ea		
Ŧ	ASSEMBLED ST	RU	TS - 45MM ADJUS	STAE	LE		
8	Assembled struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strutt	ор		
	50mm Lift - No Accessories	2	TOY-005	\$	Ea		
	50mm Lift - Up to Steel Bar & Winch	2	TOY-006	\$	Ea		
	ASSEMBL	.ED	STRUTS - RALP	Н			
	Assembled struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut t	ор		
	50mm Lift - No Accessories	2	TOY-007	\$	Ea		
	50mm Lift - Up to Steel Bar & Winch	2	TOY-008	\$	Ea		
	STRUT - FO	ΑM	CELL				
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404932	\$	Ea		
	STRUT -	40I	MM ADJUSTABLE				
Ī	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404932	\$	Ea		
Ī	STRUT -	451	MM ADJUSTABLE				
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454932	\$	Ea		
	ST	RL	JT - RALPH				
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	TDR4932	\$	Ea		
45mm Adjustable & Ralph Strut does not suit factory coils							

CONTENT	DESCRIPTION	QΤΥ	PART NO	R	RRP
F	FOAM CELL - SHO	Ck	ABSORBER		
	Up to 35mm Lift	2	FC43041	\$	Ea
	35mm Lift - For use with 500kg springs Only	2	FC43043	\$	Ea
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RB	ER
	Up to 35mm Lift	2	BM403041	\$	Ea
	45MM ADJUSTA	BI	E - SHOCK ABSC	RB	ER
8	Up to 35mm Lift	2	BMX3041	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 35mm Lift	2	TDR3041	\$	Ea

# **PRODUCT COMPATIBILITY**

The OEM Adaptive Variable Suspension system fitted to GR Sport models will be lost when the front and rear shocks have been replaced with Tough Dog Suspension.



FRONT					
CONTENT	DESCRIPTION	PART NO	ı	RRP	
	COIL SPF	RIN	igs		
	OE Height with Bar/Winch - with FC or BM shocks	1	TDC1077	\$	Pr
	50mm Lift No Accessories - with FC or BM shocks	1	TDC1055	\$	Pr
	50mm Lift w/ Bar or Bar & Winch - with FC or BM shocks	1	TDC1056	\$	Pr
	50mm Lift No Accessories - Fits BMX & Ralph Struts only	1	TDC1057	\$	Pr
	50mm Lift w/ Bar or Bar & Winch - Fits BMX & Ralph Struts only	1	TDC1058	\$	Pr

	REAR					
CONTENT DESCRIPTION						
	COIL SPE	RIN	IGS			
	OE Height 0-300kg load	1	TDC1078	\$	Pr	
MIAAAA	35mm Lift 0-300kg load	1	TDC1059	\$	Pr	
	35mm Lift CONSTANT 300kg load	1	TDC1060	\$	Pr	
	35mm Lift CONSTANT 500kg load	1	TDC1061	\$	Pr	

	UPPER CONT	RO	LARMS	
UU	Upper Control Arms	1	TDCA-011	\$ Pr

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

All	R ASSIST - COIL II	NSI	ERT AIR BAGS		
	Coil Insert Bag Kit - OEM Height	1	TDAA-030	\$	Kt
	Coil Insert Bag Kit - Up to 35mm Lift	1	TDAA-031	\$	Kt
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.	

UPPER CON	TROL ARMS - REP	PL/	CEMENT COMPO	NE	ENTS
	Bush Kit to fit one UCA - for TDCA-011	1	TDSK-015	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-011	1	TDSK-016	\$	Ea

AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS ⁻	ГЕМ	
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

	PANHARI	D F	ROD	
·	Adjustable	1	TDPR-027	\$ Ea
	Rear Panhard Rod Replacement Bush kit	1	TDUK-032	\$ Kt

F	RONT INDIVIDUA	L C	OMPONENTS	
<b>1</b> 10	Strut Top	2	TOY-4932	\$ Ea

FRONT RE	EPLACEMENT BUS	SH	ES (QTY PER SHO	CK)	
	Replacement Bush kit	1	TDUK-057	\$	Ea

REAR RE	PLACEMENT BUS	HE	ES (QTY PER SHO	CK)	
	Replacement Bush kit	1	TDUK-058	\$	Ea

FOR GVM UPGRADES, SEE PAGE 298

# **GVM UPGRADE**



# TOYOTA LANDCRUISER 300 SERIES

GX / GXL / VX / SAHARA / SAHARA ZX / GR SPORT - 07/21 ON

3280_{KG*}

4139_{KG*}



### WHAT YOU GET:

- EXTRA PAYLOAD UP TO 859KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING


VEHICLE SPECIFICATIONS							
DESCRIPTION ORIGINAL EQUIPMENT TO							
1630KG	1900KG						
1930KG	2239KG						
3280KG	4139KG						
3500KG	3500KG						
6750KG	6750KG						
	ORIGINAL EQUIPMENT  1630KG  1930KG  3280KG  3500KG						



THIS PAGE IS INTENTIONALLY BLANK







REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	αTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assem	bled struts are made up of:	1 x S	strut, 1 x Coil, 1 x Strut top				
	OE Height	1	TOY-095/05-LH	-\$ Ea			
	- Up to Steel Bar	1	TOY-095/05-RH	<b>р</b> Еа			
	40mm Lift	1	TOY-095/03-LH	¢			
	- Up to Steel Bar	1	TOY-095/03-RH	-\$ Ea			
	40mm Lift - with Steel Bar & Winch	1	TOY-095/04-LH				
		1	TOY-095/04-RH	-\$ Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	OE Height	1	TOY-095/06-LH	¢			
	- Up to Steel Bar	1	TOY-095/06-RH	-\$ Ea			
	40mm Lift	1	TOY-095/01-LH	¢			
	- Up to Steel Bar	1	TOY-095/01-RH	-\$ Ea			
	40mm Lift	1	TOY-095/02-LH	¢ [-			
	- with Steel Bar & Winch	1	TOY-095/02-RH	-\$ Ea			

CONTENT	DESCRIPTION	ΔŢ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41108	\$ Ea			
	40mm Lift	2	FC41113	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	OE Height	2	BM401108	\$ Ea			
	40mm Lift	2	BM401113	\$ Ea			

STRUT - FOAM CELL					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404100	\$	Ea
I	STRUT -	401	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404100	\$	Ea





FRONT							
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
COIL SPRINGS							
	OE height - Up to Steel Bar	1	TDC971S	\$	Pr		
	40mm Lift - Up to Steel Bar	1	TDC971	\$	Pr		
	40mm Lift - with Steel Bar & Winch	1	TDC971H	\$	Pr		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
COIL SPRINGS						
	25mm Lift 0-300kg load	1	TDC973S	\$	Pr	
	40mm Lift 0-300kg load	1	TDC973	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC973H	\$	Pr	


FRONT INDIVIDUAL COMPONENTS					
<b>1</b> 0	Strut Top	2	TOY-1081	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Fits Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits Top Pin	2	TW959	\$	Ea
8	Fits Bottom Eyering	1	ADJ00191	\$	Ea







REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
ii >>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
0 0	Coil Insert Airbag (Optional)	1	Kt				

### REPLACING DAMPERS ONLY

The electronically controlled dampers on the 120 Series Prado can be replaced with Tough Dog Shock Absorbers without error indicators appearing on the instrument cluster. All four Shock Absorbers MUST BE replaced at the same time.

If operating correctly, the electronically-adjustable height control of the rear air bags will not be affected.

### CONVERTING FACTORY AIRBAGS TO COIL SPRINGS

When converting from factory airbags to conventional coil springs in the rear of the 120 Series Prado, the electronic workaround detailed in the instructions provided with the coil springs prevents the error indicator from being displayed in the instrument cluster. The electronic workaround will also disable the electronic dampering system, so all four electronically controlled dampers will need to be replaced with Tough Dog Shock Absorbers at the same time.

Once you remove the factory airbags, you need to install the genuine bump-stop coil retainer, part number 48302-60080, which can be ordered from Toyota.

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
А	SSEMBLED STRU	JTS	- FOAM CELL		
Assem	bled Struts are made up of	1 x S	Strut, 1 x Coil, 1 x Strut top		
	OE height	1	TOY-120/07-LH	-\$ Ea	
	- Up to Steel Bar	1	TOY-120/07-RH	ъ са	
	40mm Lift	1	TOY-120/03-LH	-\$ Ea	
	- Up to Steel Bar	1	TOY-120/03-RH	-\$ Ea	
_	40mm Lift	1	TOY-120/04-LH	<b>6 5</b> -	
	- With Steel Bar & Winch	1	TOY-120/04-RH	\$ Ea	
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE	
•	Assembled Struts are r	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top	
Ţ	OE height	1	TOY-120/08-LH	Φ 5-	
	- With Steel Bar	1	TOY-120/08-RH	\$ Ea	
	40mm Lift	1	TOY-120/01-LH		
	- Up to Steel Bar	1	TOY-120/01-RH	-\$ Ea	
	40mm Lift	1	TOY-120/02-LH		
	- With Steel Bar & Winch	1	TOY-120/02-RH	\$ Ea	

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	40mm Lift	2	FC41116	\$ Ea
	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER
ŏ	40mm Lift	2	BM401116	\$ Ea





FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - STRUT								
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea			
I	40MM AD	JL	STABLE - STRUT					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea			

REAR							
CONTENT	DESCRIPTION	αTY	PART NO	RRP			

COIL SPF	RIN	IGS	
OE height up to Steel Bar	1	TDC974S	\$ Pr
40mm Lift up to Steel Bar	1	TDC974	\$ Pr
40mm Lift with Steel Bar & Winch	1	TDC974H	\$ Pr

	COIL SPRING	GS	- LWB			
	OE Height 0-300kg load	1	TDC975S	\$	Pr	
	40mm Lift 0-300kg load	1	TDC975	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr	
	COIL SPRINGS - SWB					
	40mm Lift 0-300kg load	1	TDC975S	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr	
	CONSTANT 300kg load	1	100975	\$	Pr	

COIL SPRINGS - AIRBAG CONVERSION						
	40mm Lift 0-300kg load	1	TDC975AB	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC975HAB	\$	Pr	
<b>Note:</b> Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS							
とり	Upper Control Arms	1	TDCA-005	\$	Pr		

Fitment of Tough Dog Upper Control Arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS									
Bush Kit to fit one UCA - for TDCA-00		TDSK-007	\$	Kt					
Ball joint kit to fit on UCA - for TDCA-00	e 1	TDSK-008	\$	Kt					

FRONT INDIVIDUAL COMPONENTS						
<b>Æ</b> 0	Strut Top	2	TOY-1084	\$	Ea	
	76mm Hole Spacing Sway Bar Spacer	1	TDSP-011	\$	Ea	

AIR ASSIST - COIL INSERT AIR BAGS								
	Coil Insert Bag Kit - OEM Height	1	TDAA-020	\$	Kt			
	Coil Insert Bag Kit - Up to 40mm Lift	1	TDAA-009	\$	Kt			
<b>Note:</b> Separate Air Assist components can be viewed on page 14.								

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM								
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Rear Top Pin	2	TW967	\$	Ea			
8	Rear Bottom Eyering	1	415024	\$	Ea			



PRADO
150 SERIES (EXCLUDES KAKADU MODELS)
2010 ON

LIFT FRONT: 40MM | REAR: 40MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL				
Assembled Struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
	Up to 40m Lift	1	TOY-150/05-LH	\$ E			
	With Steel Bar - SWB	1	TOY-150/05-RH	φ E	a		
	Up to 40m Lift With Steel Bar & Winch	1	TOY-150/06-LH	-\$ E			
	- SWB	1	TOY-150/06-RH	) E	а		
	40mm Lift	1	TOY-150/07-LH	<u> </u>			
	Up to Steel Bar - LWB	1	TOY-150/07-RH	-\$ E	а		
_	40mm Lift With Steel Bar & Winch - LWB	1	TOY-150/08-LH	¢ -			
*		1	TOY-150/08-RH	\$ E	а		
	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
3	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	OE height With Steel Bar	1	TOY-150/01-LH	-\$ E			
	- SWB	1	TOY-150/01-RH	) E	a		
	Up to 40m Lift With Steel Bar & Winch	1	TOY-150/02-LH	\$ E			
	- SWB	1	TOY-150/02-RH	) E	a		
	40mm Lift With Steel Bar	1	TOY-150/03-LH	\$ E			
	- LWB	1	TOY-150/03-RH	φ E	a		
	40mm Lift	1	TOY-150/04-LH	-\$ E			
	With Steel Bar & Winch - LWB	1	TOY-150/04-RH	] Φ E	a		

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
°	40mm Lift	2	FC41118	\$ Ea					
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER					
8	40mm Lift	2	BM401118	\$ Ea					

STRUT - FOAM CELL						
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea	



### PRADO 150 SERIES (EXCLUDES KAKADU MODELS) 2010 ON



EST. LIFT FRONT: 40MM | REAR: 40MM

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	COIL SPRINGS - SWB						
	40mm Lift - up to Steel Bar	1	TDC974S	\$	Pr		
	40mm Lift - with Steel Bar & Winch	1	TDC974	\$	Pr		

REAR						
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
	COIL SPRING	GS	- SWB			
	40mm Lift 0-300kg load	1	TDC975S	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr	

	COIL SPRIN	GS	- LWB	
MIAAAA	40mm Lift - Up to Steel Bar	1	TDC974H	\$ Pr
	40mm Lift - With Steel Bar & Winch	1	TDC974HH	\$ Pr

	COIL SPRING	GS	- LWB	
	OE Height 0-300kg load	1	TDC975S	\$ Pr
	40mm Lift 0-300kg load	1	TDC975	\$ Pr
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$ Pr

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-005	\$	Pr	

Fitment of Tough Dog Upper Control Arms to vehicles that have Lifts fitted
greater than 50mm may suffer from premature ball joint failure due to droop
lengths. The use of strut spacers may also affect the performance and longevity
of the UCA ball joint due to the limitations of the spherical bearing housing
being breached or bound at full suspension droop. There will be no warranty
either expressed or implied if the vehicle is used out of legal driving conditions
that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OEM Height	1	TDAA-020	\$ F	<b>&lt;</b> t	
	Coil Insert Bag Kit - Up to 40mm Lift	1	TDAA-009	\$ K	<b>&lt;</b> t	
Note: Sep	arate Air Assist compone	nts	can be viewed on page 1	L4.		
AIR ASSI	ST - COIL INSERT	WI	RELESS AIR SYST	ЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$ r	<t< td=""></t<>	

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
[	Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt
	Ball joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
	Strut Top	2	TOY-1083	\$	Ea	
00 00	83mm Hole Spacing Sway Bar Spacer	1	TDSP-012	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ī	Front bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top pin	2	TW967	\$	Ea
8	Rear bottom eyering	1	415024	\$	Ea





FRONT						
FRONT SUSPENSION	ON CHECK LIST					
You need to order the following items	for the front end of your ve	hicle	١.			
	Assembled struts	2	Ea			
	OR					
<b>E</b> ORIISS	Struts	2	Ea			
<b>\$\$</b> ¹ ++33	Coil Springs	1	Pr			
ii iiss	Strut Top (Optional)	2	Ea			
	Upper Control Arms (Optional)	1	Pr			

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
ii >>	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
0 0	Coil Insert Airbag (Optional)	1	Kt			

### REPLACING DAMPERS ONLY

The electronically controlled dampers on the 150 Series Prado can be replaced with Tough Dog Shock Absorbers without error indicators appearing on the instrument cluster. All four Shock Absorbers MUST BE replaced at the same time. If operating correctly, the electronically-adjustable height control of the rear air bags will not be affected.

### CONVERTING FACTORY AIRBAGS TO COIL SPRINGS

When converting from factory airbags to conventional coil springs in the rear of the 150 Series Prado, the electronic workaround detailed in the instructions provided with the coil springs prevents the error indicator from being displayed in the instrument cluster. The electronic workaround will also disable the electronic dampering system, so all four electronically controlled dampers will need to be replaced with Tough Dog Shock Absorbers at the same time.

Once you remove the factory airbags, you need to install the genuine bump-stop coil retainer, part number 48302-60110 or 48302-60080, which can be ordered from Toyota.

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
А	ASSEMBLED STRUTS - FOAM CELL							
Assem	bled struts are made up of:	1 x S	trut, 1 x Coil, 1 x Strut top					
	Up to 40m Lift	1	TOY-150/05-LH	\$ Ea				
	With Steel Bar - SWB	1	TOY-150/05-RH	Ψ				
	Up to 40m Lift With Steel Bar & Winch	1	TOY-150/06-LH	s Ea				
	- SWB	1	TOY-150/06-RH	Φ <b>Ε</b> δ				
	40mm Lift	1	TOY-150/07-LH	ф Г-				
	Up to Steel Bar - LWB		TOY-150/07-RH	\$ Ea				
	40mm Lift With Steel Bar & Winch - LWB	1	TOY-150/08-LH	\$ Ea				
3		1	TOY-150/08-RH	\$ Ea				
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
3	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top				
J	OE height	1	TOY-150/01-LH	\$ Ea				
0	With Steel Bar - SWB	1	TOY-150/01-RH	Ф Е				
	Up to 40m Lift With Steel Bar & Winch	1	TOY-150/02-LH	ф Г-				
	- SWB	1	TOY-150/02-RH	\$ Ea				
	40mm Lift	1	TOY-150/03-LH	\$ Ea				
	With Steel Bar - LWB	1	TOY-150/03-RH	φ Εά				
	40mm Lift	1	TOY-150/04-LH	\$ Ea				
	With Steel Bar & Winch   - LWB	1	TOY-150/04-RH	φ Ε				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	40mm Lift	2	FC41116	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER
8	40mm Lift	2	BM401116	\$ Ea



# PRADO 150 SERIES (KAKADU MODELS ONLY) 2010 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RF	₹P	
	STRUT - FO	ΑN	CELL			
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea	
I	STRUT -	STRUT - 40MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea	

REAR						
CONTENT	DESCRIPTION	αTY	PART NO	RRP		

	COIL SPRIN	GS	- LWB	
MIAAAA	40mm Lift - Up to Steel Bar	1	TDC974H	\$ Pr
	40mm Lift - With Steel Bar & Winch	1	TDC974HH	\$ Pr

	COIL SPRING	GS	- LWB	
	40mm Lift 0-300kg load	1	TDC1095	\$ Pr
	40mm Lift CONSTANT 300kg load	1	TDC1096	\$ Pr

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-005	\$	Pr	
Fitment of Tough Dog Unner Control Arms to vehicles that have Lifts fitted						

Fitment of Tough Dog Upper Control Arms to vehicles that have Lift	s fitted
greater than 50mm may suffer from premature ball joint failure due t	o droop
lengths. The use of strut spacers may also affect the performance and	longevity
of the UCA ball joint due to the limitations of the spherical bearing h	ousing
being breached or bound at full suspension droop. There will be no v	varranty
either expressed or implied if the vehicle is used out of legal driv	ing
conditions that will include, but is not limited to, jumping of the ve	hicle.

AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OEM Height	1	TDAA-020	\$	Kt	
	Coil Insert Bag Kit - Up to 40mm Lift	1	TDAA-009	\$	Kt	
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.					
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	ГЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
	Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt
	Ball Joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
	Strut Top	2	TOY-1083	\$	Ea


	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Front Bottom Eyering 1 ADJ300/40A	\$	EA					

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear Top Pin	2	TW967	\$	Ea
	Rear Bottom Eyering	1	415024	\$	Ea





### 2011-2016 EST. LIFT FRONT: 40MM | REAR: 40MM



REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
   §§	Coil Insert Airbag (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
А	SSEMBLED STRU	JTS	- FOAM CELL				
Assembled struts are made up of: 1 x Strut, 1 x Coil, 1 x Strut top							
	Up to Steel Bar	1	TOY-150/07-LH	\$ Ea			
		1	TOY-150/07-RH	\$ Ea			
_	With Steel Bar & Winch	1	TOY-150/08-LH	-\$ Ea			
*		1	TOY-150/08-RH	ф са			
<b>3</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled struts are n	nade	up of: 1 x Strut, 1 x Coil, 1 x	Strut top			
	Up to Stool Bor	1	TOY-150/03-LH	\$ Ea			
•	Up to Steel Bar	1	TOY-150/03-RH	\$ Ea			
	With Steel Bar	1	TOY-150/04-LH	¢			
	& Winch	1	TOY-150/04-RH	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	40mm Lift	2	FC41116	\$ Ea
	40MM ADJUSTA	ABL	LE - SHOCK ABSC	RBER
8	40mm Lift	2	BM401116	\$ Ea

STRUT - FOAM CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea
I	STRUT - 40MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea

COIL SPRINGS					
MILLAAAA	40mm Lift - up to Steel Bar	1	TDC974H	\$	Pr
	40mm Lift - with Steel Bar & Winch	1	TDC974HH	\$	Pr

COIL SPRINGS					
MIAAAA	40mm Lift 0-300kg load	1	TDC975	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr



### TOYOTA FJ CRUISER

2011-2016 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-005	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	R	RP		
All	AIR ASSIST - COIL INSERT AIR BAGS						
	Coil Insert Bag Kit - OEM Height	1	TDAA-020	\$	Kt		
	Coil Insert Bag Kit - Up to 40mm Lift	1	TDAA-009	\$	Kt		
<b>Note:</b> Separate Air Assist components can be viewed on page 14.							

**AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM** 

1

**TDAS-002** 

Κt

Wireless Air System

Suits Coil Insert Airbags

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt		
	Ball joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt		

FRONT INDIVIDUAL COMPONENTS							
<b>1</b>	Strut Top	2	TOY-1083	\$	Ea		
•• ••	Swaybar Spacer kit - 76mm Spacing - 2006-2009 vehicles	1	TDSP-011	\$	Ea		
<b>00</b> 00	Swaybar Spacer kit - 83mm Spacing - 2010 on vehicles	1	TDSP-012	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
å	Front Bottom Eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear Top Pin	2	TW967	\$	Ea		
	Rear Bottom Eyering	1	415024	\$	Ea		



RAV 4 SXA, 10, 11 05/1994-2000 EST. LIFT FRONT: 30MM | REAR: 30MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 2 Ea 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
iias	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
1133								
iies								

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	NITROGEN G	AS	- STRUT				
	Up to 30mm Lift	2	BDS4001	\$ Ea			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	TROGEN GAS - SI	100	CK ABSORBER				
å	Up to 30mm Lift	2	BD1106TB	\$ Ea			
	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER			
	30mm Lift	2	BM401106	\$ Ea			

COIL SPRINGS						
	30mm Lift	1	TDC981	\$	Pr	

COIL SPRINGS							
	30mm Lift	1	TDC982	\$	Pr		

REAR INDIVIDUAL COMPONENTS						
	Fits Top Pin		TW959	\$	Ea	
8	Fits Bottom Eyering		ADJ00191	\$	Ea	





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Coil Springs 1 Pr

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
<b>a a a</b>	Shock Absorber	2	Ea				
0	Leaf Spring	2	Ea				
	Chassis Mount Bushes	1	Kt				
	U-Bolts Kits	2	Kt				
§ § —— i i							

FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	STRUT - FO	ΑN	CELL			
Ī	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404910	\$ Ea		
	STRUT - 40MM ADJUSTABLE					
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404910	\$ Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	CK	ABSORBER			
ů	Up to 45mm Lift	2	FC41117	\$ Ea		
	40MM ADJUSTA	۱BI	LE - SHOCK ABSC	RBER		
8	45mm Lift	2	BM401117	\$ Ea		

	COIL SPI	RIN	IGS	
	45mm Lift - No Bar or Alloy Bullbar	1	TDC930L	\$ Pr
	45mm Lift - With Steel Bar or Bar & Winch	1	TDC930HL	\$ Pr

LEAF SP	RIN	IGS	
 0-300kg load 45mm Lift - Includes bushes in Spring	2	FS701	\$ Ea

REAR INDIVIDUAL COMPONENTS					
	Urethane Chassis Mount Bush kit - Required for fitting FS701 springs	1	TDUK-076	\$	Kt
$\cap$	U-Bolt kit	2	TDUB-016HD	\$	Kt
	Urethane Shackle Bush kit - Not required when ordering FS701	1	TDUK-074	\$	Kt
Note: TDUK-074 not required when ordering rear suspension, as the bushes are already fitted to springs.					



### **UAZ** UAZ, HUNTER, PATRIOT

1965 ON EST. LIFT FRONT: 40MM | REAR: 40MM



	FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	OAM CELL - SHO	CK	ABSORBER				
Suit UAZ 452	(1965-1972), UAZ 469 (1	972	-1985), UAZ 3151 (1985-	2003)			
	Up to 40mm Lift	2	FC41382	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM401382	\$ Ea			
	FOAM CELI	L <b>-</b> .	SHOCK ABSORBI	ER			
0	Sui	t Hı	unter (2003 on)				
	Up to 40mm Lift	2	FC41391	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
	Up to 40mm Lift	2	BM401391	\$ Ea			
	FOAM CELI	L <b>-</b> .	SHOCK ABSORBI	ER			
	Sui	it Pa	triot (2005 on)				
	Up to 40mm Lift	2	FC41150	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM 401150	\$ Ea			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RR	RP	
F	OAM CELL - SHO	CK	ABSORBER			
Suit UAZ 452	(1965-1972), UAZ 469 (1	.972	-1985), UAZ 3151 (1985-	2003)		
	Up to 40mm Lift	2	FC41382	\$	Ea	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R	
	Up to 40mm Lift	2	BM401382	\$	Ea	
	FOAM CEL	Ĺ - :	SHOCK ABSORBI	ER		
0	Sui	it Hu	unter (2003 on)			
Ĭ	Up to 40mm Lift	2	FC41389	\$	Ea	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R	
	Up to 40mm Lift	2	BM401389	\$	Ea	
· ·	FOAM CEL	L -	SHOCK ABSORBI	ER		
	Su	it Pa	atriot (2005 on)			
	Up to 40mm Lift	2	FC41389	\$	Ea	
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R	
	Up to 40mm Lift	2	BM 401389	\$	Ea	

COIL SPRINGS					
	OE height	1	TDC150SL	\$	Pr
	40mm Lift up to Steel Bar	1	TDC150L	\$	Pr
	40mm Lift with Steel Bar & Winch	1	TDC150HL	\$	Pr

LEAF SPRINGS						
مـــــــــــــــــــــــــــــــــــــ	0-300kg load	2	FS160H	\$	Ea	
	CONSTANT 300kg load	2	FS160HH	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK




# VOLKSWAGEN

2010-2022 EST. LIFT FRONT: 20MM | REAR: 20MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Upper Control Arms (Optional) 1 Pr



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	Ck	ABSORBER			
	<b>Note:</b> Not suitable	wit	th OE coils.			
å	20mm Lift	2	FC404730	\$ Ea		
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER		
I	<b>Note:</b> Not suitable with OE coils.					
8	20mm Lift	2	BM404730	\$ Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	CK	ABSORBER			
	Up to 20mm Lift	2	FC41390	\$ Ea		
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
8	Up to 20mm Lift	2	BM401390	\$ Ea		

COIL SPRINGS - 2.0L ENGINE ONLY								
	<b>Note:</b> Only suitable with TD shocks							
MILLAAA	20mm Lift up to Steel Bar	1	TDC110L	\$	Pr			
	20mm Lift with Steel Bar & Winch	1	TDC110HL	\$	Pr			
	COIL SPRINGS - 3.0L V6 ENGINE ONLY							
MILLANA	COIL SPRING	s -	3.0L V6 ENGINE (	ONLY				
			3.0L V6 ENGINE (	ONLY				
				\$	Pr			

LEAF SPI	RIN	IGS	
0-300kg load	2	FS710M	\$ Ea
CONSTANT 300kg load	2	FS710HM	\$ Ea



# VOLKSWAGEN

2010-2022 EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT						
CONTENT DESCRIPTION 🗟 PART NO RRP						
	UPPER CONT	RC	LARMS			
UU	Upper Control Arms	1	TDCA-008	\$ 1	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-008	1	TDSK-013	\$	Kt	
	Ball Joint kit to fit one UCA - for TDCA-008	1	TDSK-014	\$	Kt	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
A	IR ASSIST - BELL	.OV	VS AIR BAGS			
	Bellows Bag kit - Up to 20mm Lift	1	TDAA-114	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit (Leaf)	1	TDUK-072	\$	Kt			
	Urethane Shackle Bush kit (Chassis)	1	TDUK-075	\$	Kt			
	<b>Note:</b> Amarok chassis bush has two thicknesses - TDUK-075 includes both sizes. Please install the correct set.							
$\cap$	U-bolt kit	2	TDUB-005	\$	KT			



# VOLKSWAGEN AMAROK 4 CYL ENGINES & 3.0L V6 TD ENGINES 10/2022 ON

FT FRONT: 45MM | REAR: 45MM



**PART NO** 

RRP

Ea

Ea

#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control arms (Optional) 1 Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following item	s for the rear end of your ve	hicle					
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt				
	Bellows Airbags (Optional)	1	Kt				
0 0							

**FOAM CELL - SHOCK ABSORBER** 

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP
ASSE	MBLED STRUTS T	0 1	FIT 4 CYL MODEL	S	
	F	<b>=</b> 0,	AM CELL		
	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top
	No Accessories	1	FOR-013	\$	Ea
	Bar or Bar & Winch	1	FOR-014	\$	Ea
<b>3</b>	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-015	\$	Ea
#	40MI	VI A	DJUSTABLE		
8	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top
	No Accessories	1	FOR-009	\$	Ea
	Bar or Bar & Winch	1	FOR-010	\$	Ea
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-011	\$	Ea

0	Up to 45mm Lift	2	FC43044	\$ E
	40MM ADJUSTA	ιBl	LE - SHOCK ABSO	RBER
8	Up to 45mm Lift	2	BM403044	\$ E

**DESCRIPTION** 

**CONTENT** 

	F	<b>O</b>	AM CELL			
	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top	
*	No Accessories	1	FOR-014	\$	Ea	
	Bar or Bar & Winch	1	FOR-015	\$	Ea	
<b>1</b>	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-016	\$	Ea	
#	40MM ADJUSTABLE					
8	Assembled struts are m	ade	up of: 1 x Strut, 1 x Coil, 1 x	Strut	top	
	No Accessories	1	FOR-010	\$	Ea	
	Bar or Bar & Winch	1	FOR-011	\$	Ea	
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-012	\$	Ea	

ASSEMBLED STRUTS TO FIT 3.0L V6 TD MODELS

STRUT - FOAM CELL							
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404934	\$	Ea		
4	STRUT -	40I	MM ADJUSTABLE				
I	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404934	\$	Ea		



## KSWAGEN

**ENGINES & 3.0L V6 TD ENGINES** 

' FRONT: 45MM | REAR: 45MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
COIL SPRINGS - 2.0L 4CYL BTD							
	No Accessories	1	TDC1063	\$	Pr		
	Bar or Bar & Winch	1	TDC1064	\$	Pr		
••••	Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1065	\$	Pr		

REAR							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP			
LEAF SPRINGS							
	0-300kg load	2	T88C	\$	Ea		
	CONSTANT 300kg load	2	T88L	\$	Ea		
	CONSTANT 500kg load	2	T88LL	\$	Ea		

COIL SPRINGS - 3.0L V6 TD							
	No Accessories	1	TDC1064	\$	Pr		
	Bar or Bar & Winch	1	TDC1065	\$	Pr		
	Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1066	\$	Pr		

LEAF SPRING FITMENT KIT - FITS T88C							
	Urethane Shackle bushes						
$\cap$	U-Bolts						
	Greaseable Shackles	1	TDFK-035		\$	Kt	
·····	Greaseable Pins						
	Centre Bearing Spacer						

**LEAF SPRING FITMENT KIT - FITS T88L & T88LL** 

1 TDFK-036

Κt

Urethane Shackle bushes U-Bolts Greaseable Shackles

Greaseable Pins

UPPER CONTROL ARMS							
UU	Upper Control Arms - suits vehicles with Aluminium Uprights	1	TDCA-013	\$	Pr		
しい	Upper Control Arms - suits vehicles with Steel Uprights	1	TDCA-014	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have Lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

PRODUCT COMPATIBILITY

### Centre Bearing Spacer **AIR ASSIST - BELLOWS AIR BAGS** Bellows Bag kit **TDAA-135** Κt - Standard Height Bellows Bag kit **TDAA-136** Kt

TDCA-013 suit LIFE, STYLE, PANAMERICANA, & AVENTURA models. **TDCA-014** suit CORE models.

Please check the material of the OEM uprights - either STEEL or ALUMINIUM - before ordering and fitting.

	- 45mm Lift		12701100	Ψ
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-013 & TDCA-014	1	TDSK-028	\$	Ea		
	Ball Joint Kit to fit one UCA - for TDCA-013	1	TDSK-029	\$	Ea		
	Ball Jointkit to fit one UCA - for TDCA-014	1	TDSK-032	\$	Ea		

AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTE	ΞM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

REAR INDIVIDUAL COMPONENTS

FRONT INDIVIDUAL COMPONENTS							
<b>-1</b> -0	Strut Top excluding Bump Stop & Boot	2	FOR-4934	\$	Ea		
	Bumpstop & Boot	2	DB190/B	\$	Ea		

<b>Note:</b> Fitting the Strut Top (FOR-4934) will require use of the original bumpstop
and boot, or purchase of a replacement bumpstop and boot (DB-190B).
Contact 4Way Suspension to discuss.

	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt		
$\cap$	U-Bolt kit - Suits T88C only	2	TDUB-016	\$	Kt		
$\cap$	U-Bolt kit - Suits T88L & LL only	2	TDUB-016HD	\$	Kt		
	Greaseable Shackle kit	1	TDGS-390	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-668	\$	Kt		
TTesess	Centre Bearing Spacer Kit	1	TDSP-030	\$	Kt		
Note: Must be fitted to all Lift kits.							
	Relocation Bracket - Matrix LED Headlight Module	1	TDSP-031	\$	Kt		

### IQ. Light LED-Matrix Headlamp Module

Relocation Bracket must be fitted to STYLE, PANAMERICANA, & AVENTURA models with auto-levelling headlights.

# **ROCK DOG**



### **ROCK CRAWLING COMPETITION COILOVERS**

### COILOVER SETUP CAN BE COMPLEX - PLEASE CALL (02) 9672 8899 TO TAILOR A SOLUTION

	COILOVER SETUPS						
CONTENT	DINTENT PART NO E						
	SHOCK ABSORBER						
	BMX45305	2	12" Travel Shock (505/810mm)				
	BMX45356	2	14" Travel Shock (565/910mm)				
	BMX45406	2	16" Travel Shock (610/1015mm)				
	COIL SPRINGS						
	TDC-BMX160	1	160lbs Spring				
	TDC-BMX180	1	180lbs Spring				
	TDC-BMX100	1	100lbs Tender Coil Springs				
	TDC-BMX180T	1	180lbs Dual Rate (Tapered) Coil				
			Custom Coil Design Available - Contact us on (02) 9672 8899				
			COMPONENTS				
	TDUK-2000	1	Urethane Spring Connector				
	TDUK-2001	1	Urethane Protector Sleeve				
	361321	2	QA1 Heim Joints				



THIS PAGE IS INTENTIONALLY BLANK

# **PROMOTIONAL ITEMS**

BROCHURES CORFLUTE SIGNS



### **BROCHURES**



**COMPLETE SUSPENSION: CAT-006** 



FLEET: CAT-001



**GVM UPGRADES: CAT-005** 



AIR ASSIST: CAT-003



**ARMOURED: CAT-002** 

### **CORFLUTE SIGNS**



**SUSPENSION: MER-007/3** 



PRODUCT: MER-007/4



**GVM: MER-007/5** 

# **PROMOTIONAL ITEMS**

OUTDOOR FLAGS IN-STORE DISPLAYS



### **OUTDOOR FLAGS**



### IN-STORE DISPLAYS







**MDS KIT/WIDE 1** 

**MDS KIT/WIDE 2** 

MDS KIT/SLIM 1

# **FITTING SHEET**



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS					
FITTED BY:		DATE			
OWNER'S NAME		YEAR			
ADDRESS		MAKE			
SUBURB	POSTCODE	MODEL			
PHONE NUMBER		ODOMETER:			
EMAIL:		COMMENTS:			
Measurements should be taken from the bottom of the rim to the wheel arch on each corner. In the case of a tray, measure to the same point each time					

BEFORE & AFTER MEASUREMENTS	AFTERMARKET FITMENTS	BEFORE & AFTER MEASUREMENTS		
PASSENGER FRONT SIDE		DRIVERS FRONT SIDE		
ORIGINAL HEIGHT				
HEIGHT AFTER LIFT				
HEIGHT 500KM SERVICE				
SHOCK FITTED (P/N)	Alloy   Steel			
SPRING FITTED (P/N)	WinchYes 🗆 No 🗆			
COMMENTS	SideraitsYes 🗆 No 🗆			
	Dual BatteryYes   No   Petrol   Diesel   T/Diesel   Manual   Auto			
	Roof RackYes No			
PASSENGER REAR SIDE	Steet Alloy Alloy Roof Accessories:	DRIVERS REAR SIDE		
ORIGINAL HEIGHT				
HEIGHT AFTER LIFT	Main Fuel Tank Std L/Range Capacity stres			
HEIGHT 500KM SERVICE	Auxiliary Tank: Yes No			
SHOCK FITTED (P/N)	Hoa Accessories Piceol			
SPRING FITTED (P/N)				
COMMENTS	Total Rear Constant Kg:			
	MATHATAM			

# **CLAIM FORM**



### **WARRANTY & RETURNS**

PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE **EXTENSIVE DELAYS IN PROCESSING** 

CUSTOMER DETAILS						
NAME:						
ADDRESS:						
SUBURB:			POSTCODE:			
		PURCHASE [	DETAILS			
DEALER NAME:						
PURCHASE DATE:			INVOICE NO:			
		VEHICLE DE	ETAILS			
YEAR:		MAKE:		MODEL:		
		ITEM FOR WARRA				
PART NO	QTY	REASONS FOR RET	URN	CREDIT AC.	REPLACE ITEM	

### **DISCLAIMER FORM**



### **VEHICLES LIFTED MORE THAN 50MM**

VEHICLES FITTED WITH A LIFT KIT GREATER THAN 50MM OVER ORIGINAL EQUIPMENT HEIGHT MAY REQUIRE ADDITIONAL CERTIFICATION TO REMAIN FIT FOR REGISTERED USE. CONSULT WITH YOUR DEALER ON THE STEPS TO OBTAIN ENGINEERING CERTIFICATION IN YOUR STATE / TERRITORY.

CUSTOMER DETAILS				
FITTED BY:			DATE	
OWNER'S NAME			YEAR	
ADDRESS			MAKE	
SUBURB	POSTCODE		MODEL	
PHONE NUMBER	·		ODOMETER:	
EMAIL:			COMMENTS:	

### DECLARATION

The suspension components fitted to this vehicle (Registration______) are designed to Lift the vehicle by more than 50mm. Vehicles with Lifts greater than 50mm may require engineer's approval to continue to be used as a road-registered vehicle. Information on the certification process differs by jurisdiction.

Ensuring continuing compliance with the requirements of registration is the responsibility of the owner or operator of the vehicle and no liability shall be accepted by any other person. Compliance of the vehicle may be undertaken with the assistance of a qualified certifying engineer, at the expense of the vehicle owner.

SCHEDULE OF PARTS FITTED					
	FRONT	REAR			
SHOCK ABSORBER					
COIL SPRINGS					
STEERING STABILIZER					
PANHARD RODS					
CASTOR BUSHES/ PLATES					
TRANSMISSION SPACERS					
BRAKE HOSES					

Signed:	Date:
Name (Print):	

### DISCLAIMER

4 Way Suspension Products Pty Ltd markets a range of off road products that may require certification from a qualified engineer prior to driving on public roads. The fitment of these items and the operation of the vehicle on public roads or road related areas prior to certification may render the vehicle unroadworthy, and may affect the status of your registration. Please check with the relevant ADR authorities in your state or territory and a qualified engineer.

Details of suitable engineers are provided by the state/territory authority.

# **PURCHASE ORDER FORM**



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS.
RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS						
NAME:				DATE:		
ABN NO				STAFF MEMBER:		
ADDRESS:				PHONE NUMBER		
SUBURB		POSTCODE		FAX NUMBER:		
PHONE NUMBER				EMAIL		
;	SHIPPING DETA	AILS - NOTE: MUS	T BE A BUSINE	ESS ADDRESS - NO DR	ROP SHIPPING	
ADDRESS				ORDER NUMBER:		
				FREIGHT SERVICE:	STANDARD	AIR / EXPRESS
FREIGHT (CIRCLE)	4WAY DEFAULT	OTHER (SPECIFY):		FREIGHT A/C NO:		
	SEND (	ORDER BY EMAIL	TO SALES@4	WAYSUSPENSION.CO	M.AU	

# JOIN THE PACK

READY FOR THE NEXT ADVENTURE!



WWW.TOUGHDOG.COM.AU